

Jason Industrial Inc.®

Every Belt You'll Ever Use. Made to Perform. Priced to Compete.



The Jason Advantage

Jason Industrial offers the country's largest and most complete stock of power transmission belts, designed to fit every need, standard or metric. We're also the best source for your other industrial product needs, such as appliance hoses and belts, lawn, garden and utility belts, industrial hoses and couplings, and molded rubber products. As well, we offer custom products to meet your unique needs and specifications. To ensure the quality of our more technically demanding products, we've brought together experts in timing belt manufacturing, research and development, application and marketing to run our Timing Belt Manufacturing Company, Inc. (TBMC), our state-of-the-art manufacturing plant in Greenville, SC. TBMC is ISO 9002 certified.

Where You Need Us

All Jason products are sold via a coast-to-coast distributor network, so you'll always be able to get the product you want quickly, easily and at a competitive price. This is possible because our distributors are backed by eleven strategically located regional warehouses. Through the years, we've grown to become one of the nation's largest industrial belt suppliers, and we want to be your first choice for high quality Power Transmission Belts.



BELTING

- Vee Belts & Belting
- Urethane Belting
- Synchronous Neoprene
- Variable Speed Belting
- Metric Belting
- Multi-Rib V-Belts
- MXV Super Duty Belting
- 400 Flat & Neoflex Belts

More Than Just Quality Products

At Jason, we offer our customers more than just quality products at competitive prices. We also extend to our customers responsive service and a knowledgeable technical support staff.

Our courteous customer service professionals are available to answer your questions and help solve your application problems. Likewise, our technical support staff is ready to work through your most complex application inquiries at no additional cost.

With over 50 years experience in belts and industrial products, the Jason support team can recommend the proper product for your application, and if none exists, custom design one to meet your specific need.




Jason Also Supplies a Full-Line of Hose & Coupling Products and Light & Heavy Duty Sheaves & Bushings
See Inside Back Cover for a Complete Catalog Listing



www.jasonindustrial.ca

Table of Contents

	PAGE	CONTENTS
Synchronous Neoprene	4	HTB® Timing Belts
	6	Dual HTB Timing Belts
	7	“S” Type Profile Timing Belts
	8	Standard Timing Belts
	10	Double Sided Timing Belts
	11	Open End Belting
Urethane	12	Urethane Timing Belts - Metric
	14	Urethane Timing Belts - Dual & Open-end Metric
	15	Urethane Timing Belts, XL, L & H
	16	VAR Urethane Belting
Vee Belts & Belting	17	Fractional Horsepower (FHP) & Classical V-Belts
	19	UniMatch® Cogged Raw Edge Classical V-Belts
	21	UniMatch® SP Series Metric V-Belts,
	23	Open-End and Accu-Link Belting
	24	UniMatch® Deep Wedge V-Belts
	25	UniMatch® Cogged Raw Edge Deep Wedge V-Belts
	26	UniMatch® Banded V-Belts (Classical)
	27	UniMatch® Banded V-Belts (Deep-Wedge)
	28	Variable Speed V-Belts
	32	Multi-Rib V-Belts
Misc.	33	Double Multiple V-Belts
	34	MXV Super Duty Belts
	35	Jason Type 400 Flat Belts & Neoflex Belts
	36	Jason Iron Products
	37	Belt Tensioning Instructions
	38	Reference Dimensions for Jason Belts
	39	Jason Product Catalogs



HTB® Timing Belts



Oil, heat and abrasion-resistant.

The standard trapezoidal tooth timing belt design performs poorly in high torque applications and high power drives at lower speeds. To overcome this disadvantage the High Torque Belt (HTB) was developed using a more efficient tooth profile.

Stock 5mm, 8mm and 14mm pitch HTB timing belts are listed below. Non-standard lengths in these pitches are also available, as are belts with 3mm pitch.

HTB timing belts are specified by belt pitch length, tooth profile, and tooth pitch code and belt width in millimeters. For example:

720 - 8M - 30
 (Belt Pitch Length) (Tooth Pitch Code) (Belt Width)
 (mm) (mm) (mm)

3mm HTB Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width(mm)					
		06		09		15	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
144-3M	48	\$4.64	0.005	\$6.10	0.007	\$10.44	0.012
150-3M	50	4.64	0.005	6.10	0.007	10.44	0.012
156-3M	52	4.74	0.005	6.24	0.007	10.66	0.012
159-3M	53	4.74	0.005	6.24	0.007	10.66	0.012
177-3M	59	4.74	0.005	6.24	0.007	10.66	0.012
180-3M	60	4.88	0.006	6.50	0.009	10.98	0.015
186-3M	62	4.88	0.006	6.50	0.009	10.98	0.015
201-3M	67	4.88	0.006	6.50	0.009	10.98	0.015
204-3M	68	4.88	0.006	6.50	0.009	10.98	0.015
210-3M	70	4.92	0.006	6.56	0.009	11.08	0.015
213-3M	71	4.94	0.006	6.60	0.009	11.14	0.015
225-3M	75	5.04	0.007	6.72	0.010	11.34	0.017
240-3M	80	5.16	0.007	6.88	0.010	11.60	0.017
255-3M	85	5.28	0.007	7.02	0.010	11.88	0.017
261-3M	87	5.32	0.007	7.08	0.010	11.98	0.017
264-3M	88	5.32	0.007	7.08	0.010	11.98	0.017
267-3M	89	5.34	0.007	7.10	0.010	12.02	0.017
285-3M	95	5.46	0.007	7.28	0.010	12.28	0.017
300-3M	100	5.54	0.009	7.40	0.014	12.48	0.023
312-3M	104	5.58	0.009	7.46	0.014	12.56	0.023
318-3M	106	5.58	0.010	7.46	0.014	12.56	0.024
336-3M	112	5.70	0.011	7.62	0.015	12.82	0.025
339-3M	113	5.72	0.011	7.66	0.015	12.86	0.026
363-3M	121	5.86	0.011	7.86	0.016	13.20	0.027
384-3M	128	6.00	0.012	8.06	0.017	13.50	0.029
390-3M	130	6.04	0.012	8.12	0.017	13.58	0.029
420-3M	140	6.10	0.012	8.20	0.018	13.72	0.030
447-3M	149	6.40	0.014	8.64	0.020	14.40	0.033
474-3M	158	6.56	0.015	8.88	0.021	14.78	0.035
480-3M	160	6.56	0.015	8.88	0.021	14.78	0.035
483-3M	161	6.62	0.015	8.96	0.021	14.90	0.036
486-3M	162	6.62	0.015	8.96	0.021	14.90	0.037
501-3M	167	6.62	0.016	8.96	0.022	14.90	0.038
513-3M	171	6.68	0.016	9.06	0.023	15.04	0.039
522-3M	174	6.74	0.017	9.12	0.023	15.16	0.040
537-3M	179	6.82	0.017	9.24	0.024	15.34	0.041
564-3M	188	6.96	0.018	9.46	0.025	15.68	0.043
570-3M	190	7.00	0.018	9.50	0.025	15.74	0.043
597-3M	199	7.15	0.019	9.71	0.027	16.07	0.046
612-3M	204	7.22	0.019	9.84	0.027	16.26	0.046
633-3M	211	7.34	0.020	10.00	0.028	16.52	0.048
669-3M	223	7.76	0.021	10.58	0.030	17.42	0.051
708-3M	236	8.20	0.022	11.18	0.031	18.46	0.054
753-3M	251	8.74	0.024	11.90	0.033	19.66	0.057

8mm HTB Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width(mm)							
		20		30		50		85	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
376-8M	47	\$25.56	.10	\$36.00	.16	\$57.40	.27	\$95.40	.45
424-8M	53	25.56	.11	36.00	.18	57.40	.30	95.40	.50
472-8M	59	25.56	.12	36.00	.20	57.40	.33	95.40	.55
480-8M	60	25.56	.13	36.00	.20	57.40	.34	95.40	.57
536-8M	67	26.40	.14	37.60	.23	60.20	.38	100.40	.63
560-8M	70	27.60	.16	39.40	.23	63.00	.39	104.80	.66
600-8M	75	29.00	.17	41.60	.25	66.60	.42	111.00	.71
624-8M	78	29.30	.18	41.90	.26	67.36	.43	112.36	.74
632-8M	79	29.40	.18	42.00	.27	67.60	.44	112.80	.75
640-8M	80	29.80	.18	42.60	.27	68.40	.45	114.20	.76
656-8M	82	30.24	.18	43.24	.28	69.52	.46	116.08	.78
720-8M	90	32.00	.20	45.80	.30	74.00	.50	123.60	.85
776-8M	97	34.10	.21	49.02	.32	79.18	.54	132.42	.93
784-8M	98	34.40	.22	49.48	.33	79.92	.56	133.68	.96
800-8M	100	35.00	.22	50.40	.33	81.40	.56	136.20	.96
840-8M	105	36.10	.24	52.00	.35	84.20	.58	140.90	.99
880-8M	110	37.20	.25	53.60	.37	87.00	.61	145.60	1.05
912-8M	114	38.08	.26	54.88	.38	89.24	.64	149.36	1.07
920-8M	115	38.30	.26	55.20	.38	89.80	.64	150.30	1.10
960-8M	120	39.40	.27	56.80	.40	92.60	.67	155.00	1.14
1040-8M	130	41.60	.29	60.20	.43	98.00	.74	164.40	1.24
1120-8M	140	43.80	.31	63.40	.47	103.60	.78	173.80	1.33
1152-8M	144	46.20	.34	66.80	.50	109.20	.84	183.20	1.46
1200-8M	150	46.20	.34	66.80	.50	109.20	.84	183.20	1.42
1224-8M	153	47.30	.35	68.40	.51	112.00	.85	187.90	1.45
1280-8M	160	48.40	.36	70.00	.53	114.80	.89	192.60	1.51
1304-8M	163	49.06	.38	71.00	.55	116.46	.92	195.52	1.57
1328-8M	166	49.72	.38	71.98	.55	118.10	.92	198.24	1.57
1360-8M	170	50.60	.38	73.30	.59	120.30	.98	202.00	1.63
1424-8M	178	52.36	.38	75.94	.59	124.70	.98	209.52	1.63
1440-8M	180	52.80	.40	76.60	.60	125.80	1.01	211.40	1.71
1600-8M	200	57.40	.45	83.20	.67	137.00	1.11	230.40	1.90
1760-8M	220	61.80	.49	89.80	.73	148.00	1.23	249.00	2.07
1800-8M	225	63.20	.50	91.80	.75	151.80	1.25	255.40	2.12
2000-8M	250	69.20	.56	100.60	.83	166.60	1.39	280.40	2.36
2104-8M	263	72.20	.60	112.80	.88	174.00	1.50	292.60	2.45
2248-8M	281	76.48	.64	115.42	.96	184.78	1.60	311.06	2.72
2400-8M	300	81.00	.68	118.20	1.00	196.20	1.66	330.60	2.82
2600-8M	325	87.60	.74	127.20	1.08	213.40	1.80	356.80	3.06
2800-8M	350	93.00	.80	135.60	1.16	225.80	1.92	380.92	3.29
3048-8M	381	101.24	.86	147.61	1.29	245.81	2.16	414.66	3.68
3600-8M	450	119.57	1.02	174.34	1.53	290.31	2.56	489.75	4.35
4400-8M	550	141.60	1.25	201.60	1.32	343.20	3.01	590.60	5.16

5mm HTB Timing Belts

Belt Profile, Length & Pitch Code	No. of Teeth	Width(mm)					
		09		15		25	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
215-5M	43	8.96	.019	13.60	.032	22.44	.054
225-5M	45	8.96	.020	13.60	.034	22.44	.056
265-5M	53	8.96	.024	13.60	.040	22.44	.066
270-5M	54	9.26	.024	14.12	.041	23.32	.068
295-5M	59	9.44	.024	14.42	.041	23.80	.068
300-5M	60	9.44	.026	14.42	.044	23.80	.073
325-5M	65	9.88	.028	15.06	.047	24.86	.078
330-5M	66	9.88	.029	15.06	.049	24.86	.082
345-5M	69	10.10	.030	15.40	.050	25.40	.084
350-5M	70	10.18	.031	15.50	.051	25.58	.085
360-5M	72	10.42	.032	15.92	.053	26.26	.088
370-5M	74	10.42	.032	15.92	.054	26.26	.090
375-5M	75	10.50	.033	16.04	.055	26.46	.091
400-5M	80	10.82	.035	16.56	.059	27.32	.098
420-5M	84	11.08	.036	17.08	.060	28.18	.100
425-5M	85	11.08	.037	17.08	.061	28.18	.101
450-5M	90	11.40	.039	17.62	.066	29.18	.110
460-5M	92	11.52	.040	17.78	.067	29.50	.111
465-5M	93	11.70	.041	18.00	.068	30.00	.113
475-5M	95	11.70	.042	18.00	.070	30.00	.116
500-5M	100	12.06	.044	18.72	.073	30.88	.121
525-5M	105	12.64	.049	18.78	.076	32.64	.127
535-5M	107	12.64	.050	19.78	.078	32.64	.130
540-5M	108	12.80	.044	20.00	.073	33.00	.121
550-5M	110	12.88	.050	20.12	.082	33.20	.137
565-5M	113	12.98	.051	20.30	.083	33.50	.138
575-5M	115	13.04	.051	20.46	.084	33.76	.139
580-5M	116	13.22	.051	20.84	.085	34.38	.141
600-5M	120	13.22	.053	20.84	.088	34.38	.146
610-5M	122	13.40	.054	20.94	.090	34.56	.149
615-5M	123	13.48	.054	21.28	.090	35.12	.151
620-5M	124	13.56	.055	21.44	.092	35.36	.153
630-5M	126	13.74	.056	21.74	.093	35.86	.154
635-5M	127	13.82	.056	21.88	.093	36.10	.154
640-5M	128	14.08	.056	22.30	.094	36.80	.157
665-5M	133	14.08	.058	22.30	.097	36.80	.160
670-5M	134	14.14	.058	22.38	.098	36.92	.162
675-5M	135	14.44	.059	22.86	.099	37.74	.164
700-5M	140	14.44	.061	22.86	.102	37.74	.170
705-5M	140	14.44	.061	22.86	.102	37.74	.170
710-5M	140	14.48	.061	22.94	.102	37.86	.170
725-5M	145	14.78	.064	23.50	.106	38.78	.176
740-5M	148	15.06	.065	24.06	.108	39.70	.179
755-5M	151	15.22	.066	24.32	.111	40.14	.184
800-5M	160	15.70	.070	25.10	.117	41.42	.194
835-5M	167	16.10	.073	25.72	.121	42.44	.201
850-5M	170	16.32	.074	26.12	.124	43.10	.206
860-5M	172	16.48	.075	26.40	.126	43.56	.210
890-5M	178	16.94	.078	27.20	.130	44.88	.216
900-5M	180	17.02	.081	27.30	.135	45.02	.224
925-5M	185	17.22	.081	27.52	.135	45.40	.224
935-5M	187	17.34	.082	27.76	.136	45.80	.226
940-5M	188	17.42	.082	27.90	.136	46.00	.226
950-5M	190	17.52	.083	28.26	.138	46.62	.229
980-5M	196	17.88	.085	28.58	.142	47.16	.236
1000-5M	200	18.18	.087	29.38	.145	48.48	.241
1050-5M	210	18.78	.092	30.42	.153	50.20	.254
1100-5M	220	19.38	.092	31.48	.153	51.94	.254
1125-5M	225	19.68	.098	32.00	.164	52.80	.272
1270-5M	254	21.58	.111	35.22	.185	58.12	.307
1420-5M	284	22.76	.124	37.32	.206	61.58	.342
1500-5M	300	23.96	.131	39.28	.218	64.80	.364
1595-5M	319	25.38	0.138	41.60	.231	68.64	.384
1790-5M	358	30.28	0.155	45.86	.260	75.66	.432
1800-5M	360	30.36	0.169	46.06	.261	75.98	.433
1870-5M	374	30.96	0.167	47.40	.271	78.20	.452
2000-5M	400	32.06	-	49.88	.281	82.30	.467
2525-5M	505	40.48	-	62.98	.354	103.92	.588


14mm HTB Timing Belts

Belt Profile, Length & Pitch Code	No. of Teeth	Width(mm)									
		40		55		85		115		170	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
966-14M	69	\$187.00	.84	\$250.20	1.15	\$364.20	1.78	\$484.20	2.40	\$700.40	3.55
1190-14M	85	209.60	1.02	276.40	1.42	404.20	2.20	539.20	2.98	780.40	4.39
1400-14M	100	228.00	1.20	302.00	1.67	443.60	2.57	592.40	3.50	859.00	5.15
1610-14M	115	246.80	1.40	329.00	1.92	484.00	2.95	647.20	4.02	939.20	5.95
1778-14M	127	263.40	1.52	350.60	2.13	516.20	3.25	691.20	4.45	1003.20	6.55
1890-14M	135	276.60	1.62	368.80	2.25	544.00	3.49	728.80	4.73	1058.20	6.95
2100-14M	150	301.40	1.80	403.00	2.50	596.20	3.88	799.40	5.25	1161.60	7.75
2310-14M	165	321.00	2.00	429.20	2.75	636.00	4.26	852.80	5.75	1239.80	8.50
2450-14M	175	334.20	2.12	446.80	2.93	662.40	4.52	888.40	6.10	1292.00	9.00
2590-14M	185	350.40	2.25	469.40	3.10	696.20	4.78	934.00	6.45	1358.80	9.55
2800-14M	200	374.80	2.43	503.20	3.34	747.00	5.15	1002.40	7.00	1459.20	10.30
3150-14M	225	411.40	2.73	553.60	3.77	824.20	5.80	1107.20	7.85	1614.40	11.60
3360-14M	240	430.80	2.90	581.40	4.02	865.40	6.20	1163.40	8.35	1696.80	12.35
3500-14M	250	444.20	3.00	599.60	4.19	893.00	6.45	1201.60	8.75	1751.40	12.90
3850-14M	275	489.00	3.30	666.20	4.60	989.40	7.10	1331.60	9.62	1937.00	14.20
4326-14M	309	543.20	3.70	734.40	5.17	1098.80	8.00	1480.00	10.80	2161.60	15.95
4578-14M	327	574.00	3.92	778.80	5.48	1159.60	8.45	1566.00	11.40	2245.00	16.90

A. A high-modulus fiberglass cord is wound across the entire width of the belt pitch line ensuring minimal stretch and resistance to repeated flexing.

B. The body is a synthetic neoprene compounded to resist flex fatigue, heat, ozone, mineral lubricating oils and aging.

C. A tough nylon fabric is bonded to the tooth surface for wear resistance.



Among the advantages are:

- Higher torque transmission at low speeds
- High power transmission over a wide speed range
- Improved meshing to reduce tooth jump
- Higher resistance to tooth shear
- Less tooth wear due to friction



Dual HTB® Timing Belts

Dual HTB belts are often used in reversing or serpentine applications.

Special widths are available: use price for next width stock belt. Materials are same as standard belts except that teeth on one side are ground from fiber reinforced neoprene stock. Power takeoff from ground side is limited to 50% of total belt rating. Teeth with nylon facing should always be on driver pulley.

**ANY WIDTH AVAILABLE FROM STOCK
CONSULT JASON FOR PRICING**

Dual 5mm HTB Timing Belts

Belt Profile, Length & Pitch Code	No. of Teeth	Width(mm)					
		09		15		25	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
D400-5M	80	\$27.06	.037	\$41.40	.063	\$68.30	.105
D450-5M	90	28.50	.042	44.06	.071	72.96	.118
D475-5M	95	29.26	.045	45.00	.075	75.00	.124
D500-5M	100	30.16	.047	46.80	.078	77.20	.128
D525-5M	105	31.31	.053	48.80	.083	80.51	.140
D540-5M	108	32.00	.054	50.00	.086	82.50	.142
D600-5M	120	34.56	.056	54.70	.094	90.26	.157
D635-5M	127	34.56	.060	54.70	.100	90.26	.165
D710-5M	142	36.20	.066	57.36	.110	94.66	.183
D835-5M	167	40.28	.078	64.30	.129	106.10	.215
D925-5M	185	43.06	.087	68.80	.144	113.50	.240
D1420-5M	284	56.90	.133	93.30	.220	153.96	.366
D1595-5M	319	63.46	.148	104.00	.247	171.60	.411

Dual 14mm HTB Timing Belts

Belt Profile, Length & Pitch Code	No. of Teeth	Width(mm)									
		40		55		85		115		170	
		\$ List Price	Approx. Weight (lbs.)	\$ List Price	Approx. Weight (lbs.)	\$ List Price	Approx. Weight (lbs.)	\$ List Price	Approx. Weight (lbs.)	\$ List Price	Approx. Weight (lbs.)
D1190-14M	85	482.08	1.12	635.72	1.56	929.66	2.42	1240.16	3.28	1794.92	4.83
D1400-14M	100	524.40	1.32	694.60	1.84	1020.28	2.83	1362.52	3.85	1975.70	5.67
D1610-14M	115	567.64	1.54	756.70	2.11	1113.20	3.25	1488.56	4.42	2160.16	6.55
D1778-14M	127	605.82	1.67	806.38	2.34	1187.26	3.58	1589.76	4.90	2307.36	7.21
D1890-14M	135	636.18	1.78	848.24	2.48	1251.20	3.84	1676.24	5.20	2433.86	7.65
D2100-14M	150	693.22	1.98	926.90	2.75	1371.26	4.27	1838.62	5.78	2671.68	8.53
D2310-14M	165	738.30	2.20	987.16	3.03	1462.80	4.69	1961.44	6.33	2851.54	9.35
D2450-14M	175	768.66	2.33	1027.64	3.22	1523.52	4.97	2043.32	6.71	2971.60	9.90
D2590-14M	185	805.92	2.48	1079.62	3.41	1601.26	5.26	2148.20	7.10	3125.24	10.51
D2800-14M	200	862.04	2.67	1157.36	3.67	1718.10	5.67	2305.52	7.70	3356.16	11.33
D3150-14M	225	946.22	3.00	1273.28	4.15	1895.66	6.38	2546.56	8.64	3713.12	12.76
D3360-14M	240	990.84	3.19	1337.22	4.42	1990.42	6.82	2675.82	9.19	3902.64	13.59
D3500-14M	250	1021.66	3.30	1379.08	4.61	2053.90	7.10	2763.68	9.63	4028.22	14.19
D3850-14M	275	1124.70	3.63	1532.26	5.06	2275.62	7.81	3062.68	10.58	4455.10	15.62
D4326-14M	309	1249.36	4.07	1689.12	5.69	2527.24	8.80	3404.00	11.88	4971.68	17.55
D4578-14M	327	1320.20	4.31	1791.24	6.03	2667.08	9.30	3601.80	12.54	5163.50	18.59

Dual 8mm HTB Timing Belts

Belt Profile, Length & Pitch Code	No. of Teeth	Width(mm)										Belt Profile, Length & Pitch Code	No. of Teeth	Width(mm)									
		20		30		50		85		20				30		50		85					
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)			List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)				
D480-8M	60	\$58.80	.14	\$90.00	.22	\$143.50	.36	\$238.50	.61	D1200-8M	150	\$106.30	.35	\$167.00	.53	\$273.00	.90	\$458.00	1.50				
D536-8M	67	60.80	.15	94.00	.25	150.50	.41	251.00	.67	D1224-8M	153	111.30	.37	175.00	.55	287.00	.93	481.50	1.58				
D560-8M	70	63.50	.17	98.50	.26	157.50	.42	262.00	.70	D1280-8M	160	111.30	.39	175.00	.58	287.00	.95	481.50	1.61				
D600-8M	75	66.70	.18	104.00	.27	166.50	.45	277.50	.76	D1440-8M	180	114.10	.43	191.50	.64	314.50	1.08	528.50	1.82				
D632-8M	79	67.60	.19	105.00	.29	169.00	.47	282.00	.80	D1600-8M	200	132.00	.48	208.00	.71	342.50	1.19	576.00	2.03				
D640-8M	80	68.60	.20	106.50	.30	171.00	.48	285.50	.82	D1760-8M	220	142.20	.52	224.50	.77	370.00	1.31	622.50	2.20				
D720-8M	90	73.60	.21	114.50	.32	185.00	.54	309.00	.91	D1800-8M	225	145.40	.54	229.50	.80	379.50	1.34	638.50	2.29				
D800-8M	100	80.50	.23	126.00	.35	203.50	.60	340.50	1.03	D2000-8M	250	159.20	.60	251.50	.88	416.50	1.49	701.00	2.52				
D840-8M	105	83.00	.25	130.00	.37	210.50	.62	352.30	1.06	D2104-8M	263	166.06	.63	282.00	.95	435.00	1.57	731.50	2.67				
D880-8M	110	85.60	.27	134.00	.39	217.50	.65	364.00	1.12	D2400-8M	300	186.30	.72	295.50	1.07	490.50	1.76	829.50	3.02				
D920-8M	115	88.10	.28	138.00	.40	222.50	.68	375.80	1.17	D2600-8M	325	201.50	.79	318.00	1.15	533.50	1.92	892.00	3.27				
D960-8M	120	90.62	.29	142.00	.43	231.50	.71	387.50	1.22	D2800-8M	350	214.40	.85	339.00	1.22	564.50	2.06	952.00	3.52				
D1040-8M	130	95.70	.31	150.50	.46	245.00	.79	411.00	1.32	D3048-8M	381	233.39	.93	369.03	1.38	614.50	2.31	1036.32	3.93				
D1120-8M	140	100.70	.33	158.50	.50	259.00	.83	434.50	1.41	D3600-8M	450	275.01	1.10	435.85	1.65	725.78	2.76	1224.38	4.69				
D1152-8M	144	106.30	.34	167.00	.52	273.00	.87	458.00	1.47	D4400-8M	550	325.60	1.35	504.00	1.39	858.00	3.22	1476.50	5.52				

Standard Timing Belts

Oil, heat and abrasion-resistant.


Stock timing belts are listed below. They have fiberglass tension members, neoprene body with nylon covered teeth, all bonded together for maximum strength.

For non-stock widths, Jason cuts specified widths from our large supply of timing belt sleeves on special order.

Mini-pitch MXL (.080-inch pitch) timing belts are also available.

Jason timing belts are specified by belt length in inches times 10, belt pitch code and a three-digit belt width code which is the decimal inch-width multiplied by 100. A sample specification is shown below.

240 - L - 075
 Length Pitch Width
 (24.0-inches) (3/8-inch) (.75 inches)



Light 3/8-inch (L) Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width					
		050(1/2")		075(3/4")		100(1")	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
124L	33	\$15.36	.02	\$21.84	.05	\$28.00	.07
135L	36	16.04	.02	22.86	.05	29.38	.07
150L	40	16.96	.03	24.24	.05	31.20	.07
165L	44	17.44	.03	25.04	.06	32.28	.08
173L	46	18.00	.03	25.84	.06	33.40	.08
187L	50	18.48	.04	26.64	.07	34.48	.09
202L	54	19.60	.04	28.24	.08	36.68	.09
210L	56	20.08	.04	29.04	.08	37.68	.09
225L	60	20.64	.05	29.84	.08	38.76	.10
236L	63	21.42	.06	31.04	.08	40.42	.12
240L	64	21.68	.06	31.44	.08	40.96	.12
244L	65	21.80	.06	31.64	.08	41.24	.12
255L	68	22.16	.06	32.24	.09	42.04	.12
270L	72	23.20	.06	33.84	.10	44.16	.13
285L	76	23.76	.07	34.72	.10	45.24	.14
300L	80	24.80	.07	36.24	.11	47.44	.14
315L	84	25.56	.07	37.42	.12	48.92	.15
320L	85	25.80	.07	37.80	.12	49.40	.15
322L	86	25.84	.07	37.92	.12	49.60	.15
345L	92	26.88	.08	39.52	.13	51.72	.16
367L	98	27.84	.08	41.12	.13	53.88	.17
375L	100	28.40	.08	41.96	.13	55.00	.17
390L	104	29.44	.09	43.52	.14	57.08	.18
405L	108	30.57	.09	45.20	.14	59.28	.19
420L	112	30.96	.10	45.92	.15	60.36	.20
424L	113	31.16	.10	46.24	.16	60.76	.21
450L	120	32.56	.11	48.40	.16	63.56	.21
454L	121	32.76	.11	48.70	.16	63.98	.21
480L	128	34.16	.12	50.80	.17	66.84	.23
510L	136	35.20	.12	52.40	.18	69.04	.24
525L	140	36.24	.12	54.00	.19	71.18	.25
540L	144	37.28	.13	55.60	.20	73.32	.26
600L	160	40.40	.13	60.48	.21	79.80	.28
660L	176	43.52	.14	66.52	.23	87.78	.29
728L	194	48.00	.15	73.37	.25	96.82	.30
817L	218	53.60	.18	80.40	.29	107.20	.36
915L	244	60.03	.18	90.04	.29	120.05	.36

Extra Light 1/5-inch (XL) Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width					
		025(1/4")		031(5/16")		037(3/8")	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
54XL	27	\$5.84	.005	\$6.80	.007	\$7.68	.008
60XL	30	5.84	.006	6.80	.008	7.68	.009
70XL	35	6.00	.007	6.96	.009	8.00	.011
76XL	38	6.10	.007	7.10	.009	8.14	.011
80XL	40	6.16	.008	7.20	.010	8.24	.012
88XL	44	6.28	.009	7.40	.011	8.40	.014
90XL	45	6.32	.009	7.44	.011	8.48	.014
94XL	47	6.40	.010	7.48	.012	8.56	.015
98XL	49	6.52	.010	7.56	.013	8.67	.015
100XL	50	6.56	.010	7.60	.013	8.72	.015
102XL	51	6.68	.010	7.76	.013	8.96	.015
106XL	53	6.68	.011	7.76	.013	8.96	.016
108XL	54	6.70	.011	7.80	.013	9.00	.016
110XL	55	6.72	.011	7.84	.014	9.04	.017
120XL	60	6.88	.012	8.08	.015	9.20	.019
128XL	64	7.00	.013	8.28	.016	9.40	.020
130XL	65	7.04	.013	8.32	.016	9.52	.020
134XL	67	7.18	.013	8.42	.017	9.66	.020
136XL	68	7.18	.014	8.42	.018	9.66	.021
140XL	70	7.28	.014	8.48	.018	9.76	.022
142XL	71	7.32	.014	8.52	.018	9.80	.023
150XL	75	7.44	.015	8.72	.019	10.00	.023
156XL	78	7.60	.016	8.96	.020	10.32	.024
160XL	80	7.60	.016	8.96	.020	10.32	.025
170XL	85	7.76	.017	9.12	.022	10.48	.026
180XL	90	7.92	.018	9.36	.023	10.80	.028
182XL	91	8.00	.018	9.40	.023	10.84	.028
188XL	94	8.12	.019	9.55	.024	10.99	.029
190XL	95	8.16	.019	9.60	.024	11.04	.029
194XL	97	8.32	.020	9.76	.025	11.28	.030
200XL	100	8.32	.020	9.76	.025	11.28	.031
210XL	105	8.48	.021	10.00	.026	11.52	.032
214XL	107	8.64	.021	10.24	.027	11.84	.033
220XL	110	8.64	.022	10.24	.028	11.84	.034
228XL	114	8.88	.023	10.48	.029	11.90	.035
230XL	115	8.88	.023	10.48	.029	12.00	.035
234XL	117	9.16	.023	10.64	.030	12.52	.036
240XL	120	9.16	.024	10.64	.031	12.52	.037
250XL	125	9.20	.025	10.88	.032	12.56	.039
260XL	130	9.36	.026	11.04	.033	12.80	.040
270XL	135	9.44	.029	11.40	.034	13.16	.041
274XL	137	9.54	.029	11.52	.035	13.24	.042
276XL	138	9.76	.029	11.68	.035	13.36	.042
280XL	140	9.76	.029	11.68	.036	13.36	.043
290XL	145	9.84	.029	11.76	.038	13.60	.045
310XL	155	10.34	.031	12.14	.039	14.04	.047
316XL	158	10.48	.032	12.24	.040	14.16	.048
320XL	160	10.52	.032	12.36	.041	14.30	.049
322XL	161	10.52	.032	12.42	.041	14.36	.049
330XL	165	10.56	.033	12.64	.042	14.64	.050
340XL	170	10.74	.034	12.84	.042	14.86	.051
344XL	172	10.80	.034	12.92	.043	14.96	.051
350XL	175	10.92	.035	13.02	.044	15.12	.053
352XL	176	10.56	.035	13.06	.044	15.14	.053
364XL	182	11.52	.036	13.76	.046	15.96	.055
380XL	190	11.52	.038	13.76	.048	15.96	.058
390XL	195	11.70	.039	13.94	.049	16.16	.059
392XL	196	11.72	.039	13.96	.049	16.20	.059
412XL	206	12.04	.040	14.36	.051	16.64	.061
414XL	207	12.08	.041	14.40	.051	16.68	.062
434XL	217	12.46	.043	14.90	.054	17.24	.064
450XL	225	12.68	.045	15.72	.058	17.58	.069
460XL	230	12.84	.046	15.40	.059	17.86	.070
490XL	245	13.42	.049	16.14	.061	18.78	.073
1280XL	640	13.00	1.27	40.56	1.59	46.38	1.91

Heavy 1/2-inch (H) Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width									
		075(3/4")		100(1")		150(1-1/2")		200(2")		300(3")	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
230H	46	\$31.20	.12	\$40.24	.19	\$58.18	.28	\$76.18	.38	\$112.12	.47
240H	48	32.56	.13	42.00	.20	60.72	.28	79.52	.41	117.04	.56
255H	51	33.80	.14	43.64	.21	63.24	.29	82.80	.42	122.00	.6
270H	54	35.04	.15	45.28	.21	65.76	.31	86.08	.43	126.96	.63
280H	56	35.88	.16	46.40	.21	67.42	.31	88.30	.44	130.26	.64
300H	60	37.52	.17	48.64	.23	70.72	.35	92.72	.47	136.88	.70
310H	62	40.08	.18	51.92	.24	75.68	.36	99.36	.48	146.80	.72
315H	63	40.08	.18	51.92	.24	75.68	.36	99.36	.49	146.80	.73
320H	64	40.08	.18	51.92	.25	75.68	.37	99.36	.50	146.80	.74
330H	66	40.08	.19	51.92	.25	75.68	.38	99.36	.51	146.80	.77
335H	67	40.50	.19	52.48	.25	76.50	.38	100.46	.51	148.44	.77
340H	68	40.92	.19	53.04	.26	77.32	.38	101.56	.52	150.08	.78
350H	70	41.76	.20	54.16	.27	78.96	.40	103.76	.55	153.36	.82
360H	72	42.56	.20	55.28	.28	80.64	.42	106.00	.56	156.72	.84
370H	74	43.42	.21	56.38	.28	82.30	.42	108.20	.57	159.18	.86
375H	75	43.84	.21	56.92	.29	83.12	.43	109.28	.58	161.64	.88
390H	78	45.04	.22	58.56	.30	85.60	.45	112.56	.61	166.64	.91
400H	80	45.92	.23	59.68	.31	87.28	.47	114.80	.63	169.92	.93
410H	82	46.72	.23	60.80	.31	88.92	.48	117.00	.64	173.24	.96
420H	84	47.52	.24	61.92	.32	90.56	.49	119.20	.65	176.56	.98
430H	86	48.38	.24	63.02	.33	92.22	.50	121.40	.67	179.84	.99
450H	90	50.08	.25	65.20	.35	95.52	.52	125.84	.70	186.40	1.05
465H	93	51.32	.26	66.88	.36	98.00	.55	129.12	.71	191.36	1.09
480H	96	52.56	.27	68.56	.37	100.48	.56	132.40	.72	196.32	1.12
490H	98	53.36	.27	69.68	.38	102.16	.57	134.64	.75	199.68	1.15
510H	102	54.24	.28	70.80	.39	103.84	.59	136.88	.79	202.96	1.18
540H	108	57.52	.30	75.20	.41	110.48	.63	145.68	.84	216.16	1.25
560H	112	58.64		76.70		112.62		148.62		220.60	
570H	114	59.20	.32	77.44	.44	113.76	.66	150.08	.89	222.80	1.32
580H	116	60.32	.33	78.92	.45	115.98	.68	153.02	.91	227.20	1.3
585H	117	60.76		79.48		116.75		154.03		228.66	
600H	120	62.52	.34	81.84	.46	120.40	.70	158.88	.93	236.00	1.40
630H	126	64.24	.35	84.08	.48	123.68	.73	163.28	.98	242.60	1.47
650H	130	66.44	.36	87.02	.50	128.12	.76	169.18	1.00	251.44	1.50
660H	132	67.52	.37	88.48	.51	130.32	.77	172.12	1.02	255.84	1.54
680H	136	69.20	.38	90.68	.52	133.64	.79	176.54	1.06	262.44	1.59
700H	140	70.88	.39	92.88	.54	136.96	.81	180.96	1.09	269.04	1.64
725H	145	72.56	.41	95.12	.56	140.24	.84	185.36	1.12	275.68	1.75
730H	146	72.90	.41	95.56	.56	140.92	.84	186.24	1.13	277.00	1.80
750H	150	74.24	.42	97.36	.58	143.60	.87	189.76	1.16	282.24	1.87
770H	154	76.22	.43	100.14	.59	146.26	.90	195.08	1.20	290.18	1.90
800H	160	79.20	.45	104.00	.61	150.24	.93	203.04	1.24	302.08	1.93
810H	162	79.88	.46	104.88	.62	152.22	.95	204.80	1.25	304.72	1.93
840H	168	81.90	.47	107.52	.64	158.18	.97	210.08	1.28	312.64	1.95
850H	170	82.56	.48	108.40	.65	160.16	.99	211.84	1.32	315.28	1.99
860H	172	83.56	.48	109.74	.66	162.14	1.00	214.48	1.35	319.26	2.00
880H	176	85.54	.50	112.40	.67	166.12	1.03	219.76	1.37	327.20	2.00
900H	180	87.52	.51	115.04	.69	170.08	1.04	225.04	1.40	335.12	2.10
1000H	200	95.92	.56	126.08	.77	186.64	1.16	247.12	1.55	368.16	2.32
1100H	220	104.24	.59	137.12	.84	203.20	1.27	269.20	1.71	401.20	2.57
1120H	224	106.13	.60	139.60	.86	206.88	1.30	274.07	1.74	408.46	2.62
1140H	228	108.03	.62	142.10	.87	210.58	1.32	278.97	1.77	415.77	2.66
1150H	230	108.44	.63	142.60	.88	211.52	1.33	280.24	1.79	417.78	2.69
1250H	250	116.80	.70	153.76	.96	228.08	1.46	302.24	1.94	450.80	2.92
1400H	280	129.28	.79	170.32	1.07	252.88	1.62	335.36	2.17	500.32	3.24
1700H	340	154.32	.95	203.52	1.30	302.56	1.95	401.52	2.63	599.42	3.95
2010H	402	204.63	1.12	269.86	1.54	401.19	2.31	532.42	3.11	794.86	4.67
2360H	472	214.23	1.32	282.53	1.80	420.02	2.71	557.39	3.65	832.15	5.48



ANY WIDTH AVAILABLE FROM STOCK CONSULT JASON FOR PRICING

Cotton Cleaner Belts

Size	List Price	No. of Teeth
61CCB142	\$368.06	60
63CCB165	375.62	63
64CCB170	375.62	64
65CCB175	383.14	65

Extra Heavy 7/8-inch (XH) Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width					
		200(2")		300(3")		400(4")	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
507XH	58	\$327.60	2.11	\$461.04	3.16	\$594.56	4.22
560XH	64	350.48	2.33	494.32	3.49	638.24	4.66
630XH	72	373.36	2.62	527.60	3.93	681.92	5.24
700XH	80	403.84	2.91	572.00	4.37	740.16	5.82
770XH	88	426.72	3.20	605.28	4.81	783.84	6.41
840XH	96	457.28	3.49	649.60	5.25	842.08	6.99
980XH	112	510.64	4.08	725.28	6.12	944.00	8.15
1120XH	128	556.40	4.66	793.84	6.99	1031.36	9.32
1260XH	144	613.60	5.24	877.04	7.86	1140.56	10.48
1400XH	160	670.80	5.82	960.24	8.74	1249.76	11.65
1540XH	176	708.96	6.41	1015.68	9.61	1322.56	12.81
1750XH	200	804.24	7.28	1154.40	10.92	1504.56	14.56

Double Extra Heavy 1-1/4-inch (XXH) Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width							
		200(2")		300(3")		400(4")		500(5")	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
700XXH	56	\$484.84	4.09	\$686.28	6.13	\$887.44	8.18	\$1089.92	10.22
800XXH	64	530.72	4.67	752.84	7.01	974.16	9.34	1198.08	11.68
900XXH	72	576.68	5.26	819.40	7.88	1006.80	10.51	1306.24	13.14
1000XXH	80	622.64	5.84	885.96	8.76	1147.44	11.68	1414.40	14.50
1200XXH	96	704.08	7.01	1019.08	10.51	1320.80	14.60	1630.72	17.52
1400XXH	112	796.00	8.18	1152.20	12.26	1494.08	16.35	1847.04	20.44
1600XXH	128	887.84	9.34	1285.32	14.02	1667.44	18.69	2063.36	23.36
1800XXH	144	988.00	10.57	1418.44	15.77	1849.12	21.02	2279.68	26.28

Special Constructions - Consult Jason for Prices

Kevlar® Tensile Member
 Non-Marking
 Red Latex Backings
 Special Compounds

Non-Standard Widths
 Extra Backing
 S or Z Tensile Member

Double Sided Timing Belts

Neoprene fiberglass reinforced


Double sided belts afford power transmission from either side of the belt and are often used in reversing and serpentine applications.

They are specified the same way as timing belts except with a "D" prefix. For example: D240H100. Special widths are cut to order from our sleeve stock for fast delivery.

Double sided timing belts are produced using the same materials as single sided belts, except that the backside is ground from a fiber reinforced special rubber compound. There is no nylon facing on the backside. Power take off on the backside is limited to 50% of the total catalog rating.

Total belt rating is the same as for single sided belts.

Teeth with nylon facing should always be against driver pulley.



3/8-inch (L) Pitch Dual Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width					
		050(1/2")		075(3/4")		100(1")	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
D124L	33	\$38.40	.03	\$54.60	.05	\$69.90	.06
D150L	40	42.40	.04	60.60	.06	78.00	.08
D165L	44	43.60	.04	62.60	.06	80.70	.09
D173L	46	45.00	.05	64.60	.07	83.50	.09
D187L	50	46.20	.05	66.60	.07	86.20	.10
D202L	54	49.00	.05	70.60	.08	91.70	.10
D210L	56	50.20	.05	72.60	.08	94.20	.10
D225L	60	51.60	.05	74.60	.08	96.92	.10
D240L	64	54.20	.06	78.60	.09	102.40	.12
D255L	68	55.40	.06	80.60	.09	105.12	.12
D270L	72	58.00	.07	84.60	.10	110.40	.14
D285L	76	59.40	.07	86.80	.11	113.12	.14
D300L	80	62.00	.07	90.60	.11	118.60	.14
D320L	85	64.50	.07	94.50	.11	123.50	.15
D322L	86	64.60	.08	94.80	.12	124.00	.16
D345L	92	67.20	.08	98.80	.12	129.32	.16
D367L	98	69.60	.08	102.80	.13	134.72	.16
D390L	104	73.60	.09	108.80	.14	142.72	.18
D420L	112	77.40	.10	114.80	.15	150.92	.20
D424L	113	77.90	.10	115.58	.15	151.92	.20
D450L	120	81.40	.10	121.00	.15	158.92	.20
D480L	128	85.40	.11	127.00	.16	167.12	.22
D510L	136	88.00	.12	131.00	.18	172.60	.24
D540L	144	93.20	.13	139.00	.19	183.32	.26
D600L	160	101.00	.14	151.20	.21	199.52	.28
D660L	176	108.80	.16	163.20	.24	215.72	.32
D817L	218	134.00	.20	201.00	.30	268.00	.40

SEE PAGE 5 FOR DUAL HTB BELTS

1/2-inch (H) Pitch Double Sided Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width									
		075(3/4")		100(1")		150(1-1/2")		200(2")		300(3")	
		List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)	List Price	Approx. Weight (lbs.)
D240H	48	\$81.40	.17	\$105.00	.22	\$151.80	.34	\$198.80	.44	\$292.60	.68
D270H	54	87.60	.19	113.20	.25	164.40	.38	215.20	.50	317.40	.76
D300H	60	93.80	.21	121.60	.28	176.80	.42	231.80	.56	342.20	.82
D330H	66	100.20	.23	129.80	.30	189.20	.44	248.40	.60	367.00	.92
D350H	70	104.40	.24	135.40	.32	187.40	.46	259.40	.64	383.40	.96
D360H	72	106.40	.25	138.20	.33	201.60	.50	265.00	.66	391.80	1.00
D375H	75	109.60	.26	142.30	.35	207.80	.52	273.20	.69	404.10	1.06
D390H	78	112.60	.27	146.40	.36	214.00	.54	281.40	.72	416.60	1.08
D400H	80	114.80	.29	149.20	.38	218.20	.56	287.00	.76	424.80	1.15
D420H	84	118.80	.30	154.80	.40	226.40	.60	298.00	.80	441.40	1.20
D450H	90	125.20	.32	163.00	.43	238.80	.64	314.60	.86	446.00	1.28
D480H	96	131.40	.34	171.40	.45	251.20	.68	331.00	.90	490.80	1.36
D490H	96	133.40	.34	174.20	.45	255.40	.68	336.60	.90	499.20	1.36
D510H	102	135.60	.36	177.00	.48	259.60	.72	342.20	.96	507.40	1.42
D540H	108	143.80	.38	188.00	.51	276.20	.76	364.20	1.02	540.40	1.52
D570H	114	148.00	.40	193.60	.53	284.40	.80	375.20	1.06	557.00	1.60
D600H	120	156.40	.42	204.60	.56	301.00	.84	397.20	1.12	590.00	1.68
D630H	126	160.60	.44	210.20	.59	309.20	.88	408.20	1.18	606.60	1.76
D660H	132	168.80	.47	221.20	.63	325.80	.94	430.40	1.26	639.60	1.86
D700H	140	177.20	.49	232.20	.65	342.40	.98	452.40	1.30	672.60	1.96
D725H	145	181.40	.51	237.80	.68	350.60	1.02	463.40	1.36	689.20	2.04
D750H	150	185.60	.53	243.40	.71	359.00	1.06	474.40	1.42	705.60	2.12
D800H	160	198.00	.56	260.00	.75	375.60	1.12	507.60	1.50	755.20	2.24
D850H	170	206.40	.60	271.00	.80	400.40	1.20	529.60	1.60	788.20	2.40
D900H	180	218.80	.64	287.60	.85	425.20	1.28	562.60	1.70	837.80	2.56
D1000H	200	239.80	.71	315.00	.95	466.60	1.41	617.80	1.90	920.40	2.82
D1100H	220	260.60	.77	342.80	1.03	508.00	1.54	673.00	2.06	1003.00	3.08
D1250H	250	292.00	.89	384.40	1.19	570.20	1.78	755.60	2.38	1127.00	3.56
D1400H	280	323.20	1.00	425.80	1.33	632.20	2.00	838.40	2.66	1250.80	4.00
D1700H	340	385.20	1.20	507.80	1.60	755.20	2.40	1002.20	3.20	1496.20	4.80

1/5-inch (XL) Pitch Double Sided Timing Belts

Belt Length Approx. & Pitch Code	No. of Teeth	Width			
		025(1/4")		037(3/8")	
		List Price	Approx. Weight (lbs.)	List Price	Weight (lbs.)
D60XL	30	\$15.00	.005	\$20.00	.01
D70XL	35	15.00	.005	20.00	.01
D80XL	40	15.40	.005	20.60	.01
D88XL	44	15.70	.005	21.00	.01
D90XL	45	15.80	.005	21.50	.01
D94XL	47	16.00	.005	21.60	.01
D100XL	50	16.40	.005	21.80	.01
D110XL	55	16.80	.01	22.60	.01
D120XL	60	17.20	.01	23.00	.01
D128XL	64	17.50	.01	23.50	.01
D130XL	65	17.60	.01	23.80	.02
D140XL	70	18.20	.01	24.40	.02
D150XL	75	18.60	.01	25.00	.02
D156XL	78	19.00	.01	25.80	.02
D160XL	80	19.00	.01	25.80	.02
D170XL	85	19.40	.01	26.20	.02
D180XL	90	19.80	.02	27.00	.02
D190XL	95	20.40	.02	27.60	.02
D194XL	97	20.60	.02	27.90	.02
D200XL	100	20.80	.02	28.20	.02
D210XL	105	21.20	.02	28.80	.03
D220XL	110	21.60	.02	29.60	.03
D230XL	115	22.20	.02	30.00	.03
D240XL	120	22.60	.02	30.80	.03
D250XL	125	23.00	.02	31.40	.03
D260XL	130	23.40	.02	32.00	.03
D270XL	135	24.40	.02	33.40	.03
D280XL	140	24.40	.03	33.40	.04
D290XL	145	24.60	.03	34.00	.04
D300XL	150	25.20	.03	34.60	.04
D310XL	155	25.60	.03	35.20	.04
D330XL	165	26.40	.03	36.60	.04
D350XL	175	27.30	.03	37.80	.04
D362XL	181	28.00	.03	38.60	.05
D392XL	196	29.20	.04	40.40	.05
D450XL	225	31.80	.04	44.20	.05
D900XL	450	51.60	.08	59.60	.11
D1280XL	640	85.00	.10	115.96	.13

Open-End Belting

Neoprene, fiberglass reinforced



For positioning, metering, and open-close applications. Open end timing belting is specified by an "L" for long length, the belt pitch letters and the width code (i.e. L8M-20). Length is specified in feet. Spliced belts available on special order. Special constructions and backings also available.

Open-End HTB Belting

Pitch Code	Width Code	List Price/Ft	Pounds per Ft
L8M	10	\$9.04	.04
L8M	12.5	9.04	.05
L8M	15	9.04	.06
L8M	20	12.04	.09
L8M	25	15.06	.11
L8M	30	16.24	.12
L8M	40	26.62	.16
L8M	50	27.28	.21
L8M	75	41.04	.30
L8M	80	43.44	.32
L8M	85	46.16	.36
L14M	40	47.64	.26
L14M	55	62.80	.36
L14M	85	105.62	.55
L14M	115	140.88	.75

Other widths available upon request. Minimum order 50'. Width code is metric. LENGTHS CUT TO ORDER, 10% ADDITIONAL

Double Sided Neoprene Belting

Double Sided Fiberglass Reinforced

Available up to 350' in Length

Until now chain was the only design option for drives requiring long spans *and* the capability to drive from either side. Now the advantages of timing belts (non corrosive, no lubrication, no retensioning, high speed capabilities) can make such drives more versatile than ever.

Dual Roll Belting is specified DL followed by pitch code & width code e.g. DLH075 is Double Sided 1/2" pitch, 3/4" wide. Length is specified in feet. Consult Jason for roll lengths. Minimum order 50'. Other widths available on request.

Dual Roll List Prices Per Foot

	Pitch	050	075	100	150	200	
DLL	3/8"	\$15.10	\$22.30	\$30.64			
DLH	1/2"	\$16.10	\$23.80	\$31.30	\$50.10	\$66.80	
	Pitch	15	20	25	30	50	85
DL8M	8MM	\$22.60	\$30.10	\$37.66	\$40.60	\$68.20	\$115.40

Open-End Timing Belting

Pitch Code	Width Code	List Price/Ft	Pounds per Ft
LXL (1/5-inch)	025	\$2.56	.015
LXL (1/5-inch)	031	3.20	.018
LXL (1/5-inch)	037	3.84	.020
LXL (1/5-inch)	050	5.12	.027
LXL (1/5-inch)	075	7.68	.040
LL (3/8-inch)	037	4.60	.022
LL (3/8-inch)	050	6.04	.030
LL (3/8-inch)	075	9.20	.045
LL (3/8-inch)	100	12.26	.060
LL (3/8-inch)	150	18.40	.090
LL (3/8-inch)	200	24.52	.120
LH (1/2-inch)	037	4.82	.037
LH (1/2-inch)	050	6.44	.050
LH (1/2-inch)	075	9.52	.075
LH (1/2-inch)	100	12.52	.100
LH (1/2-inch)	150	20.04	.150
LH (1/2-inch)	175	26.72	.175
LH (1/2-inch)	200	26.72	.200
LH (1/2-inch)	300	36.44	.300
LXH (7/8-inch)	075	19.84	.187
LXH (7/8-inch)	100	26.00	.250

Other widths available upon request. Minimum order 50'. LENGTHS CUT TO ORDER, 10% ADDITIONAL

Urethane Timing Belts - Metric

Urethane steel cable construction. Oil, heat and abrasion-resistant.

Metric timing belts are available in 5mm and 10mm pitch. They have steel tension members bonded to a urethane body. They are especially useful for chemically resistant operating requirements and for clean environments.

For non-stock widths, Jason can cut specified widths from our supply of metric timing belt sleeves on special order. Maximum width is 300mm.

Metric timing belts are specified by belt width in millimeters, belt pitch, letter-number and pitch length in millimeters.

For example: 20T10/900.



AT-5 Metric Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width (mm)							
		4	6	8	10	12	16	20	25
		List Price	List Price	List Price	List Price	List Price	List Price	List Price	List Price
AT5-225	45	\$5.20	\$7.80	\$10.42	\$13.02	\$15.62	\$20.82	\$26.04	\$32.54
AT5-255	51	5.28	7.94	10.58	13.22	15.86	21.16	26.44	33.06
AT5-280	56	5.32	7.98	10.64	13.32	15.98	21.30	26.62	33.28
AT5-300	60	5.38	8.06	10.74	13.44	16.12	21.50	26.86	33.58
AT5-330	66	5.62	8.42	11.22	14.04	16.84	22.46	28.06	35.08
AT5-340	68	5.70	8.54	11.38	14.24	17.08	22.78	28.46	35.58
AT5-375	75	5.78	8.66	11.56	14.44	17.32	23.10	28.88	36.10
AT5-390	78	5.90	8.84	11.78	14.74	17.68	23.58	29.48	36.84
AT5-420	84	6.18	9.28	12.38	15.48	18.56	24.76	30.94	38.68
AT5-450	90	6.24	9.36	12.46	15.58	18.72	24.94	31.18	38.96
AT5-455	91	6.30	9.46	12.60	15.76	18.92	25.22	31.52	39.40
AT5-500	100	6.50	9.76	13.02	16.28	19.52	26.04	32.54	40.68
AT5-545	109	6.92	10.38	13.84	17.30	20.76	27.68	34.60	43.26
AT5-600	120	7.56	11.36	15.14	18.92	22.70	30.28	37.84	47.30
AT5-610	122	7.76	11.66	15.54	19.42	23.30	31.08	38.84	48.56
AT5-660	132	8.14	12.20	16.26	20.34	24.40	32.54	40.68	50.84
AT5-710	142	8.46	12.68	16.90	21.14	25.36	33.82	42.28	52.84
AT5-720	144	8.52	12.78	17.02	21.30	25.56	34.08	42.60	53.24
AT5-750	150	8.70	13.06	17.40	21.76	26.12	34.82	43.52	54.40
AT5-780	156	8.78	13.18	17.58	21.96	26.36	35.14	43.94	54.92
AT5-825	165	8.96	13.42	17.90	22.38	26.86	35.80	44.76	55.94
AT5-860	172	9.28	13.90	18.54	23.18	27.82	37.10	46.36	57.96
AT5-975	195	10.34	15.50	20.66	25.84	31.00	41.34	51.66	64.58
AT5-1050	210	11.22	16.84	22.46	28.08	33.68	44.92	56.14	70.18
AT5-1125	225	12.02	18.04	24.06	30.08	36.08	48.12	60.14	75.20
AT5-1500	300	16.02	24.06	32.08	40.12	48.12	64.18	80.20	100.26
AT5-2000	400	21.38	32.08	42.78	53.48	64.16	85.56	106.94	133.68

AT-10 Metric Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width (mm)							
		10	14	16	20	25	30	32	50
		List Price	List Price	List Price	List Price	List Price	List Price	List Price	List Price
AT10-500	50	\$19.52	\$27.32	\$31.22	\$39.02	\$48.78	\$58.54	\$62.44	\$97.56
AT10-560	56	21.14	29.60	33.82	42.28	52.84	63.40	67.64	105.68
AT10-600	60	21.56	30.18	34.48	43.10	53.88	64.66	68.96	107.76
AT10-610	61	21.76	30.46	34.82	43.52	54.40	65.28	69.64	108.80
AT10-660	66	21.96	30.76	35.14	43.94	54.92	65.90	70.30	109.84
AT10-700	70	22.58	31.62	36.14	45.16	56.46	67.76	72.26	112.92
AT10-730	73	23.38	32.74	37.42	46.76	58.46	70.16	74.82	116.92
AT10-780	78	23.80	33.30	38.06	47.58	59.48	71.38	76.14	118.96
AT10-800	80	24.40	34.18	39.06	48.82	61.02	73.22	78.10	122.04
AT10-840	84	26.34	36.88	42.14	52.68	65.84	79.00	84.28	131.68
AT10-880	88	28.70	40.18	45.92	57.40	71.74	86.08	91.84	143.48
AT10-890	89	29.28	41.00	46.86	58.58	73.22	87.86	93.72	146.44
AT10-920	92	30.50	42.70	48.80	61.00	76.26	91.52	97.62	152.52
AT10-960	96	31.52	44.14	50.44	63.06	78.82	94.58	100.88	157.64
AT10-980	98	33.78	47.28	54.04	67.56	84.44	101.32	108.08	168.88
AT10-1000	100	34.16	47.82	54.66	68.32	85.40	102.48	109.32	170.80
AT10-1010	101	34.78	48.68	55.64	69.56	86.94	104.32	111.28	173.88
AT10-1050	105	35.00	48.98	55.98	69.98	87.48	104.98	111.98	174.96
AT10-1080	108	35.40	49.54	56.62	70.78	88.48	106.18	113.26	176.96
AT10-1100	110	35.92	50.28	57.48	71.84	89.80	107.76	114.94	179.60
AT10-1150	115	36.40	50.98	58.26	72.82	91.02	109.22	116.50	182.04
AT10-1200	120	38.32	53.66	61.32	76.66	95.82	114.98	122.66	191.64
AT10-1210	121	38.64	54.10	61.84	77.30	96.62	115.94	123.68	193.24
AT10-1220	122	38.90	54.46	62.24	77.80	97.26	116.70	124.48	194.50
AT10-1250	125	39.66	55.52	63.44	79.32	99.14	118.96	126.90	198.28
AT10-1280	128	41.08	57.52	65.72	82.16	102.70	123.24	131.46	205.40
AT10-1300	130	42.50	59.52	68.00	85.00	106.26	127.52	136.02	212.52
AT10-1320	132	43.92	61.40	70.28	87.84	109.82	131.80	140.58	219.64
AT10-1350	135	45.34	63.48	72.56	90.68	113.36	136.04	145.10	226.72
AT10-1360	136	45.68	63.96	73.10	91.36	114.20	137.04	146.18	228.40
AT10-1400	140	46.58	65.22	74.54	91.16	116.46	139.76	149.06	232.90
AT10-1420	142	46.90	65.66	75.04	93.80	117.26	140.72	150.10	234.52
AT10-1480	148	48.88	68.44	78.22	97.76	122.22	146.66	156.44	244.42
AT10-1500	150	49.54	69.36	79.26	99.08	123.68	148.64	158.56	247.74
AT10-1600	160	50.82	71.16	81.32	101.64	127.06	152.48	162.64	254.12
AT10-1700	170	54.90	76.88	87.86	109.80	137.26	164.72	175.70	274.52
AT10-1720	172	55.54	77.78	88.90	111.10	138.88	166.66	177.76	277.74
AT10-1800	180	58.98	82.58	94.38	117.96	147.46	176.96	188.74	294.92
AT10-1860	186	60.94	85.34	97.52	121.90	152.38	182.86	195.04	304.76
AT10-1940	194	63.56	89.00	101.72	127.14	158.92	190.72	203.42	317.86



T-5 Metric Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width (mm)							
		4	6	8	10	12	16	20	25
		List Price	List Price	List Price	List Price	List Price	List Price	List Price	List Price
T5-120	24	\$3.80	\$6.00	\$6.96	\$8.00	\$10.64	\$12.80	\$15.44	\$19.76
T5-150	30	3.80	6.00	6.96	8.00	10.64	12.80	15.44	19.76
T5-165	33	3.80	6.00	6.96	8.00	10.64	12.80	15.44	19.76
T5-185	37	3.80	6.00	6.96	8.00	10.64	12.80	15.44	19.76
T5-200	40	3.80	6.00	6.96	8.00	10.64	12.80	15.44	19.76
T5-210	42	3.88	6.10	7.12	8.16	10.86	13.02	15.82	20.24
T5-215	43	3.92	6.16	7.20	8.24	10.96	13.12	16.00	20.48
T5-220	44	3.92	6.16	7.20	8.24	10.96	13.12	16.00	20.48
T5-225	45	3.92	6.16	7.20	8.24	10.96	13.12	16.00	20.48
T5-245	49	4.00	6.32	7.44	8.48	11.36	13.60	16.48	21.20
T5-250	50	4.04	6.56	7.60	8.72	11.76	14.08	17.04	21.92
T5-255	51	4.04	6.56	7.60	8.72	11.76	14.08	17.04	21.92
T5-260	52	4.04	6.56	7.60	8.72	11.76	14.08	17.04	21.92
T5-270	54	4.04	6.56	7.60	8.72	11.76	14.08	17.04	21.92
T5-275	55	4.20	6.72	7.84	9.04	12.08	14.56	17.60	22.64
T5-280	56	4.20	6.72	7.84	9.04	12.08	14.56	17.60	22.64
T5-295	59	4.20	6.72	7.84	9.04	12.08	14.56	17.60	22.64
T5-300	60	4.24	6.88	8.08	9.20	12.48	14.96	18.16	23.36
T5-305	61	4.24	6.88	8.08	9.20	12.48	14.96	18.16	23.36
T5-310	66	4.24	6.88	8.08	9.20	12.48	14.96	18.16	23.36
T5-340	68	4.32	7.04	8.32	9.52	12.80	15.36	18.64	24.08
T5-350	70	4.32	7.04	8.32	9.52	12.80	15.36	18.64	24.08
T5-355	71	4.32	7.04	8.32	9.52	12.80	15.36	18.64	24.08
T5-365	73	4.44	7.28	8.48	9.76	13.12	15.84	19.20	24.80
T5-375	75	4.60	7.44	8.72	10.00	13.52	16.24	19.76	25.52
T5-390	78	4.60	7.44	8.72	10.00	13.52	16.24	19.76	25.52
T5-400	80	4.60	7.44	8.72	10.00	13.52	16.24	19.76	25.52
T5-410	82	4.72	7.60	8.96	10.32	13.92	16.72	20.32	26.24
T5-420	84	4.72	7.60	8.96	10.32	13.92	16.72	20.32	26.24
T5-425	85	4.80	7.76	9.12	10.48	14.24	17.20	20.80	26.88
T5-430	86	4.80	7.76	9.12	10.48	14.24	17.20	20.80	26.88
T5-440	88	4.80	7.76	9.12	10.48	14.24	17.20	20.80	26.88
T5-445	89	4.80	7.76	9.12	10.48	14.24	17.20	20.80	26.88
T5-450	90	4.80	7.76	9.12	10.48	14.24	17.20	20.80	26.88
T5-455	91	4.80	7.76	9.12	10.48	14.24	17.20	20.80	26.88
T5-460	92	4.84	7.92	9.36	10.80	14.64	17.52	21.36	27.60
T5-475	95	4.84	7.92	9.36	10.80	14.64	17.52	21.36	27.60
T5-480	96	4.84	7.92	9.36	10.80	14.64	17.52	21.36	27.60
T5-500	100	5.00	8.16	9.60	11.04	14.96	18.00	21.92	28.32
T5-510	102	5.04	8.32	9.76	11.28	15.28	18.48	22.48	29.04
T5-525	105	5.04	8.32	9.76	11.28	15.28	18.48	22.48	29.04
T5-545	109	5.12	8.48	10.00	11.52	15.68	18.96	22.96	29.76
T5-550	110	5.12	8.48	10.00	11.52	15.68	18.96	22.96	29.76
T5-560	112	5.24	8.64	10.24	11.84	16.00	19.36	23.52	30.48
T5-575	115	5.24	8.64	10.24	11.84	16.00	19.36	23.52	30.48
T5-590	118	5.38	8.86	10.50	12.14	16.42	19.86	24.14	31.28
T5-600	120	5.52	9.04	10.64	12.32	16.80	20.24	24.64	31.92
T5-610	122	5.52	9.04	10.64	12.32	16.80	20.24	24.64	31.92
T5-620	124	5.52	9.04	10.64	12.32	16.80	20.24	24.64	31.92
T5-630	126	5.52	9.04	10.64	12.32	16.80	20.24	24.64	31.92
T5-650	130	5.56	9.20	10.88	12.56	17.12	20.64	25.12	32.64
T5-660	132	5.64	9.36	11.04	12.80	17.44	21.12	25.68	33.36
T5-690	138	5.76	9.52	11.28	13.16	17.84	21.60	26.24	34.08
T5-700	140	5.84	9.76	11.52	13.36	18.16	22.00	26.80	34.80
T5-720	144	5.84	9.76	11.52	13.36	18.16	22.00	26.80	34.80
T5-725	145	5.92	9.84	11.76	13.60	18.56	22.40	27.28	35.52
T5-750	150	5.92	9.84	11.76	13.60	18.56	22.40	27.28	35.52
T5-780	156	6.04	10.08	11.92	13.84	18.96	22.88	27.84	36.24
T5-815	163	6.32	10.48	12.40	14.32	19.68	23.76	28.80	37.68
T5-830	166	6.34	10.52	12.60	14.52	19.88	24.08	29.20	38.08
T5-840	168	6.36	10.56	12.64	14.64	20.00	24.24	29.44	38.40
T5-850	170	6.48	10.76	12.88	14.98	20.48	24.82	30.12	39.26
T5-860	172	6.48	10.76	12.88	14.98	20.48	24.82	30.12	39.26
T5-885	177	6.52	10.86	12.96	15.06	20.60	24.94	30.34	39.56
T5-900	180	6.56	10.96	13.04	15.12	20.72	25.04	30.56	39.84
T5-940	188	6.72	11.20	13.36	15.44	21.28	25.76	31.36	40.92
T5-990	198	6.84	11.44	13.68	15.92	21.84	26.40	32.16	42.00
T5-1000	200	7.24	12.16	14.56	16.96	23.20	28.16	34.32	44.80
T5-1075	215	7.24	12.16	14.56	16.96	23.20	28.16	34.32	44.80
T5-1100	220	7.36	12.40	14.80	17.12	23.52	28.64	34.88	45.52
T5-1160	232	7.56	12.72	15.20	17.68	24.28	29.52	35.96	46.96
T5-1200	240	7.66	12.88	15.40	18.00	24.74	30.02	36.58	47.80
T5-1215	243	7.76	13.04	15.60	18.24	25.04	30.40	37.04	48.40
T5-1275	255	8.26	13.88	16.62	19.42	26.70	32.38	39.44	51.58
T5-1280	256	8.30	13.94	16.68	19.50	26.80	32.50	39.60	51.76
T5-1315	263	8.52	14.32	17.14	20.04	27.54	33.38	40.68	53.18
T5-1355	271	8.68	14.62	17.44	20.38	28.04	34.02	41.44	54.60
T5-1380	276	8.84	14.88	17.76	20.76	28.56	34.64	42.20	55.60
T5-1440	288	9.20	15.48	18.48	21.60	29.72	36.00	43.88	57.40
T5-1955	391	12.52	21.08	25.16	29.40	40.46	49.08	59.78	78.76


T-10 Metric Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width (mm)							
		10	14	16	20	25	30	32	50
		List Price	List Price	List Price	List Price	List Price	List Price	List Price	List Price
T10-260	26	\$12.88	\$17.16	\$19.52	\$23.44	\$30.20	\$34.64	\$36.68	\$56.00
T10-340	34	12.88	17.16	19.52	23.44	30.20	34.64	36.68	56.00
T10-370	37	12.88	17.16	19.52	23.44	30.20	34.64	36.68	56.00
T10-390	39	13.14	17.56	19.94	23.98	30.86	35.46	37.56	57.46
T10-400	40	13.28	17.76	20.16	24.24	31.20	35.88	38.00	58.20
T10-410	41	13.60	18.32	20.80	25.04	32.28	37.12	39.32	60.28
T10-440	44	14.00	18.88	21.44	25.84	33.40	38.36	40.64	62.48
T10-450	45	14.22	19.28	21.88	26.34	34.14	39.28	41.62	64.08
T10-480	48	14.22	19.28	21.88	26.34	34.14	39.28	41.62	64.08
T10-500	50	14.80	20.08	22.80	27.44	35.56	40.92	43.36	66.76
T10-530	53	15.12	20.64	23.44	28.24	36.68	42.16	44.68	68.88
T10-560	56	15.92	21.76	24.72	29.84	38.76	44.80	47.44	73.24
T10-600	60	16.36	22.58	25.66	30.92	40.28	46.50	49.24	76.26
T10-610	61	16.64	22.96	26.08	31.44	40.96	47.28	50.08	77.52
T10-630	63	16.64	22.96	26.08	31.44	40.96	47.28	50.08	77.52
T10-660	66	16.96	23.44	26.64	32.24	42.04	48.60	51.48	79.64
T10-680	68	17.50	24.16	27.50	33.30	43.46	50.26	53.30	82.50
T10-690	69	17.76	24.56	27.92	33.84	44.16	51.08	54.20	83.92
T10-700	70	17.76	24.56	27.92	33.84	44.16	51.08	54.20	83.92
T10-720	72	18.16	25.12	28.56	34.72	45.24	52.32	55.44	86.12
T10-730	73	18.26	25.34	28.80	34.98	45.60	52.78	55.92	86.84
T10-750	75	18.48	25.76	29.28	35.52	46.32	53.68	56.88	88.28
T10-780	78	18.96	26.24	29.84	36.24	47.44	54.96	58.20	90.40
T10-810	81	19.28	26.88	30.56	37.12	48.52	56.20	59.52	92.60
T10-840	84	20.00	28.00	31.84	38.72	50.64	58.76	62.12	96.88
T10-850	85	20.12	28.14	32.00	38.92	50.90	59.00	62.60	98.34
T10-880	88	20.48	28.60	32.48	39.52	51.72	60.00	63.56	99.00
T10-890	89	20.80	29.16	33.12	40.40	52.80	61.24	64.88	101.16
T10-900	90	20.80	29.16	33.12	40.40	52.80	61.24	64.88	101.16
T10-910	91	21.20	29.76	33.84	41.12	53.88	62.52	66.24	103.36
T10-920	92	21.20	29.76	33.84	41.12	53.88	62.52	66.24	103.36
T10-950	95	21.52	30.28	34.40	41.92	55.00	63.84	67.64	105.44
T10-960	96	21.52	30.28	34.40	41.92	55.00	63.84	67.64	105.44
T10-970	97	22.00	30.92	35.12	42.80	56.08	65.08	68.96	107.64
T10-980	98	22.00	30.92	35.12	42.80	56.08	65.08	68.96	107.64
T10-1010	101	22.32	31.48	35.76	43.52	57.08	66.36	70.28	109.76
T10-1050	105	22.80	32.48	36.92	44.92	58.88	68.40	72.52	113

Urethane Timing Belts - Dual Metric

T-10 DL Dual-sided

Belt Length & Pitch Code	No. of Teeth	Width (mm)							
		10	14	16	20	25	30	35	50
		List Price	List Price	List Price	List Price	List Price	List Price	List Price	List Price
T10-260DL	26	\$22.68	\$30.96	\$35.16	\$42.36	\$55.02	\$63.24	\$67.02	\$103.32
T10-530DL	53	22.68	30.96	35.16	42.36	55.02	63.24	67.02	103.32
T10-630DL	63	24.96	34.44	39.12	47.16	61.44	70.92	75.12	116.28
T10-660DL	66	25.44	35.16	39.96	48.36	63.06	72.88	77.22	119.46
T10-720DL	72	27.24	37.68	42.84	52.08	67.86	78.48	83.16	129.18
T10-840DL	84	30.00	42.00	47.76	58.08	75.96	88.12	93.36	145.32
T10-980DL	98	33.00	46.38	52.68	62.20	84.20	97.62	103.44	161.46
T10-1210DL	121	38.04	53.94	61.32	75.00	98.64	114.78	121.56	190.50
T10-1240DL	124	38.52	54.90	62.40	76.20	100.26	116.76	123.66	193.62
T10-1250DL	125	39.12	55.68	63.24	77.40	101.88	118.62	125.64	196.92
T10-1320DL	132	39.72	56.58	64.32	78.60	103.56	120.48	127.62	200.16
T10-1350DL	135	40.80	58.40	66.36	81.12	106.68	124.38	131.76	206.64
T10-1420DL	142	42.92	61.42	69.80	85.32	112.22	130.82	138.60	217.36
T10-1610DL	161	46.56	66.84	75.96	93.12	122.94	143.46	151.98	238.80
T10-1880DL	188	53.40	73.62	87.72	107.64	142.38	166.38	176.22	277.50



T-5 DL Dual-sided

Belt Length & Pitch Code	No. of Teeth	Width (mm)							
		4	6	8	10	12	16	20	25
		List Price	List Price	List Price	List Price	List Price	List Price	List Price	List Price
T5-410DL	82	\$7.08	\$11.40	\$13.44	\$15.48	\$20.88	\$25.08	\$30.48	\$39.36
T5-460DL	92	7.26	11.88	14.04	16.20	21.96	26.28	32.04	41.40
T5-590DL	118	8.10	13.36	15.66	18.24	24.68	29.68	36.32	47.12
T5-620DL	124	8.28	13.56	15.96	18.48	25.20	30.36	36.96	47.88
T5-750DL	150	8.88	14.76	17.64	20.40	27.84	33.60	40.92	53.28
T5-815DL	163	9.48	15.72	18.60	21.48	29.52	35.64	43.20	57.36
T5-860DL	172	9.68	15.96	19.20	22.24	30.36	36.72	44.72	58.32
T5-940DL	188	10.08	16.80	20.04	23.20	31.80	38.40	46.80	60.92
T5-1100DL	220	11.04	18.60	22.20	25.68	35.28	42.96	52.32	68.28

Urethane, Steel or Kevlar reinforced belting

Resistant to moisture, oils, ozone, UV light and hydrolysis. Available in FDA Construction. For additional information, please contact a Jason Sales Representative.

List Prices Per Foot, Steel or Kevlar reinforced.

Width (mm)										
	6	8	10	12	16	20	25	32	50	
T5	\$3.50	\$4.50	\$5.80	\$6.30	\$8.80	\$11.50	\$13.50	\$18.00	\$22.50	
T10	\$8.80	\$8.80	\$12.00	\$12.60	\$14.00	\$18.00	\$20.00	\$22.00	\$32.00	\$44.00
T20	\$18.00	\$24.00	\$38.00	\$60.00	\$84.00	\$122.00	\$146.00			
AT5	\$5.00	\$7.00	\$10.60	\$14.80	\$16.20	\$21.60	\$32.30			
AT10	\$14.00	\$16.20	\$19.00	\$24.00	\$26.40	\$28.00	\$40.00	\$54.00		
AT20	\$23.00	\$30.00	\$48.00	\$78.00	\$108.00					
Width (mm)										
	10	15	20	25	50					
5mm	\$9.00	\$12.20	\$21.00	\$21.00	\$34.00					
8mm	\$10.40	\$16.50	\$18.90	\$20.70	\$25.60	\$32.00	\$54.00			
14mm	\$29.90	\$47.80	\$65.40	\$101.00	\$124.00					
Width-Inches										
	025	031	037	050	075	100				
XL(1/5")	\$2.90	\$3.50	\$4.00	\$5.40	\$8.00	\$10.80				
L(3/8")	\$5.70	\$6.20	\$9.50	\$11.40	\$15.60	\$18.30				
H(1/2")	\$6.98	\$10.80	\$12.40	\$17.00	\$20.20	\$30.00	\$51.20			
XH(7/8")	\$20.00	\$30.00	\$40.00	\$64.00	\$90.00	\$138.00				

FDA construction add 10% to above prices.
 Fabric covering toothside add 15% to above prices. ■ Fabric covering backside add 15% to above prices.
 Standard roll lengths 100 meters (328 ft.). ■ Minimum order quantity 50 ft.



IMPORTANT:
 For all bulk orders, we will ship the full requirement in one continuous piece if possible. If our stock does not permit this, shorter lengths will be used with no length being less than 50 feet.

- BELTS**
- Endless belts can be spliced to order.
 - Minimum Pitch length is 20", except T20 & 14mm where the minimum is 36" length.
 - Note: Splicing belts reduces horse-power rating.
 - Consult Jason for pricing of spliced belts.
 - Always specify whether steel or Kevlar reinforcement.
 - Consult Jason for pricing and availability of special shapes and backings.

Urethane Standard Timing Belts, XL, L & H

Urethane steel cable construction. Oil, heat and abrasion-resistant.

These belts have steel tension members bonded to a urethane body. They offer greater tensile strength and are stretch and flake-resistant. They are especially useful for chemically-resistant operating requirements and for clean environments.

For non-stock widths, Jason can cut specified widths from our supply of timing belt sleeves on special order. Maximum width is 12.0".

KEVLAR REINFORCEMENT AVAILABLE, AT SAME LIST PRICES.

1/5-inch (XL) Pitch Belts

Belt Length & Pitch Code	Width(in)		
	025 (1/4")	031 (5/16")	037 (3/8")
	List Price	List Price	List Price
60XL	\$7.10	\$9.00	\$10.70
70XL	7.30	9.10	11.00
80XL	7.50	9.30	11.20
90XL	7.70	9.60	11.50
100XL	7.80	9.80	11.70
110XL	7.90	9.90	11.90
120XL	8.10	10.10	12.16
130XL	8.20	10.30	12.40
134XL	8.32	10.42	12.52
140XL	8.50	10.60	12.72
150XL	8.60	10.80	12.96
160XL	8.80	11.00	13.20
170XL	9.10	11.40	13.70
180XL	9.30	11.60	13.90
190XL	9.40	11.80	14.20
194XL	9.60	12.04	14.48
200XL	9.90	12.40	14.90
210XL	10.10	12.60	15.12
220XL	10.60	13.30	16.00
230XL	11.40	14.30	17.20
240XL	12.00	15.00	18.00
250XL	12.64	15.80	19.00
260XL	13.10	16.40	19.70
270XL	13.16	16.50	19.80
288XL	13.30	16.70	20.00
290XL	13.40	16.80	20.20
300XL	13.50	16.90	20.30
356XL	14.30	17.90	21.50
414XL	17.10	21.40	25.70
450XL	19.20	24.00	28.90
566XL	23.90	29.90	36.00

To Order:

Example: **150** **XL** **025** **US/K**
 Length Pitch Code Width
 (15-inches) (1/5-inch) (1/4-inch)

Urethane ———
 Steel ———
 Kevlar ———

3/8-inch (L) Pitch Belts

Belt Length & Pitch Code	Width(in)		
	050 (1/2")	075 (3/4")	100 (1")
	List Price	List Price	List Price
86L	\$20.00	\$30.00	\$40.00
124L	20.70	31.00	41.40
150L	20.80	31.20	41.60
187L	21.40	32.00	43.00
202L	23.00	34.40	46.00
210L	24.00	36.00	48.00
225L	24.80	37.20	49.60
240L	25.60	38.40	51.20
255L	25.80	38.80	51.60
270L	26.00	39.20	52.00
285L	26.60	40.00	53.20
300L	27.20	40.60	53.80
322L	29.00	43.40	58.40
345L	33.40	50.20	66.80
367L	36.60	54.86	73.10
390L	39.80	59.50	79.40
420L	40.54	60.34	80.54
450L	41.26	61.16	81.66
480L	42.00	62.00	82.80
510L	42.60	63.00	83.80
540L	46.20	68.90	91.70
570L	49.80	74.80	99.60
600L	52.42	78.74	104.84

1/2-inch (H) Pitch Belts

Belt Length & Pitch Code	Width(in)				
	075 (3/4")	100 (1")	150 (1-1/2")	200 (2")	300 (3")
	List Price	List Price	List Price	List Price	List Price
240H	\$39.82	\$53.10	\$74.34	\$95.58	\$143.36
270H	41.56	55.40	77.56	99.72	149.58
300H	43.42	57.90	81.06	104.22	162.12
330H	48.38	64.50	90.30	116.10	174.16
360H	56.10	78.80	104.72	134.64	209.44
390H	64.12	85.50	119.70	153.90	239.40
420H	64.72	86.30	120.82	155.34	241.64
450H	66.66	88.90	124.46	160.02	248.92
480H	72.06	96.10	134.54	172.98	269.08
510H	78.14	104.20	145.88	187.56	291.76



VAR Urethane Belting

Vee and Round



*500 ft rolls
+special order
‡ 200 ft. rolls only

Round Belting

Belt Type Color (in.)	Dia. (mm)	RO orange	ROR orange reinforced	RB brown	RG green	RGR green reinforced	RR red	RW white	RC clear
5/64	2 ‡	▪	▪	\$130.10	\$242.10	▪	\$175.32	▪	\$156.12
1/8	3	\$90.46	▪	102.58	152.52	▪	138.20	▪	164.12
5/32	4	▪	▪	154.04	242.26	▪	207.58	▪	184.84
3/16	5	197.12	▪	222.86	336.88	▪	300.46	▪	267.44
7/32	6	▪	▪	▪	445.24	▪	▪	▪	▪
1/4	6.3	285.50	\$393.32	322.92	▪	▪	434.90	\$5355.36	387.50
9/32	7	▪	▪	▪	639.86	\$799.54	▪	▪	▪
5/16	8	457.62	629.12	516.12	769.22	1130.04	696.94	▪	619.34
3/8	9.5	657.56	905.86	714.66	987.34	1234.44	963.04	6936.16	857.60
7/16	10	▪	▪	▪	1188.58	1489.00	▪	▪	▪
15/32	12	▪	▪	▪	▪	▪	▪	▪	▪
1/2	12.5	1101.00	1516.68	1244.54	1599.24	1998.84	1677.22	5780.88	1493.44
9/16	14	1410.36	1938.76	▪	▪	▪	▪	▪	▪
5/8	15	1733.64	2383.14	2216.36	2545.28	3177.32	2639.76	▪	2659.64
3/4	18	2606.38	3583.16	2940.32	3504.00	4380.12	3969.06	▪	▪

Dual

Belt Type Color	Dual VO orange
D-3L	\$1770.78
AA	2192.40

Vee Belting




Belt Type Color Profile	Top Width (mm)	VO orange	VOR orange reinforced	VOR-GT orange reinforced	VB brown	VR red	VCM cream reinforced
3L	10	\$514.04	\$739.40	▪	\$582.30	\$783.44	\$1140.20
A	13	747.02	1023.02	▪	846.04	1138.30	1398.78
B	17	1185.36	1628.74	\$1622.68	1341.10	1803.52	2219.82
C	22	2153.28	▪	2947.36	2434.20	3280.82	4920.06
D	32	▪	▪	6623.72	5470.32	7339.02	▪
E	40	▪	▪	▪	8140.42	11467.48	▪
	20	▪	▪	▪	▪	▪	▪
	25	▪	▪	▪	▪	▪	▪

Ridgetop



Belt Type Color Profile	Top Width (mm)	Ridgetop VB-RT brown	Ridgetop VR-RT red
A	13	\$835.38	\$845.76
B	17	1389.89	1398.05
C	22	2830.14	2865.30

V-Belting Super Grip Backing



Belt Type Color Profile	Top Width (mm)	VO-SG orange	VOS-SG orange reinforced	VB-SG brown	VR-SG red	VCM-SG cream reinforced	VBL-SG blue reinforced
3L	10	\$3121.88	▪	\$3121.88	\$3121.88	▪	▪
A	13	3197.30	\$3495.74	3197.30	3197.30	\$3357.16	\$3357.16
B	17	3423.72	3900.88	3423.72	3423.72	3731.86	3731.86
C	22	3826.72	5986.78	3826.72	3826.72	4477.26	4477.26
D	32	▪	▪	6520.06	6520.06	▪	▪
E	40	▪	▪	8106.28	8106.28	▪	▪

Splicing Kit

Tool Kit	List Price
VAR-T100	\$3465.00

Replacement parts are available, contact Customer Service.

All prices are list per 100 ft roll and are supplied in 100 ft rolls, except as noted. Part numbers are as follows; Belt Type-size, examples: VO-A-SG, RO - 1/4, VO-A Belting prices listed in **Bold type** available from stock.

▪ indicates belting type is not available in this size. Pricing and specifications are subject to change without notice.

Product Nomenclature

Type Code	Profiles/ Construction	Material
R	round	B brown
V	V	O orange
RT	ridgetop	G green
S	reinforced	R red
SG	Super Grip backing	W white
GT	Groove Top	

Material Color	Durometer	FDA Grade Material
brown (B)	80 Shore A	yes
orange (O)	83 Shore A	yes
green (G)	88 Shore A	no
red (R)	90 Shore A	yes
beige	95 Shore A	yes
white (W)	100 Shore A	yes
super grip (SG)	60 Shore A	no
clear (C)	80 Shore A	yes

ex. VOR-A V profile, orange, reinforced, A section

Fractional HorsePower (FHP) V-Belts and UniMatch® V-Belts

Oil and heat-resistant. Static dissipating.

These Fractional HorsePower belts conform to RMA standard IP 23.

3L FHP V-Belts (3/8-inch Top Width, 7/32-inch Thick)

Ind. Belt No.	List Price	Approx. Weight (lbs.)	Ind. Belt No.	List Price	Approx. Weight (lbs.)	Ind. Belt No.	List Price	Approx. Weight (lbs.)	Ind. Belt No.	List Price	Approx. Weight (lbs.)
3L110	\$9.44	.04	3L290	\$10.08	.10	3L460	\$13.28	.15	3L630	\$16.24	.20
3L120	9.44	.04	3L300	10.24	.10	3L470	13.52	.16	3L640	16.32	.21
3L130	9.44	.04	3L310	10.32	.11	3L480	13.68	.16	3L650	16.64	.21
3L140	9.44	.04	3L315	10.40	.11	3L490	13.84	.16	3L660	16.80	.21
3L150	9.44	.05	3L320	10.48	.11	3L500	14.00	.17	3L670	17.04	.22
3L160	9.44	.05	3L330	10.64	.11	3L510	14.16	.17	3L680	17.20	.22
3L170	9.44	.06	3L340	10.80	.11	3L520	14.32	.17	3L690	17.44	.22
3L180	9.44	.06	3L350	11.04	.12	3L530	14.48	.18	3L700	17.60	.22
3L190	9.44	.06	3L360	11.20	.12	3L540	14.64	.18	3L710	17.84	.22
3L200	9.44	.07	3L370	11.44	.12	3L550	14.80	.19	3L720	18.00	.23
3L210	9.44	.07	3L380	11.68	.13	3L560	14.96	.19	3L730	18.16	.23
3L220	9.44	.07	3L390	11.92	.13	3L565	14.96	.19	3L740	18.40	.23
3L230	9.44	.08	3L400	12.16	.13	3L570	15.12	.19	3L750	18.64	.24
3L240	9.44	.08	3L410	12.40	.14	3L580	15.44	.20			
3L250	9.44	.08	3L420	12.56	.14	3L590	15.44	.20			
3L260	9.60	.09	3L430	12.72	.15	3L600	15.60	.20			
3L270	9.76	.09	3L440	12.88	.15	3L610	15.84	.20			
3L280	9.92	.09	3L450	13.12	.15	3L620	16.00	.20			

Outside length minus 1-1/2 inches equals inside length.

IMPORTANT

Classical belts are built to RMA engineering standard IP 20 and are dual branded with classical multiple size and FHP size. FHP designation denotes outside length. Classical designation denotes inside length. No need to stock both types when you use Jason UniMatch Dual Branded sizes.

A Section Classical V-Belts (1/2-inch Top Width, 1 1/32-inch Thick) Dual Brand

Ind. Belt No.	List Price	Approx. Weight (lbs.)	Ind. Belt No.	List Price	Approx. Weight (lbs.)	Ind. Belt No.	List Price	Approx. Weight (lbs.)	Ind. Belt No.	List Price	Approx. Weight (lbs.)
A18 (4L 200)	\$10.00	.10	A50 (4L 520)	\$15.04	.30	A84 (4L 860)	\$22.80	.40	A119	\$34.16	.80
A18 ^{3/4}	10.00	.10	A51 (4L 530)	15.20	.30	A85 (4L 870)	23.20	.40	A120	34.40	.80
A19 (4L 210)	10.00	.10	A52 (4L 540)	15.28	.30	A86 (4L 880)	23.52	.40	A124	35.60	.80
A20 (4L 220)	10.00	.10	A53 (4L 550)	15.60	.30	A87 (4L 890)	23.84	.40	A125	35.90	.80
A21 (4L 230)	10.16	.10	A54 (4L 560)	16.00	.30	A88 (4L 900)	24.16	.40	A128	36.80	.80
A21 ^{3/4}	10.16	.10	A55 (4L 570)	16.00	.30	A89 (4L 910)	24.24	.40	A130	37.36	.80
A22 (4L 240)	10.16	.15	A56 (4L 580)	16.40	.30	A90 (4L 920)	24.80	.40	A132	37.88	.80
A23 (4L 250)	10.24	.20	A57 (4L 590)	16.48	.30	A91 (4L 930)	25.12	.50	A133	38.14	.80
A24 (4L 260)	10.32	.20	A58 (4L 600)	16.56	.30	A92 (4L 940)	25.36	.50	A133 ^{1/2}	38.24	.80
A25 (4L 270)	10.40	.20	A59 (4L 610)	16.64	.30	A93 (4L 950)	25.60	.50	A134	38.40	.80
A26 (4L 280)	10.40	.20	A60 (4L 620)	16.80	.30	A94 (4L 960)	25.92	.50	A135	38.62	.90
A27 (4L 290)	10.56	.20	A61 (4L 630)	17.04	.30	A95 (4L 970)	26.16	.50	A136	38.88	.90
A28 (4L 300)	10.80	.20	A62 (4L 640)	17.20	.30	A96 (4L 980)	26.40	.50	A137	39.16	.90
A29 (4L 310)	10.96	.20	A63 (4L 650)	17.60	.30	A97 (4L 990)	26.72	.50	A140	40.00	.95
A30 (4L 320)	11.20	.20	A64 (4L 660)	17.84	.30	A98 (4L 1000)	27.04	.50	A144	41.12	1.00
A31 (4L 330)	11.20	.20	A65 (4L 670)	18.00	.30	A99	27.28	.50	A148	42.30	1.00
A32 (4L 340)	11.36	.20	A66 (4L 680)	18.00	.40	A100	27.52	.50	A152	43.46	1.00
A33 (4L 350)	11.60	.20	A67 (4L 690)	18.24	.40	A101	27.76	.50	A156	44.62	1.00
A34 (4L 360)	11.76	.20	A68 (4L 700)	18.40	.40	A102	28.00	.50	A157	44.90	1.10
A35 (4L 370)	12.00	.20	A69 (4L 710)	19.20	.40	A103	28.28	.50	A158	45.20	1.10
A36 (4L 380)	12.00	.20	A70 (4L 720)	19.20	.40	A104	28.56	.50	A160	45.60	1.10
A37 (4L 390)	12.00	.20	A71 (4L 730)	19.28	.40	A105	28.80	.50	A162	46.00	1.10
A38 (4L 400)	12.80	.20	A72 (4L 740)	19.44	.40	A106	29.60	.55	A167	46.90	1.15
A39 (4L 410)	13.28	.20	A73 (4L 750)	19.60	.40	A107	30.00	.57	A173	48.00	1.15
A40 (4L 420)	13.36	.20	A74 (4L 760)	19.76	.40	A108	30.40	.60	A180	49.20	1.15
A41 (4L 430)	13.44	.20	A75 (4L 770)	20.00	.40	A109	30.80	.65	A187	50.00	1.20
A42 (4L 440)	13.60	.20	A76 (4L 780)	20.32	.40	A110	31.20	.70	A196	51.00	1.31
A43 (4L 450)	14.00	.30	A77 (4L 790)	20.48	.40	A111	31.60	.75	A197	53.00	1.31
A44 (4L 460)	14.08	.30	A78 (4L 800)	20.80	.40	A112	32.00	.80	A210	53.80	1.35
A45 (4L 470)	14.24	.30	A79 (4L 810)	21.20	.40	A113	32.32	.80	A221	59.46	1.40
A46 (4L 480)	14.40	.30	A80 (4L 820)	21.60	.40	A114	32.64	.80	A256	68.88	1.70
A47 (4L 490)	14.64	.30	A81 (4L 830)	22.00	.40	A115	32.96	.80	A258	69.42	1.75
A48 (4L 500)	14.80	.30	A82 (4L 840)	22.24	.40	A116	33.28	.80			
A49 (4L 510)	14.96	.30	A83 (4L 850)	22.56	.40	A118	33.92	.80			

Inside length plus 2 inches equals outside length.

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

UniMatch Multiple V-Belts (cont.)

B Section Classical V-Belts (21/32-inch Top Width, 13/32-inch Thick) Dual Brand

Ind. Belt No.	List Price	Approx. Weight (lbs.)	Ind. Belt No.	List Price	Approx. Weight (lbs.)	Ind. Belt No.	List Price	Approx. Weight (lbs.)	Ind. Belt No.	List Price	Approx. Weight (lbs.)
B20	\$14.00	.40	B69 (5L 720)	\$27.52	.70	B122	\$46.40	1.20	B190	\$72.54	1.90
B21	14.00	.40	B70 (5L 730)	28.00	.70	B123	47.20	1.20	B192	73.28	2.00
B22 (5L 250)	14.00	.40	B71 (5L 740)	28.16	.70	B124	47.20	1.20	B193	73.66	2.00
B23 (5L 260)	14.00	.40	B72 (5L 750)	28.40	.70	B125	47.60	1.20	B195	74.40	2.00
B23.5	14.00	.40	B73 (5L 760)	28.56	.70	B126	48.00	1.30	B197	75.14	2.00
B24 (5L 270)	14.40	.40	B74 (5L 770)	28.72	.70	B127	48.40	1.30	B199	75.88	2.00
B24 1/2	14.40	.40	B75 (5L 780)	28.80	.70	B128	48.80	1.30	B201	76.64	2.00
B25 (5L 280)	14.80	.40	B76 (5L 790)	29.44	.70	B130	49.28	1.30	B204	77.76	2.00
B26 (5L 290)	15.04	.40	B77 (5L 800)	29.92	.80	B131	49.52	1.30	B205	78.14	2.00
B27 (5L 300)	15.12	.40	B78 (5L 810)	30.00	.80	B132	49.76	1.30	B210	80.00	2.00
B28 (5L 310)	15.20	.40	B79 (5L 820)	30.48	.80	B133	50.00	1.30	B212	80.36	2.10
B29 (5L 320)	15.36	.40	B80 (5L 830)	30.96	.80	B134	50.16	1.30	B215	80.90	2.10
B30 (5L 330)	15.44	.40	B81 (5L 840)	31.20	.80	B135	50.40	1.30	B216	81.08	2.10
B31 (5L 340)	15.60	.40	B82 (5L 850)	31.60	.80	B136	51.20	1.30	B217	81.28	2.10
B32 (5L 350)	15.68	.40	B83 (5L 860)	32.24	.80	B138	52.20	1.30	B218	81.46	2.10
B33 (5L 360)	15.92	.40	B84 (5L 870)	32.40	.80	B140	53.20	1.30	B221	82.00	2.25
B34 (5L 370)	15.92	.40	B85 (5L 880)	32.80	.80	B141	53.70	1.30	B223	84.48	2.25
B35 (5L 380)	16.00	.40	B86 (5L 890)	33.12	.80	B142	54.20	1.30	B224	84.80	2.30
B36 (5L 390)	16.40	.40	B87 (5L 900)	33.44	.80	B143	54.70	1.40	B225	85.20	2.30
B37 (5L 400)	17.20	.40	B88 (5L 910)	33.76	.80	B144	55.20	1.40	B228	86.16	2.30
B38 (5L 410)	17.60	.40	B89 (5L 920)	34.08	.80	B146	56.00	1.40	B229	86.56	2.30
B39 (5L 420)	18.16	.40	B90 (5L 930)	34.40	.90	B147	56.40	1.40	B230	86.90	2.30
B39 3/4	18.28	.40	B91 (5L 940)	34.72	.90	B148	56.80	1.40	B234	88.30	2.30
B40 (5L 430)	18.32	.40	B92 (5L 950)	35.04	.90	B150	57.28	1.50	B235	88.66	2.30
B41 (5L 440)	18.40	.40	B93 (5L 960)	35.36	.90	B151	57.64	1.50	B236	89.00	2.30
B42 (5L 450)	19.20	.40	B94 (5L 970)	35.76	.90	B152	58.00	1.50	B237	89.36	2.30
B43 (5L 460)	19.44	.40	B95 (5L 980)	36.08	.90	B153	58.32	1.50	B239	90.06	2.30
B44 (5L 470)	19.44	.40	B96 (5L 990)	36.40	.90	B154	58.64	1.50	B240	90.40	2.30
B45 (5L 480)	20.00	.40	B97 (5L 1000)	37.60	.90	B155	59.00	1.50	B248	94.40	2.30
B46 (5L 490)	20.80	.50	B98	37.84	.90	B156	59.34	1.50	B253	96.72	2.30
B47 (5L 500)	20.92	.50	B99	38.32	1.00	B157	59.68	1.50	B255	97.60	2.30
B48 (5L 510)	21.60	.50	B100	38.32	1.00	B158	60.00	1.50	B259	98.88	2.30
B49 (5L 520)	21.76	.50	B101	38.56	1.00	B160	60.80	1.50	B265	100.80	2.30
B50 (5L 530)	22.00	.50	B102	38.80	1.00	B161	61.20	1.50	B270	102.40	2.30
B51 (5L 540)	22.40	.50	B103	38.96	1.00	B162	61.60	1.50	B276	104.00	2.70
B52 (5L 550)	22.48	.50	B104	39.20	1.00	B163	62.00	1.50	B285	104.80	2.70
B53 (5L 560)	22.80	.50	B105	40.00	1.00	B164	62.50	1.50	B290	106.40	2.70
B54 (5L 570)	23.04	.50	B106	40.80	1.00	B165	63.00	1.50	B292	110.58	2.70
B55 (5L 580)	23.20	.60	B107	41.20	1.00	B166	63.34	1.50	B293	110.96	2.70
B56 (5L 590)	23.36	.60	B108	41.36	1.00	B168	63.98	1.50	B300	113.60	2.70
B57 (5L 600)	23.44	.60	B109	41.84	1.00	B169	64.30	1.50	B315	119.20	2.90
B58 (5L 610)	23.52	.60	B110	42.32	1.10	B170	64.62	1.50	B330	124.80	2.90
B59 (5L 620)	23.92	.60	B111	42.76	1.10	B173	65.60	1.50	B333	126.00	2.90
B60 (5L 630)	24.00	.60	B112	43.20	1.10	B175	66.56	1.50	B345	130.80	3.00
B61 (5L 640)	24.40	.70	B113	43.60	1.15	B177	67.46	1.50	B355	150.30	3.20
B62 (5L 650)	24.80	.70	B114	44.00	1.20	B178	67.90	1.50	B360	160.00	3.20
B63 (5L 660)	24.96	.70	B115	44.16	1.20	B180	68.90	1.50	B394	175.10	4.00
B64 (5L 670)	25.12	.70	B116	44.40	1.20	B182	69.56	1.50	B433	192.40	4.20
B65 (5L 680)	25.28	.70	B117	44.72	1.20	B184	70.32	1.50	B472	209.80	4.60
B66 (5L 690)	25.92	.70	B118	45.04	1.20	B185	70.70	1.50			
B67 (5L 700)	26.16	.70	B119	45.32	1.20	B187	71.44	1.50			
B68 (5L 710)	26.40	.70	B120	45.60	1.20	B188	71.80	1.80			

Inside length plus 3 inches equals outside length.

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.


C Section Classical V-Belts (7/8-inch Top Width, 17/32-inch Thick)

Ind. Belt No.	List Price	Approx. Weight (lbs.)	Ind. Belt No.	List Price	Approx. Weight (lbs.)	Ind. Belt No.	List Price	Approx. Weight (lbs.)	Ind. Belt No.	List Price	Approx. Weight (lbs.)
C34	\$30.40	.80	C80	\$57.60	1.20	C117	\$82.16	2.00	C162	\$114.40	2.70
C43	30.40	.80	C81	58.40	1.30	C118	82.24	2.00	C164	115.80	2.70
C45	31.68	.80	C82	58.80	1.30	C120	85.60	2.10	C165	116.50	2.70
C46	32.32	.80	C83	59.20	1.30	C122	87.00	2.20	C166	117.20	2.70
C47	32.96	.80	C84	59.60	1.40	C124	88.40	2.20	C168	118.72	2.70
C48	33.60	.80	C85	60.00	1.40	C126	89.80	2.25	C169	119.60	2.70
C50	35.74	.90	C86	60.96	1.40	C128	91.20	2.30	C170	120.20	2.80
C51	36.80	.90	C87	61.94	1.40	C130	92.64	2.40	C172	121.66	3.00
C52	37.60	.90	C88	62.90	1.40	C131	93.34	2.40	C173	122.40	3.00
C53	38.40	.90	C90	64.80	1.40	C132	94.04	2.40	C175	124.00	3.00
C54	39.40	.90	C92	66.10	1.40	C134	95.44	2.40	C176	124.80	3.10
C55	40.40	1.00	C93	66.80	1.40	C136	96.80	2.40	C177	125.60	3.10
C56	41.00	1.02	C94	67.50	1.50	C138	98.20	2.40	C180	128.00	3.20
C57	41.60	1.02	C96	68.80	1.50	C139	98.90	2.40	C181	128.74	3.20
C59	42.66	1.08	C97	69.20	1.80	C140	99.60	2.40	C183	130.20	3.20
C60	43.20	1.10	C98	70.00	1.80	C141	100.30	2.40	C185	131.60	3.20
C61	43.90	1.10	C99	70.00	1.80	C142	101.00	2.40	C188	133.80	3.20
C62	44.60	1.10	C100	70.40	1.90	C143	101.70	2.40	C190	135.20	3.20
C63	45.30	1.10	C101	70.80	1.90	C144	102.40	2.40	C194	137.76	3.20
C64	46.00	1.10	C102	71.20	1.90	C146	103.52	2.60	C195	138.40	3.40
C65	46.70	1.10	C103	72.50	1.90	C147	104.08	2.60	C197	139.88	3.50
C66	47.40	1.10	C104	73.86	1.90	C148	104.64	2.60	C200	142.10	3.50
C67	48.10	1.10	C105	75.20	1.90	C149	105.52	2.60	C202	143.60	3.60
C68	48.80	1.10	C106	75.92	1.90	C150	106.40	2.60	C204	145.12	3.60
C69	49.80	1.15	C107	76.20	1.90	C151	107.00	2.60	C207	148.12	3.65
C70	50.80	1.20	C108	76.50	1.90	C152	107.60	2.60	C208	148.12	3.65
C72	51.52	1.20	C109	76.80	1.90	C153	108.00	2.60	C210	149.60	3.70
C73	52.22	1.20	C110	78.80	1.90	C154	110.00	2.70	C212	150.80	3.70
C74	52.90	1.20	C111	79.40	1.90	C155	110.50	2.70	C214	152.00	3.70
C75	53.60	1.20	C112	80.00	2.00	C156	111.00	2.70	C218	154.50	3.70
C76	54.40	1.20	C114	81.06	2.00	C158	112.00	2.70	C220	155.80	3.70
C78	56.00	1.20	C115	81.60	2.00	C159	112.60	2.70	C221	158.20	3.70
C79	56.80	1.20	C116	82.08	2.00	C160	113.20	2.70	C225	158.80	4.40

18 Inside length plus 4 inches approx. equals outside length.

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

UniMatch® Multiple V-Belts (cont.)



D Section Classical V-Belts (1-1/4-inch Top Width, 3/4-inch Thick)

Ind. Belt No.	List Price	Approx. Weight (lbs.)
D90	\$119.36	3.40
D96	127.16	3.40
D98	129.76	3.40
D105	138.88	4.00
D107	141.50	4.00
D110	145.40	4.00
D112	148.00	4.20
D115	151.90	4.30
D120	158.40	4.50
D128	168.80	4.80
D132	174.00	5.00
D134	176.60	5.00
D135	177.90	5.10

Ind. Belt No.	List Price	Approx. Weight (lbs.)
D136	\$179.20	5.20
D140	184.33	5.30
D144	189.60	5.40
D155	204.06	6.00
D158	208.00	6.00
D159	209.60	6.10
D162	214.40	6.10
D165	218.26	6.20
D171	226.00	6.40
D173	227.20	6.50
D180	236.00	6.80
D190	249.40	6.80
D193	253.40	6.80

Ind. Belt No.	List Price	Approx. Weight (lbs.)
D195	\$256.00	7.30
D205	272.00	7.90
D210	280.00	8.40
D225	293.20	8.40
D240	310.40	9.00
D248	314.40	9.00
D255	324.00	9.50
D270	349.60	10.00
D285	368.00	10.70
D300	388.00	11.20
D315	400.00	11.80
D330	427.20	12.40
D345	448.00	12.60

Ind. Belt No.	List Price	Approx. Weight (lbs.)
D355	\$459.70	13.00
D360	465.60	13.50
D390	504.40	14.60
D394	509.90	14.80
D420	545.60	15.80
D441	572.80	16.50
D450	584.40	16.95
D480	625.60	18.10
D540	705.60	20.20
D600	785.60	22.40
D660	864.20	24.80

Inside length plus 5 inches equals outside length.

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.



E Section Multiple V-Belts (1-1/2-inch Top Width, 1-inch Thick)

Ind. Belt No.	List Price	Approx. Weight (lbs.)
E144	\$272.80	9.30
E170	321.40	9.30
E180	340.00	9.30
E195	368.00	10.00
E210	396.80	12.00

Ind. Belt No.	List Price	Approx. Weight (lbs.)
E225	\$421.20	13.00
E240	445.60	13.50
E255	473.20	15.30
E270	500.80	15.30
E300	556.80	17.00

Ind. Belt No.	List Price	Approx. Weight (lbs.)
E310	\$575.44	17.60
E330	612.80	18.80
E360	668.00	20.40
E390	723.60	22.10
E420	788.00	23.80

Ind. Belt No.	List Price	Approx. Weight (lbs.)
E441	\$832.00	25.00
E460	871.94	26.00
E480	914.00	28.00

Inside length plus 6 inches equals outside length.


FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

UniMatch® Cogged Raw Edge Classical V-Belts

Oil and heat resistant. Static dissipating.

RMA spec multiple V-belts in a raw edge, cogged construction are especially useful for high speed, compact drives. These belts all have the UniMatch feature (see introduction).

Raw edge, cogged multiple V-belts are listed by industry number in which the first letter indicates belt section, the X is a cogged construction and the number is belt inside length in inches.



AX Section Cogged Classical V-Belts (1/2-inch Top Width, 5/16-inch Thick)

Ind. Belt No.	List Price	Approx. Weight (lbs.)
AX22	\$20.80	.17
AX23	20.80	.17
AX24	20.80	.17
AX25	20.80	.18
AX26	20.80	.18
AX27	20.80	.18
AX28	20.80	.19
AX29	20.80	.20
AX30	22.08	.20
AX31	22.40	.21
AX32	22.80	.21
AX33	23.20	.22
AX34	23.68	.23
AX35	24.00	.24
AX36	24.48	.24
AX37	25.12	.25
AX38	25.60	.26
AX39	26.08	.26

Ind. Belt No.	List Price	Approx. Weight (lbs.)
AX40	\$26.56	.26
AX41	27.04	.27
AX42	27.52	.28
AX43	28.00	.29
AX44	28.40	.30
AX45	28.60	.31
AX46	28.80	.31
AX47	29.12	.31
AX48	29.44	.32
AX49	29.76	.33
AX50	30.08	.33
AX51	30.40	.34
AX52	30.72	.35
AX53	31.04	.35
AX54	31.52	.36
AX55	31.84	.36
AX56	32.16	.37
AX58	32.88	.38

Ind. Belt No.	List Price	Approx. Weight (lbs.)
AX59	\$ 33.24	.40
AX60	33.60	.40
AX61	34.00	.40
AX62	34.40	.41
AX63	34.80	.41
AX64	35.20	.42
AX65	35.60	.43
AX66	36.00	.43
AX67	36.40	.44
AX68	36.80	.45
AX69	38.28	.46
AX70	38.40	.46
AX71	38.72	.47
AX72	39.04	.48
AX75	40.00	.49
AX76	40.64	.50
AX77	41.28	.50
AX78	41.92	.51

Ind. Belt No.	List Price	Approx. Weight (lbs.)
AX80	\$43.20	.52
AX84	45.76	.54
AX85	46.40	.55
AX86	47.04	.56
AX90	49.60	.59
AX96	52.80	.62
AX99	54.40	.62
AX100	54.94	.68
AX105	57.60	.68
AX108	60.28	.70
AX110	62.08	.71
AX112	64.00	.73
AX120	68.80	.74
AX128	73.60	.78
AX136	78.20	.82

Inside length plus 2 inches equals outside length.

BX Section Cogged Classical V-Belts (21/32-inch Top Width, 13/32-inch Thick)

Ind. Belt No.	List Price	Approx. Weight (lbs.)
BX30	\$32.00	.38
BX31	32.00	.39
BX32	32.00	.39
BX33	32.00	.40
BX34	32.00	.39
BX35	32.00	.40
BX36	32.96	.42
BX37	34.28	.43
BX38	35.20	.43
BX39	35.20	.45
BX40	36.80	.46
BX41	37.60	.47
BX42	38.40	.48
BX43	39.20	.49
BX44	40.00	.50
BX45	40.80	.51
BX46	41.60	.52
BX47	42.24	.53
BX48	42.88	.54
BX49	43.52	.55
BX50	44.16	.56
BX51	44.80	.57

Ind. Belt No.	List Price	Approx. Weight (lbs.)
BX52	\$45.28	.58
BX53	45.60	.59
BX54	46.08	.60
BX55	46.40	.61
BX56	46.72	.62
BX57	47.04	.63
BX58	47.36	.64
BX59	47.68	.66
BX60	48.00	.67
BX61	48.64	.68
BX62	49.28	.69
BX63	49.92	.70
BX64	50.56	.71
BX65	51.20	.72
BX66	51.84	.73
BX67	52.32	.74
BX68	52.80	.75
BX69	53.52	.76
BX70	54.24	.77
BX71	54.88	.78
BX73	57.60	.80
BX74	56.83	.81

Ind. Belt No.	List Price	Approx. Weight (lbs.)
BX75	\$57.60	.82
BX76	58.40	.83
BX77	59.20	.85
BX78	60.00	.86
BX79	60.80	.87
BX80	61.60	.88
BX81	62.40	.89
BX82	64.00	.90
BX83	64.48	.91
BX84	65.60	.92
BX85	65.60	.93
BX87	66.50	.93
BX90	68.80	.98
BX91	69.90	.99
BX92	71.00	1.00
BX93	72.00	1.01
BX95	73.60	1.03
BX96	74.40	1.05
BX97	75.20	1.06
BX99	76.32	1.08
BX100	76.80	1.09

Ind. Belt No.	List Price	Approx. Weight (lbs.)
BX103	\$78.40	1.12
BX105	80.00	1.14
BX108	83.04	1.17
BX112	86.40	1.22
BX113	87.04	1.22
BX114	87.43	1.23
BX115	88.20	1.25
BX116	88.80	1.26
BX120	91.20	1.30
BX124	94.40	1.30
BX128	97.60	1.30
BX133	102.40	1.34
BX136	104.32	1.37
BX144	110.40	1.45
BX150	114.56	1.51
BX158	120.00	1.59
BX162	124.84	1.63
BX173	131.20	1.74
BX180	137.60	1.81
BX195	148.80	1.96
BX210	160.00	2.10

Inside length plus 3 inches equals outside length.

CX Section Cogged Classical V-Belts (7/8-inch Top Width, 17/32-inch Thick)

Ind. Belt No.	List Price	Approx. Weight (lbs.)
CX51	\$73.60	1.07
CX60	86.40	1.24
CX68	97.60	1.39
CX72	103.10	1.45
CX75	107.20	1.53
CX76	108.80	1.55
CX78	112.00	1.59
CX80	115.20	1.63
CX81	116.80	1.64
CX82	117.60	1.67
CX83	118.40	1.69

Ind. Belt No.	List Price	Approx. Weight (lbs.)
CX85	\$120.00	1.72
CX88	125.76	1.79
CX90	129.60	1.81
CX95	136.26	1.93
CX96	137.60	1.93
CX98	140.44	1.93
CX100	143.28	2.10
CX105	150.40	2.10
CX107	153.12	2.10
CX109	155.84	2.18
CX112	160.00	2.24

Ind. Belt No.	List Price	Approx. Weight (lbs.)
CX115	\$164.16	2.29
CX120	171.20	2.39
CX123	176.64	2.40
CX128	182.40	2.42
CX133	188.80	2.47
CX136	192.64	2.49
CX144	204.80	2.63
CX150	212.16	2.75
CX158	224.00	2.90
CX162	228.80	2.95
CX173	244.80	3.15

Ind. Belt No.	List Price	Approx. Weight (lbs.)
CX180	\$256.00	3.27
CX187	266.64	
CX190	271.20	3.46
CX195	276.80	3.55
CX210	299.20	3.77
CX240	336.00	4.30
CX255	359.36	4.58
CX270	379.20	4.85

Inside length plus 4 inches equals outside length.



UniMatch® SP Series Metric V-Belts

Oil and heat-resistant. Static dissipating.

Built to European standards DIN 7753, AFNOR T47-117, BS 3790 and ISO 4184. SP series V-belts were the forerunners of the RMA deep wedge, high capacity V-belt sections. These deep-wedge belts (38°) allow for more power, high speed ratios, smaller center distances and more compact drives. They are replacement belts for many imported machines and for machinery built for export.

These V-belts also have the UniMatch feature. This eliminates belt set matching with its multiple stocking problems.

Non-standard lengths are available on special order.

Metric V-belts are specified by letters showing the SP section and numbers giving the **pitch length** in millimeters.

For example: **SPA 850**.

NOTE: Belt sizes to 2240mm in length are also available in raw edge construction. These belts are designated by an X prefix rather than S. For example: **XPB1400**. For Raw Edge Construction, add 25% to list price.



Although metric V-belts are ordered by section and pitch length, they are sometimes labeled with the section letters, belt length in millimeters and the letters LA (approx. length), LI (inside length) or LW (pitch length).



SPZ Section Metric V-Belts (9.7mm Top Width, 8mm Thick) ALSO AVAILABLE AS XPZ TO XPZ2240

Ind. Belt No.	List Price	Approx. Weight (lbs.)	Ind. Belt No.	List Price	Approx. Weight (lbs.)	Ind. Belt No.	List Price	Approx. Weight (lbs.)	Ind. Belt No.	List Price	Approx. Weight (lbs.)
SPZ487	\$15.30	.1	SPZ950	\$20.70	.2	SPZ1387	\$31.08	.3	SPZ1937	\$47.70	.4
SPZ512	15.30	.1	SPZ962	22.26	.2	SPZ1400	31.08	.3	SPZ1962	47.70	.4
SPZ537	15.30	.1	SPZ987	22.26	.2	SPZ1412	32.88	.3	SPZ1987	47.70	.4
SPZ562	15.30	.1	SPZ1000	22.26	.2	SPZ1420	32.88	.3	SPZ2000	47.70	.4
SPZ577	15.30	.1	SPZ1010	22.26	.2	SPZ1437	32.88	.3	SPZ2037	50.40	.4
SPZ587	15.30	.1	SPZ1012	23.40	.2	SPZ1462	32.88	.3	SPZ2062	50.40	.4
SPZ607	15.30	.1	SPZ1024	23.40	.2	SPZ1466	32.88	.3	SPZ2087	50.40	.4
SPZ612	15.30	.1	SPZ1037	23.40	.2	SPZ1470	32.88	.3	SPZ2120	50.40	.4
SPZ622	15.30	.1	SPZ1047	23.40	.2	SPZ1487	32.88	.3	SPZ2132	52.00	.4
SPZ630	15.30	.1	SPZ1060	23.40	.2	SPZ1500	32.88	.3	SPZ2137	54.00	.4
SPZ637	15.54	.1	SPZ1077	24.78	.2	SPZ1512	35.10	.3	SPZ2160	54.00	.4
SPZ662	15.54	.1	SPZ1080	24.78	.2	SPZ1520	35.10	.3	SPZ2187	54.00	.4
SPZ670	15.54	.1	SPZ1087	24.78	.2	SPZ1537	35.10	.3	SPZ2240	57.18	.5
SPZ677	15.54	.1	SPZ1112	24.78	.2	SPZ1560	35.10	.3	SPZ2262	57.18	.5
SPZ687	15.54	.1	SPZ1120	24.78	.2	SPZ1562	35.10	.3	SPZ2280	57.18	.5
SPZ697	16.44	.2	SPZ1137	26.58	.2	SPZ1587	35.10	.3	SPZ2287	57.18	.5
SPZ710	16.44	.2	SPZ1140	26.58	.2	SPZ1600	35.10	.3	SPZ2337	57.18	.5
SPZ722	17.10	.2	SPZ1147	26.58	.2	SPZ1612	38.70	.3	SPZ2360	57.18	.5
SPZ732	17.10	.2	SPZ1150	26.58	.2	SPZ1632	38.70	.3	SPZ2387	57.18	.5
SPZ737	17.10	.2	SPZ1162	26.58	.2	SPZ1637	38.70	.3	SPZ2410	57.18	.5
SPZ750	17.10	.2	SPZ1171	26.58	.2	SPZ1650	38.70	.3	SPZ2432	57.18	.5
SPZ758	17.10	.2	SPZ1180	26.58	.2	SPZ1662	38.70	.3	SPZ2437	57.18	.5
SPZ760	17.58	.2	SPZ1187	27.90	.2	SPZ1682	38.70	.3	SPZ2500	63.00	.5
SPZ762	17.58	.2	SPZ1200	27.90	.3	SPZ1687	38.70	.3	SPZ2540	63.00	.5
SPZ772	17.58	.2	SPZ1202	27.90	.3	SPZ1700	38.70	.3	SPZ2585	63.00	.5
SPZ787	17.58	.2	SPZ1212	27.90	.3	SPZ1709	38.70	.3	SPZ2650	65.70	.5
SPZ800	17.58	.2	SPZ1220	27.90	.3	SPZ1712	38.70	.4	SPZ2690	65.70	.5
SPZ812	18.90	.2	SPZ1222	27.90	.3	SPZ1737	42.78	.4	SPZ2782	70.20	.6
SPZ825	18.90	.2	SPZ1237	27.90	.3	SPZ1750	42.78	.4	SPZ2800	70.20	.6
SPZ837	18.90	.2	SPZ1250	27.90	.3	SPZ1762	42.78	.4	SPZ2840	70.20	.6
SPZ850	18.90	.2	SPZ1262	28.80	.3	SPZ1782	42.78	.4	SPZ2900	74.70	.6
SPZ862	19.56	.2	SPZ1270	28.80	.3	SPZ1787	42.78	.4	SPZ2990	74.70	.6
SPZ875	19.56	.2	SPZ1287	28.80	.3	SPZ1800	42.78	.4	SPZ3000	74.70	.6
SPZ887	19.56	.2	SPZ1312	28.80	.3	SPZ1812	44.58	.4	SPZ3150	76.50	.6
SPZ900	19.56	.2	SPZ1320	28.80	.3	SPZ1837	44.58	.4	SPZ3170	76.50	.6
SPZ912	20.70	.2	SPZ1329	31.08	.3	SPZ1850	44.58	.4	SPZ3350	81.48	.6
SPZ922	20.70	.2	SPZ1337	31.08	.3	SPZ1862	44.58	.4	SPZ3550	86.40	.7
SPZ925	20.70	.2	SPZ1340	31.08	.3	SPZ1887	44.58	.4			
SPZ937	20.70	.2	SPZ1347	31.08	.3	SPZ1900	44.58	.4			
SPZ940	20.70	.2	SPZ1362	31.08	.3	SPZ1912	44.58	.4			

Add 13mm to pitch length for outside length.

UniMatch® SP Series Metric V-Belts (con't.)

SPA Section Metric V-Belts (12.7mm Top Width, 10mm Thick)

ALSO AVAILABLE AS XPA TO XPA2240

Ind. Belt No.	List Price	Approx. Weight (lbs.)
SPA707	\$24.78	.2
SPA732	24.78	.2
SPA757	24.78	.2
SPA782	24.78	.2
SPA800	24.78	.2
SPA807	25.68	.2
SPA832	25.68	.2
SPA850	25.68	.2
SPA857	27.48	.2
SPA882	27.48	.2
SPA900	27.48	.2
SPA907	29.28	.3
SPA932	29.28	.3
SPA950	29.28	.3
SPA957	30.60	.3
SPA967	30.60	.3
SPA982	30.60	.3
SPA987	30.60	.3
SPA1000	30.60	.3
SPA1007	32.88	.3
SPA1032	32.88	.3
SPA1060	32.88	.3
SPA1082	35.58	.3
SPA1092	35.58	.3
SPA1107	35.58	.3
SPA1120	35.58	.3
SPA1125	35.58	.3
SPA1132	35.58	.3
SPA1157	37.80	.3
SPA1180	37.80	.3
SPA1187	37.80	.3
SPA1193	37.80	.3
SPA1207	39.60	.3
SPA1220	39.60	.4
SPA1232	39.60	.4

Ind. Belt No.	List Price	Approx. Weight (lbs.)
SPA1250	\$39.60	.4
SPA1257	40.98	.4
SPA1262	40.98	.4
SPA1272	40.98	.4
SPA1282	40.98	.4
SPA1307	40.98	.4
SPA1320	40.98	.4
SPA1332	46.38	.4
SPA1357	46.38	.4
SPA1382	46.38	.4
SPA1400	46.38	.4
SPA1407	46.38	.4
SPA1423	53.10	.4
SPA1425	53.10	.4
SPA1432	53.10	.4
SPA1457	53.10	.4
SPA1482	53.10	.4
SPA1500	53.10	.4
SPA1507	56.70	.4
SPA1532	56.70	.4
SPA1550	56.70	.4
SPA1557	56.70	.4
SPA1582	56.70	.5
SPA1600	56.70	.5
SPA1607	60.30	.5
SPA1632	60.30	.5
SPA1657	60.30	.5
SPA1682	60.30	.5
SPA1700	60.30	.5
SPA1707	62.10	.5
SPA1732	62.10	.5
SPA1750	62.10	.5
SPA1757	62.10	.5
SPA1782	62.10	.5
SPA1800	62.10	.5

Ind. Belt No.	List Price	Approx. Weight (lbs.)
SPA1807	\$64.38	.5
SPA1832	64.38	.5
SPA1850	64.38	.5
SPA1857	64.38	.5
SPA1882	64.38	.5
SPA1900	64.38	.6
SPA1907	67.08	.6
SPA1932	67.08	.6
SPA1950	67.08	.6
SPA1957	67.08	.6
SPA1962	67.08	.6
SPA1982	67.08	.6
SPA2000	67.08	.6
SPA2032	70.68	.6
SPA2057	70.68	.6
SPA2060	70.68	.6
SPA2082	70.68	.6
SPA2100	70.68	.6
SPA2120	70.68	.6
SPA2132	73.38	.6
SPA2182	73.38	.6
SPA2200	73.38	.6
SPA2207	73.38	.6
SPA2230	73.38	.6
SPA2232	73.38	.6
SPA2240	73.38	.6
SPA2282	76.50	.7
SPA2300	76.50	.7
SPA2307	76.50	.7
SPA2330	76.50	.7
SPA2332	76.50	.7
SPA2360	76.50	.7
SPA2382	78.30	.7
SPA2432	78.30	.7
SPA2450	78.30	.7

Ind. Belt No.	List Price	Approx. Weight (lbs.)
SPA2482	\$78.30	.7
SPA2500	78.30	.7
SPA2532	81.48	.7
SPA2582	81.48	.7
SPA2607	81.48	.7
SPA2632	81.48	.7
SPA2650	81.42	.7
SPA2682	85.50	.7
SPA2720	85.50	.7
SPA2732	85.50	.7
SPA2782	85.50	.8
SPA2800	85.50	.8
SPA2832	90.00	.8
SPA2882	90.00	.8
SPA2900	102.18	.8
SPA2932	102.18	.8
SPA2982	102.18	.8
SPA3000	102.18	.8
SPA3032	104.40	.9
SPA3082	104.40	.9
SPA3150	104.40	.9
SPA3182	105.30	.9
SPA3282	109.80	.9
SPA3350	109.80	1.0
SPA3382	116.58	1.0
SPA3550	116.58	1.0
SPA3750	122.40	1.1
SPA4000	130.08	1.2
SPA4250	136.38	1.2
SPA4500	144.90	1.3
SPA4865	156.00	1.4
SPA5300	170.00	1.4

Add 18mm to **pitch length** for **outside length**. Additional sizes available to SPA5080.

SPB Section Metric V-Belts (16.3mm Top Width, 13mm Thick)

ALSO AVAILABLE AS XPB TO XPB2240

Ind. Belt No.	List Price	Approx. Weight (lbs.)
SPB1250	\$62.58	.6
SPB1260	62.58	.6
SPB1320	64.80	.7
SPB1340	64.80	.7
SPB1400	69.78	.7
SPB1410	69.78	.7
SPB1450	69.78	.8
SPB1500	74.70	.8
SPB1550	74.70	.8
SPB1590	74.70	.8
SPB1600	78.78	.8
SPB1650	81.24	.9
SPB1700	84.60	.9
SPB1750	84.60	.9
SPB1778	88.20	.9
SPB1800	88.20	.9
SPB1850	90.64	.9
SPB1900	94.98	.9
SPB1950	97.48	.9
SPB2000	100.38	1.0
SPB2020	102.36	1.1
SPB2060	100.38	1.1

Ind. Belt No.	List Price	Approx. Weight (lbs.)
SPB2098	\$105.90	1.1
SPB2120	105.90	1.1
SPB2150	105.90	1.1
SPB2180	105.90	1.1
SPB2240	112.08	1.1
SPB2280	112.08	1.1
SPB2300	114.00	1.2
SPB2350	116.00	1.2
SPB2360	117.90	1.2
SPB2391	117.90	1.2
SPB2410	117.90	1.2
SPB2430	118.88	1.2
SPB2500	124.68	1.2
SPB2530	124.68	1.3
SPB2580	127.14	1.3
SPB2650	132.78	1.3
SPB2680	132.78	1.4
SPB2720	133.08	1.4
SPB2800	139.08	1.4
SPB2840	139.08	1.5
SPB2900	139.08	1.5
SPB2990	139.08	1.5

Ind. Belt No.	List Price	Approx. Weight (lbs.)
SPB3000	\$149.40	1.5
SPB3070	152.88	1.6
SPB3150	153.90	1.6
SPB3170	153.90	1.6
SPB3250	157.78	1.6
SPB3320	164.28	1.6
SPB3340	164.28	1.6
SPB3350	164.28	1.7
SPB3412	173.70	1.7
SPB3450	173.70	1.7
SPB3550	173.70	1.7
SPB3650	179.38	1.8
SPB3750	183.60	1.8
SPB3800	183.60	1.9
SPB3870	187.70	2.0
SPB4000	195.30	2.0
SPB4060	195.30	2.0
SPB4250	207.90	2.1
SPB4310	207.90	2.1
SPB4370	207.90	2.1
SPB4500	220.50	2.2
SPB4560	220.50	2.3

Ind. Belt No.	List Price	Approx. Weight (lbs.)
SPF4620	\$220.50	2.3
SPB4750	232.68	2.3
SPB4820	232.68	2.4
SPB5000	245.28	2.5
SPB5070	245.28	2.6
SPB5300	259.68	2.7
SPB5380	259.68	2.7
SPB5600	274.50	2.8
SPB5680	274.50	2.8
SPB5990	293.40	2.9
SPB6000	293.40	3.0
SPB6300	310.50	3.1
SPB6340	310.50	3.2
SPB6700	328.50	3.4
SPB7100	347.40	3.6
SPB7500	368.10	3.7
SPB7990	391.98	4.0
SPB8000	391.98	4.0
SPB10062	493.00	4.0

Add 22mm to **pitch length** for **outside length**. Additional sizes available to SPB13700.

UniMatch® SP Series Metric V-Belts (con't.)



SPC Section Metric V-Belts (22mm Top Width, 18mm Thick)

Ind. Belt No.	List Price	Approx. Weight (lbs.)
SPC1700	\$128.40	1.6
SPC1800	135.96	1.6
SPC1900	143.52	1.7
SPC2000	153.00	1.7
SPC2120	160.68	1.8
SPC2240	169.20	1.8
SPC2360	178.20	1.9
SPC2500	187.20	2.0
SPC2650	198.00	2.1
SPC2800	208.38	2.2

Ind. Belt No.	List Price	Approx. Weight (lbs.)
SPC3000	\$221.40	2.4
SPC3150	226.80	2.5
SPC3350	240.78	2.6
SPC3550	253.98	2.8
SPC3750	267.78	2.9
SPC4000	286.68	3.1
SPC4250	303.30	3.3
SPC4500	319.50	3.5
SPC4750	319.50	3.7
SPC5000	353.28	3.9

Ind. Belt No.	List Price	Approx. Weight (lbs.)
SPC5300	\$373.50	4.2
SPC5600	394.68	4.4
SPC6000	421.20	4.7
SPC6300	441.48	4.9
SPC6700	468.00	5.2
SPC7100	495.00	5.6
SPC7300	508.50	5.7
SPC7500	522.00	5.9
SPC8000	558.00	6.3
SPC8500	589.50	6.7

Ind. Belt No.	List Price	Approx. Weight (lbs.)
SPC9000	\$625.68	7.1
SPC9500	657.10	7.5
SPC10000	688.50	7.9
SPC10600	729.00	8.3
SPC11200	778.50	8.8
SPC11800	754.50	9.3
SPC12500	864.00	9.9

Add 30mm to **pitch length** for **outside length**. Additional sizes available to SPC13700.

Open-end Belting

For specialized requirements where installation prevents the use of endless belts or for emergency repairs, Jason offers Open-end and Accu-Link® belting.

Open-end belting, perforated or solid, has an oil and heat-resistant neoprene cover. Available in four V-belt sections as shown below, in 164-foot rolls.

Open-end V-belting Solid or perforated

3L/O (3/8" Top Width) A (1/2" Top Width)

List Price Per 100 Ft.	List Price Fasteners
\$840.00/C	P.O.R.

List Price Per 100 Ft.	List Price Fasteners
\$840.00/C	P.O.R.

B (21/32" Top Width) C (7/8" Top Width)

List Price Per 100 Ft.	List Price Fasteners
\$1082.00/C	P.O.R.

List Price Per 100 Ft.	List Price Fasteners
\$1960.00/C	P.O.R.

Standard roll length 164' - Add 20% to price for shorter lengths.



Accu-Link® Belting

Accu-Link® Belting


List Price per Foot					
3L	A	B	C	D	CC
\$2904.00	\$2960.00	\$3448.00	\$5208.00	\$7866.00	\$6860.00
Weight per foot					
.05 lb	.06 lb	.09 lb	.17 lb	.17 lb	.17 lb

Accu-Link is available in 25ft & 100ft cartons. ■ 3L and A-Link also available in 5ft sleeved length. B-Link also available in 6ft sleeved length.

Accu-Link. Detachable tab type link belting. Make endless with a simple twist, no tools required.

Polyester fabric is impregnated with a premium polyurethane compound.

Jason's exclusive manufacturing process makes Accu-Link the most precise belt of its type, for optimum sidewall fit with the pulley.



UniMatch® Deep Wedge V-Belts

Oil and heat-resistant. Static Dissipating.

A more narrow, deeper wedge shape with more efficient load carrying characteristics and higher power capability allows for smaller, more compact drives. These belts feature the UniMatch construction. This eliminates belt set matching with its multiple stocking and belt wastage problems.

These belts conform to RMA Engineering Standard IP-22.

Stock UniMatch deep wedge V-belts are listed below. In-between lengths and lengths over 600 inches are available on special order.



Deep wedge V-belts are identified by a number and letter specifying the belt section and a number giving the **outside length** in inches multiplied by 10. For example: **3V1250**.

3V Section Deep Wedge V-Belts (3/8-inch Top Width, 5/16-inch Thick)

Ind. Belt No.	List Price	Approx. Weight (lbs.)
3V250	\$15.60	.10
3V265	16.00	.10
3V280	16.40	.10
3V300	16.80	.10
3V315	17.60	.10
3V335	18.00	.20
3V355	18.80	.20
3V375	19.20	.20
3V400	20.40	.20

Ind. Belt No.	List Price	Approx. Weight (lbs.)
3V425	\$21.20	.20
3V450	22.00	.20
3V475	22.80	.20
3V500	23.20	.20
3V530	24.00	.20
3V560	24.80	.20
3V600	26.00	.20
3V630	26.80	.30
3V650	27.40	.30

Ind. Belt No.	List Price	Approx. Weight
3V670	\$28.00	.30
3V710	29.60	.30
3V730	30.40	.30
3V750	31.20	.30
3V800	33.20	.30
3V830	35.60	.35
3V850	35.60	.40
3V900	38.40	.40
3V950	40.40	.40

Ind. Belt No.	List Price	Approx. Weight (lbs.)
3V1000	\$42.80	.40
3V1060	45.20	.40
3V1120	49.20	.50
3V1180	52.40	.50
3V1250	56.00	.60
3V1320	59.20	.60
3V1400	62.80	.70

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

5V Section Deep Wedge V-Belts (5/8-inch Top Width, 1/32-inch Thick)

Ind. Belt No.	List Price	Approx. Weight (lbs.)
5V500	\$49.20	.60
5V530	51.20	.70
5V560	53.60	.70
5V600	58.00	.70
5V630	60.80	.70
5V670	64.80	.80
5V710	68.80	.80
5V750	72.80	.80
5V800	77.60	.90
5V850	83.60	.90

Ind. Belt No.	List Price	Approx. Weight (lbs.)
5V900	\$86.80	.90
5V950	93.20	.90
5V975	95.80	.90
5V1000	98.40	1.10
5V1020	100.40	1.10
5V1060	104.40	1.10
5V1120	110.40	1.20
5V1180	116.40	1.30
5V1250	123.60	1.30
5V1320	130.40	1.40

Ind. Belt No.	List Price	Approx. Weight (lbs.)
5V1400	\$137.60	1.50
5V1500	148.00	1.60
5V1600	158.00	1.70
5V1630	161.20	1.80
5V1700	168.00	1.80
5V1710	169.04	1.90
5V1800	178.40	2.20
5V1900	188.80	2.20
5V2000	199.20	2.20
5V2120	211.60	2.40

Ind. Belt No.	List Price	Approx. Weight (lbs.)
5V2150	\$217.70	2.48
5V2240	224.00	2.70
5V2360	235.20	2.80
5V2500	249.20	3.00
5V2650	264.80	3.10
5V2800	279.20	3.30
5V3000	298.80	3.50
5V3150	313.60	3.80
5V3350	333.60	3.90
5V3550	353.60	4.00

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

8V Section Deep Wedge V-Belts (1-inch Top Width, 7/8-inch Thick)

Ind. Belt No.	List Price	Approx. Weight (lbs.)
8V1000	\$188.00	3.50
8V1060	199.20	3.70
8V1120	210.80	3.90
8V1180	222.40	4.20
8V1250	235.60	4.40
8V1320	248.80	4.70
8V1400	264.00	4.90
8V1500	283.20	5.20
8V1600	302.00	5.60


Ind. Belt No.	List Price	Approx. Weight (lbs.)
8V1700	\$324.00	5.90
8V1800	340.16	6.30
8V1900	361.20	6.70
8V2000	380.80	7.00
8V2120	404.40	7.50
8V2240	426.40	7.90
8V2300	437.40	8.10
8V2360	448.40	8.30
8V2500	474.80	8.80

Ind. Belt No.	List Price	Approx. Weight (lbs.)
8V2550	\$484.40	9.00
8V2650	503.60	9.30
8V2800	533.20	9.80
8V3000	571.20	10.50
8V3150	600.40	11.10
8V3300	629.50	11.60
8V3350	639.20	11.80
8V3550	677.20	12.50
8V3600	686.74	12.90

Ind. Belt No.	List Price	Approx. Weight (lbs.)
8V3750	\$716.00	13.30
8V4000	765.60	14.00
8V4250	815.20	14.90
8V4500	864.80	15.80
8V4750	914.40	16.40
8V5000	964.00	17.20
8V5600	1083.20	19.00

UniMatch® Cogged Raw Edge Deep Wedge V-Belts

Oil and heat-resistant.
Static dissipating.



A raw edge, cogged construction further increases the effective power transmission of deep wedge V-belts. These cogged deep wedge UniMatch V-belts need no belt set matching.

Stock raw edge, cogged deep wedge V-belts are listed below.

Cogged deep wedge V-belts are specified by the section number-letter with an "X" to indicated cogged construction. The number following is the belt's **outside length** in inches multiplied by 10.
For example: **5VX900**.

3VX Section Cogged Deep Wedge V-Belts (3/8-inch Top Width, 5/16-inch Thick)

Ind. Belt No.	List Price	Approx. Weight (lbs.)
3VX250	\$15.60	.1
3VX265	16.00	.1
3VX280	16.40	.1
3VX290	16.60	.1
3VX300	16.80	.1
3VX315	17.60	.1
3VX335	18.00	.2
3VX355	18.80	.2
3VX375	19.20	.2

Ind. Belt No.	List Price	Approx. Weight (lbs.)
3VX390	\$20.00	.2
3VX400	20.40	.2
3VX425	21.20	.2
3VX450	22.00	.2
3VX475	22.80	.2
3VX500	23.20	.2
3VX520	23.70	.2
3VX530	24.00	.2
3VX560	24.80	.2

Ind. Belt No.	List Price	Approx. Weight (lbs.)
3VX600	\$26.00	.3
3VX630	26.80	.3
3VX650	27.40	.3
3VX670	28.00	.3
3VX710	29.60	.3
3VX750	31.20	.3
3VX800	33.20	.4
3VX850	35.60	.4
3VX900	38.40	.4

Ind. Belt No.	List Price	Approx. Weight (lbs.)
3VX950	\$40.40	.4
3VX1000	42.80	.4
3VX1060	45.20	.5
3VX1120	49.20	.5
3VX1180	52.40	.6
3VX1250	56.00	.6
3VX1320	59.20	.7
3VX1400	62.80	.7

5VX Section Cogged Deep Wedge V-Belts (5/8-inch Top Width, 17/32-inch Thick)

Ind. Belt No.	List Price	Approx. Weight (lbs.)
5VX470	\$49.20	.60
5VX490	49.20	.60
5VX500	49.20	.65
5VX530	51.20	.70
5VX550	52.64	.70
5VX560	53.60	.70
5VX570	55.10	.70
5VX580	56.07	.70
5VX590	57.03	.70
5VX600	58.00	.80
5VX630	60.80	.70

Ind. Belt No.	List Price	Approx. Weight (lbs.)
5VX650	\$62.80	.80
5VX660	63.80	.80
5VX670	64.80	.80
5VX680	65.80	.80
5VX690	68.80	.80
5VX710	68.80	.80
5VX730	70.80	.80
5VX750	72.80	.80
5VX780	75.70	.85
5VX800	77.60	.90
5VX840	82.62	.90

Ind. Belt No.	List Price	Approx. Weight (lbs.)
5VX850	\$83.60	.90
5VX900	86.80	1.00
5VX930	91.24	.90
5VX950	93.20	1.10
5VX960	94.20	1.00
5VX1000	98.40	1.20
5VX1030	101.40	1.10
5VX1060	104.40	1.25
5VX1080	110.40	1.20
5VX1120	110.40	1.30
5VX1150	113.40	1.30

Ind. Belt No.	List Price	Approx. Weight (lbs.)
5VX1180	\$116.40	1.40
5VX1230	121.50	1.30
5VX1250	123.60	1.50
5VX1320	130.40	1.60
5VX1400	137.60	1.70
5VX1500	148.00	1.80
5VX1600	158.00	1.90
5VX1700	168.00	2.00
5VX1800	178.40	2.10
5VX1900	188.80	2.30
5VX2000	199.20	2.40

UniMatch® Banded V-Belts (Classical)


**Oil and heat-resistant.
Static dissipating.**

UniMatch banded V-belts are available in classical multiple sections B, C and D and in deep wedge sections 3V, 5V and 8V. They feature the same premium constructions as the individual belt and are bonded together with a fabric-neoprene top band. These belts are often used on vertical shafts and where belt vibration and flopping must be minimized.

Stock banded V-belts are listed below. To obtain the total list price, multiply the list price per rib by the total number of ribs per band. In-between lengths of the B, C and D sections are available, as are lengths to 600 inches in the B and C sections on special order. Consult Jason Customer Service. These belts conform to RMA Engineering Standard IP-20 and IP-22.

Banded multiple V-belts are specified by the letter "R" denoting banded construction, the belt section and the belt **Standard Length Designation** in inches. The number of belts in a band is given separately; i.e., **RC90 1X8-1 Belt & 8 Ribs.**

Banded deep wedge V-belts are specified by the letter "R" denoting banded construction, the belt section and a number giving the outside length in inches multiplied by 10, followed by a dash and the number of bands required. **R5V750 1X8-1 Belt & 8 Ribs.**



Classical V-Belts

B Section

Belt Size	List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
RB46	\$25.52	.70
RB48	25.72	.70
RB49	26.10	.70
RB50	26.50	.70
RB51	26.88	.70
RB52	27.16	.70
RB53	27.36	.73
RB55	27.84	.74
RB56	28.04	.75
RB57	28.22	.76
RB58	28.40	.77
RB59	28.60	.79
RB60	28.80	.82
RB61	29.18	.83
RB62	29.56	.84
RB63	29.96	.86
RB64	30.34	.87
RB65	30.72	.88
RB66	31.10	.89
RB67	31.40	.90
RB68	31.68	.92
RB70	32.54	.95
RB71	32.92	.97
RB72	33.50	.98
RB73	33.90	.98
RB75	34.56	1.00
RB77	35.52	1.02
RB78	36.00	1.04
RB79	36.48	1.06
RB80	39.96	1.08
RB81	37.44	1.10
RB82	38.40	1.12
RB83	38.68	1.15
RB84	39.02	1.16
RB85	39.36	1.18
RB88	40.00	1.21
RB90	41.28	1.22
RB91	41.92	1.23
RB92	42.56	1.24
RB93	43.20	1.26
RB95	44.16	1.29
RB96	44.64	1.30
RB97	45.12	1.32
RB99	46.00	1.35
RB100	46.08	1.36
RB101	46.40	1.34
RB102	46.72	1.34
RB103	47.04	1.39

B Section (cont)

Belt Size	List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
RB104	\$47.52	1.41
RB105	48.00	1.43
RB108	49.72	1.47
RB109	49.72	1.50
RB110	50.42	1.52
RB111	51.14	1.53
RB112	51.84	1.54
RB113	52.12	1.56
RB114	52.40	1.58
RB115	52.70	1.59
RB116	53.00	1.61
RB118	53.60	1.60
RB120	54.72	1.68
RB124	56.64	1.75
RB126	57.60	1.76
RB128	58.56	1.78
RB130	60.60	1.80
RB133	61.44	1.81
RB136	62.60	1.84
RB138	63.48	1.90
RB139	63.78	1.91
RB141	64.40	1.92
RB144	66.24	1.95
RB148	68.08	2.00
RB150	69.00	2.05
RB154	70.50	2.09
RB158	72.00	2.14
RB160	74.00	2.18
RB162	74.88	2.20
RB168	76.98	2.28
RB173	78.72	2.35
RB180	82.56	2.44
RB184	86.88	2.50
RB185	86.88	2.54
RB187	86.88	2.62
RB188	86.88	2.68
RB190	86.88	2.75
RB195	89.28	2.65
RB198	90.62	2.69
RB201	91.96	2.75
RB210	96.00	2.85
RB218	99.20	3.04
RB225	102.00	3.20
RB240	108.48	3.26
RB255	115.68	3.46
RB270	122.88	3.67
RB300	136.32	4.08
RB315	144.38	4.28

C Section

Belt Size	List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
RC60	\$51.84	1.44
RC65	56.04	1.57
RC68	58.56	1.65
RC71	61.44	1.68
RC72	62.16	1.71
RC75	64.32	1.80
RC78	64.72	1.83
RC80	65.00	1.85
RC81	70.08	1.92
RC83	71.04	1.98
RC85	72.00	2.04
RC87	74.60	2.09
RC88	75.66	2.12
RC90	77.76	2.16
RC96	82.56	2.30
RC100	86.40	2.40
RC103	88.70	2.46
RC105	90.24	2.52
RC109	93.68	2.60
RC112	96.00	2.68
RC115	98.52	2.78
RC120	102.72	2.88
RC124	107.20	2.96
RC126	109.44	3.04
RC128	109.44	3.07
RC130	110.98	3.17
RC136	115.58	3.26
RC138	117.40	3.31
RC144	122.88	3.45
RC146	124.52	3.55
RC151	128.64	3.62
RC152	129.46	3.70
RC153	130.28	3.67
RC158	134.40	3.79
RC160	135.82	3.83
RC162	137.24	3.88
RC173	146.88	4.15
RC180	153.60	4.32
RC185	157.76	4.44
RC188	160.26	4.45
RC190	161.92	4.55
RC195	166.08	4.68
RC204	174.18	4.90
RC210	179.52	5.04
RC225	190.36	5.40
RC240	201.60	4.76
RC255	215.86	6.12
RC270	227.52	6.48
RC285	240.10	6.84
RC300	252.48	7.20
RC315	264.96	7.56
RC330	277.44	7.92
RC345	289.92	8.28
RC360	302.40	8.64
RC390	328.32	9.36
RC420	354.24	10.80

D Section

Belt Size	List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
RD112	\$180.00	4.7
RD120	190.08	5.0
RD128	202.56	5.3
RD138	218.38	5.8
RD144	227.52	6.0
RD158	249.60	6.6
RD162	257.28	6.8
RD173	272.64	7.2
RD180	283.20	7.5
RD195	307.20	7.9
RD210	331.20	8.7
RD225	349.92	9.4
RD240	372.48	10.0
RD255	395.52	10.6
RD270	419.52	11.2
RD285	442.56	11.8
RD300	465.60	12.5
RD315	489.12	13.1
RD330	512.64	13.7
RD345	535.68	14.4
RD360	558.72	14.9
RD390	606.72	16.2
RD420	654.72	17.5
RD480	750.72	20.0
RD540	846.72	22.5
RD600	942.72	25.0
RD660	1038.72	27.5

UniMatch® Banded V-Belts (Deep-Wedge)

Oil and heat-resistant.

Static dissipating.

Deep-Wedge V-Belts

3V Section

Belt Size	List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
R3V355	\$20.68	.2
R3V375	21.12	.2
R3V400	22.44	.2
R3V425	23.32	.2
R3V450	26.40	.2
R3V475	27.36	.2
R3V500	27.84	.2
R3V530	28.80	.2
R3V560	29.76	.2
R3V600	31.20	.3
R3V630	32.16	.3
R3V670	33.60	.3
R3V710	35.52	.3
R3V730	36.48	.3
R3V750	37.44	.3
R3V800	39.84	.3
R3V830	41.56	.4
R3V850	42.72	.4
R3V900	46.08	.4
R3V950	48.48	.4
R3V1000	51.36	.4
R3V1060	54.24	.5
R3V1120	59.04	.5
R3V1180	62.88	.5
R3V1250	67.20	.5
R3V1320	71.04	.6
R3V1400	75.36	.6

5V Section

Belt Size	List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
R5V500	\$59.04	.7
R5V530	61.44	.7
R5V560	64.32	.7
R5V600	69.60	.7
R5V630	72.96	.7
R5V670	77.76	.8
R5V710	82.56	.8
R5V750	87.36	.8
R5V800	93.12	.9
R5V850	100.32	.9
R5V900	104.16	1.0
R5V950	111.84	1.1
R5V975	115.32	1.2
R5V1000	118.80	1.2
R5V1060	125.08	1.3
R5V1120	132.48	1.3
R5V1180	139.68	1.4
R5V1250	148.32	1.5
R5V1320	156.48	1.6
R5V1400	165.12	1.7
R5V1500	177.60	1.8
R5V1600	189.60	1.9
R5V1650	189.60	2.0
R5V1700	201.60	2.0
R5V1800	214.80	2.1
R5V1900	226.56	2.2
R5V2000	239.04	2.4

5V Section (cont)

Belt Size	List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
R5V2120	\$253.92	2.5
R5V2240	268.80	2.7
R5V2360	282.24	2.8
R5V2500	299.04	3.0
R5V2650	317.76	3.2
R5V2800	335.04	3.3
R5V3000	358.56	3.6
R5V3150	376.32	3.8
R5V3350	400.32	4.0
R5V3550	424.32	4.3

8V Section (cont)

Belt Size	List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
R8V1320	\$298.56	4.4
R8V1400	316.80	4.6
R8V1500	339.84	4.9
R8V1600	362.40	5.2
R8V1650	375.60	5.4
R8V1700	388.80	5.6
R8V1800	409.92	5.9
R8V1900	433.44	6.3
R8V2000	456.96	6.6
R8V2120	485.28	6.9
R8V2240	511.68	7.0
R8V2360	538.08	7.8
R8V2400	550.00	8.0
R8V2500	569.76	8.3
R8V2650	604.32	8.7
R8V2700	616.98	9.0
R8V2800	639.84	9.2
R8V3000	685.44	9.8
R8V3150	720.48	9.9
R8V3350	767.04	11.1
R8V3550	812.64	11.7
R8V3750	859.20	12.4
R8V4000	918.72	13.2
R8V4250	978.24	14.0
R8V4500	1037.76	14.8
R8V4750	1097.28	15.6
R8V5000	1156.80	16.5
R8V5600	1299.84	18.4

8V Section

Belt Size	List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
R8V1000	\$225.60	3.3
R8V1060	239.04	3.5
R8V1120	252.96	3.7
R8V1180	266.88	3.9
R8V1250	282.72	4.1

Note: 2 & 3 band belts are not returnable.

It is a common practice for belt suppliers to fill orders for banded V-belts by supplying separate bands that add up to the total number of ribs requested. Jason always supplies a one-piece banded V-belt up to the maximum number for a given belt section.



Variable Speed V-Belts

American Standard Sizes.

For drive applications with a speed change requirement, Jason offers standard American variable speed belts in widths from 3/4-inch through 3-7/8-inches. Pitch lengths are available in lengths from 21.5 inches to 169 inches. These include all of the recommended RMA sections, plus many more covering a broad range of applications.

These belts conform to RMA Engineering Standard IP-25.

The standard RMA numbering system specifies the belt width in sixteenths of an inch, the pulley V-groove angle in degrees and the belt pitch length in tenths of an inch. For example:

32	36V	369
(32/16)	36 degrees	(36.9 X 10)
2 inches	Sheave	36.9 inches
Width	Angle	Pitch Length



American Variable Speed V-Belts

Belt Size	List Price	Approx. Wgt. (lbs.)	Belt Size	List Price	Approx. Wgt. (lbs.)	Belt Size	List Price	Approx. Wgt. (lbs.)	Belt Size	List Price	Approx. Wgt. (lbs.)
1228V255	50.04	.28	1626V653	\$153.00	1.07	1922V544	\$109.52	1.01	1930V600	\$146.00	1.39
1422V215	45.74	.27	1626V661	153.00	1.11	1922V554	110.50	1.06	1930V641	149.84	1.48
1422V235	50.00	.29	1626V700	159.84	1.12	1922V604	113.92	1.12	1930V691	164.16	1.50
1422V240	50.64	.29	1628V210	54.00	.29	1922V630	115.76	1.17	1930V750	180.68	1.73
1422V256	54.00	.29	1628V315	64.96	.55	1922V646	118.16	1.20	1930V791	191.08	1.82
1422V270	52.64	.32	1632V210	54.00	.31	1922V651	120.00	1.21	1930V891	224.84	1.84
1422V290	54.28	.35	1632V220	54.00	.32	1922V666	120.16	1.23	1930V991	267.52	2.28
1422V300	55.68	.36	1632V250	60.00	.35	1922V686	121.20	1.37	1930V1091	316.76	2.51
1422V330	57.96	.39	1822V207	54.00	.42	1922V706	122.60	1.40	1930V1191	397.12	2.74
1422V340	59.60	.40	1822V290	73.32	.57	1922V721	126.84	1.33	1934V371	103.00	.88
1422V360	60.68	.43	1822V320	79.00	.60	1922V726	126.08	1.34	2026V422	98.08	.84
1422V400	61.60	.47	1822V328	80.16	.61	1922V756	129.44	1.40	2026V474	105.72	.96
1422V420	64.64	.50	1822V551	144.58	.98	1922V806	141.00	1.60	2026V645	166.50	1.20
1422V440	65.56	.52	1822V590	150.72	1.14	1922V846	150.88	1.68	2028V315	101.60	.59
1422V460	66.16	.55	1822V629	157.00	1.29	1922V891	162.12	1.77	2028V447	104.96	.84
1422V466	67.24	.56	1826V250	85.08	.56	1922V966	176.44	1.92	2030V381	112.76	.93
1422V470	67.24	.57	1828V368	95.96	.84	1922V1006	188.60	1.99	2032V624	140.80	1.80
1422V480	68.00	.57	1832V338	90.36	.73	1922V1146	229.64	2.27	2042V1035	249.90	2.74
1422V520	70.40	.61	1922V250	79.68	.47	1922V1260	263.92	2.41	2126V309	106.92	.59
1422V540	77.40	.64	1922V256	81.68	.48	1926V250	98.08	.48	2126V365	110.72	.88
1422V600	84.72	.72	1922V277	82.60	.52	1926V275	99.28	.53	2126V468	146.16	1.45
1422V660	92.32	.75	1922V282	83.64	.53	1926V333	101.60	.61	2226V276	98.08	.63
1422V720	99.16	.80	1922V292	84.04	.55	1926V367	103.64	.68	2226V307	88.20	.70
1422V780	107.08	.82	1922V298	84.72	.56	1926V380	104.28	.80	2230V266	82.28	.60
1426V298	55.00	.34	1922V300	85.76	.57	1926V390	104.96	.90	2230V270	98.00	.56
1430V215	41.32	.27	1922V302	85.76	.57	1926V407	107.24	.95	2230V273	98.08	.58
1522V270	66.50	.40	1922V321	88.52	.60	1926V427	112.50	1.03	2230V275	98.08	.62
1622V270	58.48	.43	1922V332	90.36	.62	1926V542	118.88	1.26	2230V285	101.64	.63
1622V297	64.32	.45	1922V333	90.36	.62	1930V215	59.40	.50	2230V326	114.00	.69
1622V336	72.78	.54	1922V338	91.24	.63	1930V355	98.08	.83	2230V375	129.28	.75
1626V218	56.00	.41	1922V363	92.92	.68	1930V375	104.96	.88	2230V422	150.50	.87
1626V262	60.52	.43	1922V381	94.60	.71	1930V400	109.20	.93	2230V890	184.04	2.59
1626V304	64.04	.54	1922V386	97.04	.75	1930V425	110.88	.99	2322V329	126.52	1.06
1626V330	69.04	.58	1922V403	98.84	.76	1930V431	113.00	1.00	2322V347	128.36	1.08
1626V339	72.08	.61	1922V408	99.00	.76	1930V450	114.00	1.05	2322V364	128.84	1.10
1626V380	78.32	.61	1922V417	99.16	.78	1930V475	115.80	1.10	2322V372	129.50	1.12
1626V384	80.32	.62	1922V426	99.92	.79	1930V485	116.40	1.12	2322V373	129.50	1.12
1626V395	85.00	.56	1922V433	100.56	.81	1930V491	116.60	1.12	2322V384	130.00	1.14
1626V411	86.68	.58	1922V443	101.28	.83	1930V500	133.52	1.20	2322V396	130.80	1.17
1626V440	92.00	.78	1922V454	102.52	.85	1930V530	133.52	1.23	2322V421	132.16	1.24
1626V455	96.44	.79	1922V460	103.72	.86	1930V541	136.84	1.25	2322V434	133.52	1.28
1626V513	101.76	.80	1922V481	105.00	.89	1930V560	138.40	1.30	2322V441	134.16	1.30
1626V517	101.76	.80	1922V484	105.40	.90	1930V585	134.32	1.36	2322V461	134.60	1.36
1626V604	141.50	.95	1922V526	107.08	.98	1930V591	137.12	1.37	2322V481	136.60	1.42

American Variable Speed V-Belts (cont)

Belt Size	List Price	Approx. Wgt. (lbs.)	Belt Size	List Price	Approx. Wgt. (lbs.)	Belt Size	List Price	Approx. Wgt. (lbs.)	Belt Size	List Price	Approx. Wgt. (lbs.)
2322V486	\$137.10	1.44	2530V1290	\$552.68	5.23	3226V395	\$244.40	1.79	3826V465	336.88	2.75
2322V521	140.60	1.53	2530V1490	713.00	6.08	3226V400	242.44	1.82	3830V501	367.56	3.25
2322V541	143.00	1.59	2530V1690	818.72	6.89	3226V433	254.44	1.96	3830V510	374.16	3.31
2322V601	149.52	1.76	2626V369	163.36	1.25	3226V434	254.44	1.96	3830V515	375.60	3.34
2322V604	150.00	1.77	2626V388	182.20	1.27	3226V439	258.56	1.98	3830V517	375.80	3.36
2322V621	153.16	1.82	2630V345	137.64	1.09	3226V450	260.32	2.00	3830V580	391.16	3.76
2322V661	157.28	1.94	2636V332	134.92	1.17	3226V465	261.76	2.10	3830V587	393.00	3.52
2322V667	158.00	1.95	2822V778	271.32	3.03	3226V505	264.48	2.28	3836V418	252.92	2.18
2322V681	160.44	2.01	2826V412	154.68	1.62	3226V514	268.76	2.40	3836V426	255.04	2.22
2322V701	163.48	2.05	2826V452	167.32	1.80	3226V545	271.92	2.46	3836V654	269.80	3.84
2322V721	165.32	2.11	2830V337	116.16	1.13	3226V585	277.28	2.64	3836V734	294.28	4.31
2322V801	171.52	2.34	2830V363	121.36	1.02	3226V603	283.04	2.72	4030V538	359.56	3.83
2322V826	176.88	2.42	2830V366	121.96	1.03	3226V650	283.60	2.82	4034V1000	610.64	7.17
2322V846	179.60	2.47	2830V367	122.16	1.03	3226V663	283.96	2.98	4036V541	300.96	3.97
2322V886	184.04	2.47	2830V393	127.44	1.10	3226V723	295.80	3.24	4036V574	459.52	4.02
2322V921	188.76	2.71	2830V396	127.96	1.10	3226V783	312.08	3.52	4230V526	377.60	3.47
2322V964	192.16	2.82	2830V422	157.72	1.18	3226V834	335.90	3.69	4230V556	379.60	3.66
2322V1001	197.72	2.94	2830V428	158.16	1.19	3226V843	336.88	3.78	4230V605	397.12	4.11
2322V1061	204.88	3.12	2830V567	173.80	1.91	3226V903	359.08	4.04	4234V998	623.24	7.14
2322V1271	238.48	3.68	2830V646	181.38	2.20	3226V963	384.32	4.32	4430V455	253.34	3.61
2326V310	116.36	.79	2830V666	187.00	2.26	3226V973	388.00	4.41	4430V510	286.36	4.05
2326V359	119.08	.92	2836V300	154.20	1.16	3226V1023	408.20	4.83	4430V530	288.56	4.20
2330V273	87.44	.56	2836V343	176.56	1.29	3226V1083	431.92	5.11	4430V555	294.44	4.40
2330V338	108.60	.69	2836V350	182.04	1.39	3230V419	264.64	1.98	4430V570	317.84	4.51
2330V359	119.12	.73	2836V361	182.04	1.44	3230V481	265.96	2.41	4430V578	321.04	4.58
2330V537	173.52	1.80	2836V380	184.04	1.50	3230V528	270.00	3.02	4430V600	339.80	4.75
2332V373	158.84	1.05	2926V366	156.52	1.47	3230V553	279.40	3.12	4430V610	346.60	4.82
2426V343	122.44	1.13	2926V400	157.28	1.60	3230V560	279.40	3.15	4430V630	359.76	4.98
2428V707	199.40	2.11	2926V426	158.64	1.70	3230V585	281.50	3.27	4430V660	370.52	5.21
2428V806	218.40	2.31	2926V452	159.00	1.84	3230V600	283.40	3.30	4430V670	379.76	5.29
2430V297	187.68	.80	2926V456	154.16	1.86	3230V613	285.40	3.34	4430V690	387.64	5.44
2430V319	189.44	.90	2926V471	159.24	1.88	3230V644	294.00	3.60	4430V700	394.80	5.52
2430V345	190.48	.93	2926V477	160.16	1.90	3230V670	299.16	3.82	4430V710	400.00	5.60
2430V379	209.26	1.01	2926V486	160.60	1.93	3230V690	303.80	3.94	4430V718	405.00	5.66
2436V331	135.80	.91	2926V491	164.40	1.95	3230V701	304.54	4.02	4430V730	410.64	5.76
2436V333	135.80	.91	2926V521	168.36	2.07	3230V710	308.44	3.80	4430V740	414.92	5.84
2526V302	186.00	.90	2926V546	170.36	2.17	3230V750	313.12	4.10	4430V750	418.92	5.91
2526V314	187.68	.95	2926V574	174.44	2.28	3230V821	317.80	4.92	4430V760	422.92	5.99
2530V300	109.36	.81	2926V586	177.64	2.32	3230V850	320.16	1.48	4430V772	425.12	6.05
2530V309	109.40	.84	2926V606	179.76	2.40	3230HV553	271.16	4.15	4430V780	429.96	6.11
2530V434	120.00	1.70	2926V613	182.52	2.43	3230HV570	272.24	4.27	4430V790	435.48	6.23
2530V470	143.88	1.93	2926V616	182.52	2.44	3230HV585	273.60	4.55	4430V800	473.76	6.30
2530V490	146.36	2.01	2926V636	184.32	2.52	3230HV613	276.40	4.80	4430V850	470.04	6.69
2530V530	152.60	2.17	2926V646	185.84	2.56	3230HV620	279.84	4.84	4430V900	506.04	6.90
2530V550	164.72	2.25	2926V666	190.28	2.64	3230HV644	287.76	5.05	4430V910	507.04	7.16
2530V575	175.28	2.35	2926V686	193.16	2.72	3230HV670	291.20	5.28	4430V930	517.84	7.40
2530V595	180.68	2.43	2926V706	194.52	2.80	3230HV821	317.80	6.46	4430V950	529.00	7.52
2530V610	183.68	2.49	2926V726	199.40	2.87	3230HV856	369.44	6.70	4430V970	540.12	7.63
2530V618	187.00	2.50	2926V776	205.16	3.07	3230HV931	404.64	7.33	4430V1000	592.40	7.86
2530V630	189.96	2.57	2926V786	209.72	3.11	3236V342	183.36	1.63	4430V1030	610.18	8.09
2530V660	197.36	2.67	2926V834	214.16	3.28	3236V369	194.68	1.71	4430V1060	612.12	8.30
2530V670	201.52	2.73	2926V856	216.88	3.38	3236V389	206.08	2.13	4430V1090	612.12	8.56
2530V675	204.24	2.76	2926V891	221.16	3.51	3236V552	285.68	2.35	4430V1150	685.92	9.02
2530V690	211.44	2.82	2926V906	228.60	3.57	3236V584	290.00	2.45	4430V1250	750.40	9.91
2530V700	212.52	2.86	2926V921	230.40	3.63	3236V643	294.00	3.08	4430V1320	799.56	10.31
2530V710	213.16	2.90	2926V966	236.80	3.80	3236V903	412.86	3.87	4430V1410	855.04	10.55
2530V730	228.92	2.98	2926V1006	240.92	3.98	3326V478	276.04	2.08	4430V1460	885.36	10.70
2530V740	232.96	3.02	2926V1026	254.00	4.05	3430V424	265.28	1.96	4430V1610	988.44	12.04
2530V750	248.44	3.06	2926V1086	261.28	4.28	3430V450	265.28	2.10	4430V1810	1088.00	13.40
2530V790	270.40	3.22	2926V1106	267.20	4.36	3430V484	269.80	2.30	4436V329	181.60	2.49
2530V800	273.82	3.25	2926V1146	280.32	4.52	3430V510	273.60	2.49	4436V525	305.24	4.31
2530V840	286.92	3.42	2926V1276	312.10	4.99	3432V450	265.32	2.16	4436V551	311.64	4.30
2530V890	307.52	3.62	2930V348	156.00	1.32	3432V456	266.00	2.27	4436V561	316.52	4.60
2530V934	329.36	3.81	2930V492	164.40	1.85	3432V480	269.80	2.26	4436V576	337.20	4.49
2530V990	351.80	4.02	3028V386	165.20	1.60	3432V484	269.80	2.29	4436V646	452.32	5.03
2530V1090	401.04	4.42	3030V377	160.92	1.57	3432V528	274.84	2.50	4436V714	500.72	5.61
2530V1187	487.44	4.83	3030V387	165.20	1.59	3630V455	290.24	2.51	4626V596	534.60	5.26
2530V1250	510.00	5.10	3226V392	241.68	1.73	3636V479	297.48	2.77	4630V650	488.96	6.57

Variable Speed V-Belts

American Standard Sizes. (cont)



American Variable Speed V-Belts (cont)

Ind. Belt No.	List Price	Approx. Weight (lbs.)
4630V663	\$499.60	6.69
4630V668	499.60	6.75
4630V683	508.44	6.77
4630V733	565.92	7.39
4630V1070	758.04	8.75
4632V659	583.74	6.80
4632V680	602.34	6.98
4632V722	639.56	7.25
4636V612	482.12	7.20
4830V602	424.32	5.57
4830V653	441.20	6.04
4830V663	444.24	6.18
4830V683	450.34	6.30
4830V692	453.40	6.39
4830V699	456.72	6.46
4830V730	476.80	6.74
4830V750	490.64	6.92

Ind. Belt No.	List Price	Approx. Weight (lbs.)
4830V850	\$552.08	7.83
4830V970	644.72	8.92
4830V1000	744.20	9.83
4836V588	423.56	5.34
4836V608	424.80	5.52
4836V618	430.72	5.54
4836V642	436.52	5.75
4836V655	442.72	5.85
4836V659	446.08	5.90
4836V670	450.36	5.99
4836V700	458.84	6.22
4836V710	458.84	6.35
4836V729	476.04	6.54
4836V750	486.04	6.75
4836V789	521.52	7.02
4836V800	523.48	7.16
4836V850	554.08	7.65

Ind. Belt No.	List Price	Approx. Weight (lbs.)
4836V900	\$595.80	8.05
4836V950	630.24	8.50
4836V1000	671.20	9.75
4836V1060	712.16	10.34
4836V1120	761.32	10.93
4836V1180	801.52	11.52
4836V1250	858.04	12.20
5126V938	955.68	9.75
5130V732	868.44	8.44
5130V787	898.20	9.05
5228V930	925.32	11.04
5230V652	830.08	7.85
5230V734	858.84	8.62
5230V867	912.04	10.16
5230V928	950.00	10.59
5428V959	1085.16	9.41
5430V783	886.00	8.90

Ind. Belt No.	List Price	Approx. Weight (lbs.)
5636V750	\$931.48	8.88
5636V774	947.52	9.16
5636V845	985.56	10.04
5830V737	874.68	9.32
5830V756	897.22	9.94
5836V737	874.68	9.60
6036V850	891.72	10.25
6136V751	865.84	9.75
6136V756	874.60	9.80
6236V725	820.68	9.75
6236V762	828.76	10.25
6236V785	842.28	10.54
6236V849	891.72	11.38
6236V905	943.28	12.13
6236V969	991.48	12.97
6236V1009	1023.88	13.50
6236V1321	1181.48	17.48

Metric Sizes

Jason has an extensive selection of metric variable speed belts available. European metric sizes are available in top widths from 13mm to 70mm and in pitch lengths ranging from 450mm to 3610mm.

Also available are metric belts built to ISO R1604 Standards. Other metric sizes such as 10/1120, 30/40/1600, etc. are available on special order. Consult Jason Customer Service.

ISO Variable Speed V-Belts (R1604 Standards)

ISO std Belt No.	List Price	Approx. Weight (lbs.)
450W16	\$57.32	.113
500W16	59.28	.125
560W16	61.94	.140
600W16	63.20	.148
630W16	66.34	.157
710W16	68.54	.178
730W16	70.00	.185
800W16	72.52	.200
850W16	74.72	.210
900W16	76.92	.225
1000W16	81.34	.250
1060W16	85.34	.260
1180W16	89.50	.280
560W20	69.00	.224
630W20	72.28	.252
710W20	76.26	.284
800W20	80.66	.320
900W20	85.52	.360
1000W20	90.38	.400
1120W20	96.32	.448

ISO std Belt No.	List Price	Approx. Weight (lbs.)
1250W20	\$102.48	.500
710W25	87.28	.375
800W25	92.34	.422
900W25	97.86	.475
1000W25	103.38	.528
1120W25	109.96	.592
1250W25	117.26	.660
1400W25	125.62	.739
1600W25	136.66	.845
1710W25	146.04	.900
1900W25	178.22	.105
900W31.5	118.56	.601
1000W31.5	125.40	.665
1120W31.5	133.34	.745
1250W31.5	142.18	.831
1400W31.5	152.32	.931
1600W31.5	165.74	1.066
1800W31.5	179.20	1.192
2000W31.5	192.86	1.320

ISO std Belt No.	List Price	Approx. Weight (lbs.)
1120W40	\$174.76	1.57
1250W40	186.26	1.75
1400W40	199.46	1.96
1500W40	211.14	2.10
1600W40	217.32	2.24
1700W40	226.32	2.38
1800W40	234.94	2.52
2000W40	252.60	2.80
2240W40	273.74	3.14
2500W40	296.66	3.50
1400W50	262.28	2.83
1600W50	285.20	3.24
1800W50	308.56	3.65
2000W50	331.94	4.05
2240W50	359.72	4.54
2500W50	389.68	5.07
2800W50	424.52	5.68
3150W50	465.06	6.39
1600W63	396.74	5.11

ISO std Belt No.	List Price	Approx. Weight (lbs.)
1800W63	\$429.34	5.75
2000W63	461.54	6.38
2240W63	500.30	7.16
2500W63	542.20	7.99
2800W63	590.26	8.94
3150W63	647.10	10.06
3550W63	711.48	11.40
4000W63	784.20	12.77
1800W80	545.20	8.70
2240W80	732.62	10.70
2500W80	794.34	11.94
2800W80	865.30	13.37
3150W80	947.74	15.05
3550W80	1042.54	16.96
4000W80	1148.30	19.12
2800W100	1309.22	17.30
3150W100	1434.84	19.50
3550W100	1578.10	22.10
4000W100	1739.02	24.70

European Variable Speed V-Belts Metric Sizes

22 x 8mm

Inside Length (mm)	Pitch Length (mm)	List Price
500	540	\$73.42
525	560	74.42
550	590	75.98
560	600	77.14
575	610	77.14
600	640	78.72
625	660	79.86
650	690	81.28
675	710	82.42
700	740	83.98
725	760	85.14
750	790	86.58
775	810	87.98
800	840	89.28
850	890	91.86
900	940	94.58
950	990	97.00
1000	1040	99.58
1060	1100	103.00
1120	1160	106.00
1180	1220	109.14
1225	1260	111.28
1250	1290	112.84
1320	1360	116.58
1400	1440	120.72
1500	1540	126.14
1600	1640	131.14
1700	1740	136.42
1800	1840	141.72
1900	1940	147.00
2000	2040	152.28

28 x 8mm

Inside Length (mm)	Pitch Length (mm)	List Price
525	560	\$81.14
550	590	82.86
575	610	84.28
600	640	85.70
625	660	86.86
650	690	88.58
675	710	89.86
700	740	91.30
750	790	94.14
800	840	97.14
850	890	100.00
900	940	102.72
950	990	105.58
1000	1040	108.42
1060	1100	112.00
1120	1160	115.28
1180	1220	118.86
1250	1290	122.72
1320	1360	126.72
1400	1440	131.42
1500	1540	137.14
1600	1640	142.86
1700	1740	148.58
1800	1840	154.28
1900	1940	160.00
2120	2160	172.58

28 x 10mm

Inside Length (mm)	Pitch Length (mm)	List Price
750	800	\$103.86
800	950	106.86
850	900	110.14
900	950	113.28
950	1000	116.42
1000	1050	119.42
1060	1110	123.14
1120	1170	127.00
1180	1230	130.72
1250	1300	135.14
1320	1370	139.58
1400	1450	144.58
1500	1550	150.72
1600	1650	157.00
1700	1750	163.28
1800	1850	169.42
1900	1950	175.72
2000	2050	181.98

36 x 10mm

Inside Length (mm)	Pitch Length (mm)	List Price
600	650	\$106.28
625	670	107.58
650	700	109.72
675	720	111.14
700	750	113.28
725	770	114.58
750	800	116.86
800	850	121.48
850	900	123.72
900	950	127.14
950	1000	130.72
1000	1050	134.28
1060	1110	138.42
1120	1170	142.86
1180	1230	146.86
1250	1300	151.86
1320	1370	156.72
1400	1450	162.42
1500	1550	169.42
1600	1650	176.58
1700	1750	183.58
1800	1850	190.42
1900	1950	197.42
2000	2050	204.58
2120	2170	213.14
2240	2290	221.28

46 x 13mm

Inside Length (mm)	Pitch Length (mm)	List Price
795	855	\$160.04
845	905	164.86
870	930	167.06
895	955	169.48
945	1005	174.12
995	1055	178.74
1025	1085	181.64
1055	1115	184.26
1115	1175	189.96
1140	1200	192.44
1175	1235	195.52
1190	1250	197.06
1245	1305	202.12
1265	1325	204.08
1315	1375	208.70
1395	1455	216.24
1430	1490	219.32
1495	1555	225.26
1560	1620	231.42
1595	1655	234.52
1635	1695	238.48
1695	1755	244.20
1735	1795	247.74
1750	1610	248.06
1795	1855	253.46
1895	1955	262.70
1915	1975	264.48
2000	2060	272.42
2060	2120	278.14
2120	2180	283.88
2210	2270	292.26
2240	2300	294.92
2360	2420	306.38
2400	2460	309.88
2500	2560	319.14
2800	2860	347.38

54 x 16mm

Inside Length (mm)	Pitch Length (mm)	List Price
1180	1255	\$251.72
1250	1325	260.08
1320	1375	266.26
1400	1475	278.14
1500	1575	290.06
1600	1675	301.98
1800	1875	325.78
2000	2075	349.58
2240	2320	378.66

70 x 20mm

Inside Length (mm)	Pitch Length (mm)	List Price
1320	1415	\$389.22
1400	1495	402.92
1500	1595	420.08
1600	1695	436.86
1700	1795	454.02
1800	1895	471.22
1900	1995	488.42
2000	2090	504.28
2065	2160	516.62
2120	2210	525.00
2240	2330	545.74
2360	2450	566.00
2500	2590	589.80
2800	2890	641.40
3150	3240	700.88
3210	3300	711.48
3260	3350	719.86
3520	3610	764.36

ASYMETRICAL VARIABLE SPEED BELTS FOR SCHLAFHORST OPEN END SPINNING MACHINES


SIZE	LIST PRICES
52x17x1800 PL	\$507.32
52x17x2120 PL	615.64
57x20x2400 PL	835.40
57x20x2560 PL	891.10

VARIABLE SPEED BELTS FOR EURODRIVE UNITS

UNIT	RATIO	PART	ORDER BELT	LIST PRICES
VU1	4/1	00108855	25x8x680 LI	\$219.20
VU1	6/1 - 8/1	00108782	25x8x655 LI	218.66
VU2	4/1	00109088	32x10x820 LI	260.66
VU2	6/1 - 8/1	00109010	32x10x790 LI	254.76
VU3	4/1	00109282	40x13x1040 LI	409.86
VU3	6/1 - 8/1	00109223	40x13x1000 LI	373.24
VU4	4/1 - 6/1	00109401	52x16x1180 LI	581.66
VU5	4/1 - 6/1	00109630	70x19x1445 LI	1013.26
			75x18x1980 LI	1156.70
			75x23x1900 LI	1111.78

Multi-Rib V-Belts

Where a broad range of speed ratios (up to 60 to 1) is required, multi-rib V-belts are often recommended. Belt turnover is eliminated. Additionally, multi-rib V-belts offer greater flexibility than banded V-belts for smaller pulley diameters and more compact drives. Greater belt rib to pulley groove contact gives more power transmission in less space. Multi-rib V-belts are also available with a urethane construction on special order. For K section automotive and other sizes not listed, consult our Jason Customer Service. These belts conform to RMA Engineering Standard IP-26.



Multi-rib V-belts are specified by the **effective length** in inches multiplied by 10, the cross section and the number of ribs. For example: **445J6**.

Special Constructions - Consult Jason for prices

- Additional Cover Rubber (Max. 1/8")
- Ground Top or Ribs (Max. 10" Width)
- Non-Marking

J Section Multi-Rib V-Belts (3/32-inch Rib Width, 5/32-inch Thick)

Size	List Price Per Rib	mm	Size	List Price Per Rib	mm	Size	List Price Per Rib	mm	Size	List Price Per Rib	mm
R80J	\$6.30	R203J	R280J	\$2.94	R711J	R445J	\$3.80	R1130J	R650J	\$4.96	R1651J
R90J	6.30	R229J	R285J	3.16	R723J	R450J	3.80	R1150J	R655J	5.14	R1663J
R95J	6.30	R241J	R290J	3.16	R737J	R460J	3.80	R1168J	R670J	5.14	R1702J
R100J	6.30	R254J	R300J	3.16	R762J	R470J	4.24	R1194J	R690J	5.20	R1752J
R105J	6.30	R267J	R310J	3.16	R787J	R480J	4.24	R1219J	R700J	5.26	R1778J
R110J	6.30	R279J	R320J	3.30	R813J	R490J	4.24	R1244J	R730J	5.46	R1854J
R120J	6.30	R305J	R330J	3.34	R838J	R500J	4.30	R1270J	R750J	5.62	R1910J
R130J	6.30	R330J	R340J	3.38	R864J	R505J	4.32	R1280J	R760J	5.62	R1930J
R140J	6.30	R356J	R350J	3.46	R889J	R510J	4.32	R1295J	R770J	5.66	R1956J
R150J	6.30	R381J	R360J	3.52	R914J	R520J	4.32	R1321J	R775J	5.70	R1965J
R160J	6.30	R406J	R370J	3.52	R940J	R530J	4.46	R1355J	R780J	5.70	R1981J
R170J	6.30	R432J	R380J	3.52	R965J	R540J	4.46	R1372J	R785J	5.80	R1995J
R180J	2.52	R457J	R390J	3.60	R990J	R550J	4.46	R1397J	R795J	5.80	R2019J
R190J	2.60	R483J	R400J	3.68	R1016J	R560J	4.68	R1428J	R820J	5.92	R2083J
R200J	2.66	R508J	R410J	3.72	R1041J	R575J	4.68	R1461J	R870J	6.18	R2210J
R220J	2.72	R559J	R415J	3.72	R1054J	R580J	4.68	R1473J	R890J	6.32	R2261J
R230J	2.76	R584J	R420J	3.74	R1066J	R610J	4.82	R1549J	R900J	6.40	R2296J
R240J	2.80	R610J	R430J	3.74	R1092J	R625J	4.94	R1588J	R920J	6.54	R2337J
R260J	2.88	R660J	R435J	3.80	R1105J	R630J	4.94	R1600J	R980J	7.40	R2489J
R270J	2.92	R686J	R440J	3.80	R1123J	R640J	4.96	R1626J			

Max. no. of Ribs - 190

L Section Multi-Rib V-Belts (3/16-inch Rib Width, 3/8-inch Thick)

Size	List Price Per Rib	mm	Size	List Price Per Rib	mm	Size	List Price Per Rib	mm	Size	List Price Per Rib	mm
R375L	\$14.40	R954L	R580L	\$15.64	R1473L	R825L	\$19.80	R2096L	R1295L	\$29.58	R3289L
R390L	14.40	R991L	R590L	15.80	R1499L	R840L	20.16	R2134L	R1310L	30.02	R3327L
R410L	14.40	R1041L	R615L	16.20	R1562L	R865L	20.52	R2197L	R1375L	32.52	R3492L
R425L	14.62	R1075L	R635L	16.48	R1613L	R880L	20.94	R2235L	R1455L	35.78	R3696L
R460L	14.62	R1168L	R650L	16.76	R1651L	R915L	21.60	R2324L	R1595L	39.48	R4051L
R470L	14.68	R1194L	R655L	16.84	R1664L	R930L	21.90	R2362L	R1650L	40.96	R4191L
R480L	14.74	R1219L	R675L	17.06	R1715L	R975L	22.60	R2476L	R1710L	42.45	R4343L
R500L	14.82	R1270L	R680L	17.18	R1727L	R990L	22.96	R2515L	R1760L	43.60	R4470L
R510L	14.88	R1295L	R695L	17.48	R1764L	R1065L	25.92	R2705L	R1820L	45.10	R4622L
R520L	14.94	R1321L	R710L	17.66	R1803L	R1080L	25.98	R2743L	R1890L	46.83	R4809L
R525L	14.98	R1333L	R725L	17.84	R1841L	R1120L	26.06	R2845L	R1980L	49.44	R5029L
R530L	15.04	R1346L	R765L	18.78	R1943L	R1140L	26.46	R2895L	R2120L	53.20	R5385L
R540L	15.12	R1371L	R770L	18.88	R1956L	R1150L	26.78	R2921L	R2400L	60.36	R6096L
R550L	15.26	R1397L	R780L	19.08	R1981L	R1180L	27.50	R2997L			
R560L	15.32	R1422L	R795L	19.22	R2020L	R1215L	28.22	R3086L			
R565L	15.40	R1435L	R815L	19.44	R2070L	R1230L	28.86	R3124L			

Max. no. of Ribs - 100

M Section Multi-Rib V-Belts (3/8-inch Rib Width, 21/32-inch Thick)

Size	List Price Per Rib	mm	Size	List Price Per Rib	mm	Size	List Price Per Rib	mm	Size	List Price Per Rib	mm
R900M	\$51.90	R2286M	R1230M	\$70.48	R3124M	R1760M	\$116.84	R4470M	R3310M	\$277.12	R8408M
R920M	53.05	R2336M	R1310M	74.58	R3327M	R1830M	127.94	R4648M	R3610M	290.22	R9169M
R940M	53.78	R2388M	R1390M	87.68	R3531M	R1980M	139.96	R5029M	R3910M	326.80	R9931M
R990M	56.16	R2515M	R1470M	91.60	R3734M	R2130M	163.72	R5410M	R4210M	351.28	R10693M
R1060M	62.06	R2693M	R1520M	94.72	R3860M	R2410M	197.28	R6121M	R4810M	400.68	R12217M
R1115M	66.52	R2832M	R1550M	94.60	R3937M	R2560M	213.28	R6502M	R5410M	451.08	R13741M
R1150M	68.04	R2921M	R1610M	103.52	R4089M	R2710M	225.78	R6883M	R6010M	500.22	R15266M
R1185M	68.18	R3010M	R1650M	112.88	R4191M	R3010M	247.16	R7646M			

Max. no. of Ribs - 48

Flexonic™ - Special construction multi-rib belts now available for OEM applications. No take-up or idlers required. Will work on fixed center drives. Consult Jason Engineering for details.

Double Classical V-Belts

**Oil and heat-resistant.
Static dissipating.**



Especially designed for serpentine and reversing drives, double V-belts transmit power from both sides of the belt. Polyester cords and cotton/polyester cover provide maximum strength and length stability with minimum stretch. These belts conform to RMA Engineering Standard IP-21.

Double V-belts are available in three standard RMA sections AA, BB and CC and in lengths to 540 inches. They are specified by belt section letters, **inside length** in inches.

AA Section Double Classical V-Belts (1/2-inch Wide, 13/32-inch Thick)

Ind. Belt No.	List Price	Approx. Wgt. (lbs.)
AA46	\$19.00	.50
AA49	19.00	.50
AA51	19.00	.50
AA52	19.26	.50
AA55	20.00	.50
AA58	20.50	.50
AA60	21.00	.50

Ind. Belt No.	List Price	Approx. Wgt. (lbs.)
AA64	\$22.00	.60
AA67	22.76	.60
AA68	23.00	.60
AA71	23.90	.60
AA73	24.50	.60
AA75	25.00	.60
AA76	25.40	.70

Ind. Belt No.	List Price	Approx. Wgt. (lbs.)
AA80	\$27.00	.80
AA83	28.20	.80
AA85	29.00	.80
AA88	30.20	.80
AA90	31.00	.80
AA96	33.00	1.00
AA98	33.66	1.00

Ind. Belt No.	List Price	Approx. Wgt. (lbs.)
AA105	\$36.00	1.00
AA112	40.00	1.20
AA120	43.00	1.20
AA128	46.00	1.30
AA148	53.19	1.50

BB Section Double Classical V-Belts (21/32-inch Wide, 17/32-inch Thick)

Ind. Belt No.	List Price	Approx. Wgt. (lbs.)
BB43	\$24.00	.60
BB45	24.00	.64
BB50	27.60	.70
BB51	28.00	.70
BB53	28.66	.80
BB54	29.00	.85
BB55	29.00	.90
BB60	30.00	1.00
BB62	30.80	1.00
BB66	32.26	1.00
BB68	33.00	1.00
BB71	34.46	1.00
BB73	35.48	1.00
BB74	36.00	1.00
BB75	36.24	1.00
BB76	36.48	1.00
BB81	37.60	1.10
BB85	41.00	1.10

Ind. Belt No.	List Price	Approx. Wgt. (lbs.)
BB87	\$42.00	1.10
BB90	43.00	1.10
BB92	45.00	1.20
BB93	45.00	1.20
BB94	46.00	1.20
BB96	46.50	1.20
BB97	47.00	1.20
BB100	47.76	1.30
BB103	48.50	1.30
BB105	50.00	1.30
BB107	51.20	1.30
BB108	52.10	1.30
BB111	53.00	1.30
BB112	54.00	1.40
BB114	54.96	1.40
BB116	55.52	1.50
BB118	57.00	1.50
BB120	57.00	1.50

Ind. Belt No.	List Price	Approx. Wgt. (lbs.)
BB122	\$58.00	1.50
BB124	59.00	1.50
BB128	61.00	1.60
BB130	62.20	1.70
BB133	65.00	1.75
BB135	65.00	1.80
BB136	65.00	1.80
BB140	69.00	1.80
BB144	69.00	1.80
BB148	70.68	1.80
BB155	73.60	2.00
BB158	75.00	2.00
BB161	76.40	2.00
BB162	76.80	2.10
BB168	80.76	2.10
BB170	80.60	2.10
BB172	81.60	2.10
BB173	82.00	2.10

Ind. Belt No.	List Price	Approx. Wgt. (lbs.)
BB175	\$86.00	2.10
BB180	86.00	2.20
BB182	86.80	2.30
BB185	88.20	2.30
BB187	89.20	2.40
BB190	91.86	2.40
BB195	93.00	2.40
BB210	100.00	2.60
BB217	102.96	2.70
BB228	107.60	2.90
BB240	113.00	2.90
BB255	120.52	3.10
BB270	128.00	3.30
BB278	131.80	3.70
BB300	142.00	3.70

CC Section Double Classical V-Belts (7/8-inch Wide, 1 1/16-inch Thick)

Ind. Belt No.	List Price	Approx. Wgt. (lbs.)
CC81	\$73.04	1.8
CC85	75.00	1.9
CC90	81.00	2.0
CC96	86.00	2.2
CC105	94.00	2.4
CC110	98.28	2.5
CC112	100.00	2.5
CC118	105.26	2.6
CC119	105.26	2.6
CC120	107.00	2.7

Ind. Belt No.	List Price	Approx. Wgt. (lbs.)
CC128	\$114.00	2.9
CC136	120.66	3.1
CC140	124.00	3.1
CC144	128.00	3.2
CC148	131.40	3.2
CC153	135.70	3.5
CC154	136.60	3.5
CC156	138.30	3.5
CC158	140.00	3.5
CC162	143.00	3.8

Ind. Belt No.	List Price	Approx. Wgt. (lbs.)
CC173	\$153.00	3.8
CC174	153.00	3.8
CC178	157.70	3.8
CC180	160.00	4.0
CC190	106.16	4.0
CC195	173.00	4.6
CC210	187.00	4.7
CC225	198.50	4.9
CC234	204.76	5.1
CC240	210.00	5.2

Ind. Belt No.	List Price	Approx. Wgt. (lbs.)
CC270	\$237.00	5.9
CC300	263.00	6.5
CC330	289.00	7.2
CC360	315.00	7.8
CC390	341.60	8.5
CC420	368.00	9.1
CC440	390.00	9.4
CC480	430.00	10.1

Dry can belts available on request.

MXV Super Duty Belts

Tough aramid reinforcement.

These belts are ideal for lawn and garden applications. Excellent shock resistance. Special cover for belt release and engagement in clutching applications. Special oil and heat resistant synthetic rubber. Part number denotes width and **outside** length; i.e., **MXV4-300** is 1/2" wide and 30.0" outside.



MXV3 (3/8-inch Top Width x 7/32-inch Thick x 40° Angle)

Belt No.	List Price	Approx. Weight (lbs.)
MXV3-200	\$18.88	.07
MXV3-210	18.88	.07
MXV3-220	18.88	.07
MXV3-230	18.88	.08
MXV3-240	18.88	.08
MXV3-250	19.84	.08
MXV3-260	19.84	.09

Belt No.	List Price	Approx. Weight (lbs.)
MXV3-270	\$19.84	.09
MXV3-280	20.32	.10
MXV3-290	20.32	.10
MXV3-300	20.48	.10
MXV3-310	20.64	.11
MXV3-320	20.96	.11
MXV3-330	21.28	.11

Belt No.	List Price	Approx. Weight (lbs.)
MXV3-340	\$21.60	.11
MXV3-350	22.08	.12
MXV3-360	22.40	.12
MXV3-370	22.88	.12
MXV3-380	23.48	.13
MXV3-390	23.84	.13
MXV3-400	26.56	.13

Belt No.	List Price	Approx. Weight (lbs.)
MXV3-410	\$26.56	.14
MXV3-420	26.56	.14
MXV3-430	26.56	.14
MXV3-440	26.56	.14
MXV3-450	26.56	.14
MXV3-460	26.56	.15
MXV3-480	27.70	.15

MXV4 (1/2-inch Top Width x 5/16-inch Thick x 40° Angle)

Belt No.	List Price	Approx. Weight (lbs.)
MXV4-200	\$19.84	.12
MXV4-210	19.84	.13
MXV4-220	19.84	.14
MXV4-230	19.84	.14
MXV4-240	19.84	.14
MXV4-250	19.84	.15
MXV4-260	20.16	.16
MXV4-270	20.48	.16
MXV4-280	20.80	.17
MXV4-290	21.12	.17
MXV4-295	21.28	.18
MXV4-300	21.44	.18
MXV4-305	21.60	.19
MXV4-310	21.76	.19
MXV4-320	22.08	.19
MXV4-330	22.40	.20
MXV4-340	22.88	.20
MXV4-350	23.20	.21
MXV4-355	23.44	.21
MXV4-360	23.68	.22
MXV4-370	24.00	.22
MXV4-380	24.48	.23
MXV4-390	25.12	.23

Belt No.	List Price	Approx. Weight (lbs.)
MXV4-400	\$25.60	.24
MXV4-410	26.08	.25
MXV4-420	26.40	.25
MXV4-430	26.88	.26
MXV4-440	27.52	.26
MXV4-450	28.00	.27
MXV4-460	28.32	.28
MXV4-470	28.64	.28
MXV4-480	28.80	.29
MXV4-490	29.12	.29
MXV4-500	29.44	.30
MXV4-510	29.76	.31
MXV4-520	30.08	.31
MXV4-530	30.40	.32
MXV4-540	30.72	.33
MXV4-550	31.04	.33
MXV4-560	31.52	.34
MXV4-570	31.84	.34
MXV4-580	32.16	.35
MXV4-590	32.56	.36
MXV4-600	32.96	.36
MXV4-610	33.28	.37
MXV4-620	33.60	.37

Belt No.	List Price	Approx. Weight (lbs.)
MXV4-630	\$34.08	.38
MXV4-640	34.40	.39
MXV4-650	34.88	.39
MXV4-660	35.20	.40
MXV4-670	35.52	.40
MXV4-680	36.00	.41
MXV4-690	36.48	.42
MXV4-700	36.80	.42
MXV4-710	37.60	.43
MXV4-720	38.40	.43
MXV4-730	38.72	.44
MXV4-740	38.88	.45
MXV4-750	39.20	.45
MXV4-760	39.52	.46
MXV4-770	40.00	.47
MXV4-780	40.64	.47
MXV4-790	41.28	.48
MXV4-800	41.92	.48
MXV4-810	42.56	.49
MXV4-820	43.20	.49
MXV4-830	43.84	.50
MXV4-840	44.48	.51
MXV4-850	45.12	.51

Belt No.	List Price	Approx. Weight (lbs.)
MXV4-860	\$45.76	.51
MXV4-870	46.40	.52
MXV4-880	47.04	.52
MXV4-890	47.68	.53
MXV4-900	48.32	.54
MXV4-910	48.96	.54
MXV4-920	49.60	.55
MXV4-930	50.24	.55
MXV4-940	50.72	.56
MXV4-950	51.20	.57
MXV4-960	51.84	.57
MXV4-970	52.32	.58
MXV4-980	52.80	.58
MXV4-990	53.44	.59
MXV4-1000	54.64	.59
MXV4-1020	55.08	.60
MXV4-1030	55.40	.60
MXV4-1050	56.40	.61
MXV4-1070	58.46	.62
MXV4-1080	58.82	.62
MXV4-1180	64.04	.69
MXV4-1270	68.76	.75
MXV4-1380	74.52	.82

MXV5 (21/32-inch Top Width x 3/8-inch Thick x 40° Angle)

Belt No.	List Price	Approx. Weight (lbs.)
MXV5-230	\$24.32	.24
MXV5-240	24.32	.25
MXV5-250	24.32	.25
MXV5-260	24.96	.26
MXV5-270	25.60	.28
MXV5-280	26.08	.28
MXV5-290	26.72	.29
MXV5-300	27.84	.30
MXV5-310	27.84	.31
MXV5-320	28.48	.31
MXV5-330	29.76	.32
MXV5-340	29.76	.33
MXV5-350	30.24	.34
MXV5-360	30.88	.35
MXV5-370	31.36	.36
MXV5-380	32.00	.37
MXV5-390	32.96	.39
MXV5-400	34.24	.39
MXV5-410	35.20	.40
MXV5-420	36.00	.41
MXV5-430	36.80	.42

Belt No.	List Price	Approx. Weight (lbs.)
MXV5-440	\$37.60	.44
MXV5-450	38.40	.44
MXV5-460	39.20	.45
MXV5-470	40.00	.46
MXV5-480	40.80	.47
MXV5-490	41.60	.48
MXV5-500	42.24	.49
MXV5-510	42.88	.50
MXV5-520	43.52	.51
MXV5-530	44.16	.52
MXV5-540	44.80	.53
MXV5-550	45.28	.54
MXV5-560	45.60	.55
MXV5-570	46.08	.56
MXV5-580	46.40	.56
MXV5-590	46.72	.59
MXV5-600	47.04	.60
MXV5-610	47.84	.60
MXV5-620	47.84	.61
MXV5-630	48.00	.62
MXV5-640	48.64	.63

Belt No.	List Price	Approx. Weight (lbs.)
MXV5-650	\$49.28	.65
MXV5-660	49.92	.65
MXV5-670	50.56	.65
MXV5-680	51.20	.67
MXV5-690	51.76	.67
MXV5-700	52.32	.69
MXV5-710	52.80	.70
MXV5-720	53.44	.71
MXV5-730	54.24	.71
MXV5-740	54.88	.73
MXV5-750	55.52	.74
MXV5-760	56.16	.75
MXV5-770	56.96	.75
MXV5-780	57.60	.76
MXV5-790	58.40	.78
MXV5-800	59.20	.78
MXV5-810	60.00	.80
MXV5-820	60.80	.81
MXV5-830	61.60	.82
MXV5-840	62.40	.83
MXV5-850	64.00	.84


Belt No.	List Price	Approx. Weight (lbs.)
MXV5-860	\$64.48	.85
MXV5-870	65.12	.86
MXV5-880	65.60	.87
MXV5-890	66.24	.88
MXV5-900	66.88	.89
MXV5-910	67.52	.90
MXV5-920	68.16	.91
MXV5-930	68.80	.92
MXV5-940	69.76	.93
MXV5-950	70.88	.94
MXV5-960	72.00	.94
MXV5-970	72.80	.95
MXV5-980	73.60	.97
MXV5-990	74.40	.97
MXV5-1000	75.20	.98
MXV5-1040	78.20	1.02
MXV5-1050	78.96	1.03
MXV5-1060	79.72	1.04
MXV5-1230	92.50	1.21

Jason Type 400 Flat Belts

Oil-resistant, non-marking cover
Static conductive.

Jason Type 400 flat belts are single-ply, endless woven belts built to the rigid standards necessary to meet the demands of modern high speed compact drives requiring flat belts. These belts are interchangeable with Gates Speed Flex, #400 Panther, Tilton Superspeed and Fenner Ultra Speed 400.

These high-performance flat belts have a single-ply of endless woven polyester cord bonded to an oil-resistant, non-marking, static conducting chloroprene (Neoprene) rubber covers.



Type 400 Flat Belt Nominal Dimensions

Thickness - 0.9mm (.035" ± .004")
Widths - Up to 13" ± .012"
Lengths * - 6 to 142" ± .070" or .4%

* Available in 1/2-inch increments from 8 to 62.5 inches, and in 1-inch increments from 63-142 inches.

Belts are specified by length in inches, the letter "M" and width in one-hundredths of an inch; i.e., **36.0M125**.



Endless Woven Flat Belts Type 400



Belt Width (in.)	3/4" & Under	1	1-1/4	1-1/2	1-3/4	2	2-1/4	2-1/2	2-3/4
List Price Per Inch Length	\$0.436	\$0.54	\$0.636	\$0.748	\$0.852	\$0.956	\$1.06	\$1.164	\$1.268

Belt Width (in.)	3	3-1/4	3-1/2	3-3/4	4	4-1/4	4-1/2	4-3/4	5
List Price Per Inch Length	\$1.384	\$1.476	\$1.58	\$1.684	\$1.788	\$1.904	\$1.996	\$2.112	\$2.204

Notes: For prices of intermediate widths not shown use price of next higher width shown above. Widths up to 13 inches are available. Price on request.

Neoflex Belts

Wide angle belts,
Neoprene body.



Part No. = Top Width & Effective Length
i.e. **7MR600**

7mm wide Rubber 600 mm long

More power in less space. The wide 60° angle provides more sidewall support under the tensile member for even load distribution and higher ratings. Allows for maximum speed ratios with smaller sheaves. Constructed of neoprene with transverse fabric plies for rigidity. Tensile member is polyester.

Belt No.	Effective Length (Inches)	List Price
7MR600	23.62	\$31.60
7MR615	31.60	24.21
7MR630	31.60	24.80
7MR650	31.82	25.59
7MR670	32.10	26.38
7MR690	32.60	27.17
7MR710	32.80	27.95
7MR730	33.24	28.74
7MR750	33.30	29.53

Belt No.	Effective Length (Inches)	List Price
7MR775	34.02	\$30.51
7MR800	34.94	31.50
7MR825	35.08	32.48
7MR850	35.22	33.46
7MR875	36.14	34.45
7MR900	36.78	35.43
7MR925	36.84	36.42
7MR950	37.34	37.40
7MR975	38.06	38.39


Belt No.	Effective Length (Inches)	List Price
7MR1000	38.12	\$39.37
7MR1030	38.76	40.55
7MR1060	39.90	41.73
7MR1090	40.46	42.91
7MR1120	40.88	44.09
7MR1150	41.52	45.28
7MR1180	41.88	46.46
7MR1220	43.02	48.30
7MR1250	43.66	49.21

Belt No.	Effective Length (Inches)	List Price
7MR1280	44.58	\$50.39
7MR1320	45.20	51.97
7MR1360	45.56	53.54
7MR1400	46.98	55.12
7MR1450	47.62	57.09
7MR1500	49.10	59.06

Jason Iron Products

Now available from Jason: Pulleys and Bushings. From 2" diameter to 71" O.D., Vee belt sheaves up to 12 grooves and synchronous pulleys to fit all standard belt sizes. Pulleys are balanced and painted and available for quick delivery.

Please contact Jason for your copy of our Multi-Plus Dual Brand Belts/Light & Heavy Duty Sheaves & Bushings catalog. (catalog #MPSB-1)





JASON

**MULTI-PLUS[®] DUAL
BRAND V-BELTS**

**LIGHT & HEAVY DUTY
SHEAVES & BUSHINGS**

- For Heating
- Air Conditioning
- Ventilation
- Refrigeration
- Industrial




Direct Access Worldwide!

Now, access to Jason Industrial is available to you 24 hours a day, 7 days a week!

Introducing Jason's new online Business-to-Business Module!

www.jasonindustrial.ca



Belt Tensioning Instructions

Timing Belt

HTB, Standard and Metric timing belts should be installed to fit pulleys snugly, neither too tight nor too loose. The belt's positive grip eliminates the need for high initial tension. When a belt is installed with a snug but not overly tight fit, longer belt life, less bearing wear and more quiet operation will result. Overtight belts can cause early failure and should be avoided. With high torque a loose belt may "jump teeth" upon startup. If such occurs, the tension should be increased gradually until satisfactory operation is achieved.

To properly tension a timing belt, place belt on pulleys and adjust takeup until the belt teeth mesh securely with the pulley grooves. Measure belt span "t". Then tighten belt so that it deflects 1/64-inch for every inch of belt span when a force as specified in the table below is applied to the top of the belt. For belts wider than two inches, a metal or wooden strip 3/4 to 1-inch wide should be placed across the belt between it and the tester to prevent distortion.

The following range of deflection forces are normally adequate for drive installation. Actual installation tension required depends on peak loads, system rigidity, number of teeth in mesh, etc.

Timing Belt Tensioning Deflection Force Table

Belt Pitch	Belt Width	Deflection Force
HTB 8MM (8mm)	20mm	2 to 4 lbs
	30mm	3 to 6 lbs
	50mm	7 to 11 lbs
	85mm	11 to 19 lbs
HTB 14MM (14mm)	40mm	5 to 11 lbs
	55mm	8 to 17 lbs
	85mm	14 to 27 lbs
	115mm	20 to 40 lbs
	170mm	30 to 60 lbs
MXL (.080-in.)	1/8-inch	1 oz
	3/16-inch	1 - 1-1/2 oz
	1/4-inch	2 oz
	5/16-inch	2 - 2-1/2 oz
XL (1/5-in.)	1/4-inch	2-1/2 oz
	5/16-inch	3 oz
	3/8-inch	3-1/2 oz
L (3/8-in.)	1/2-inch	7 oz
	3/4-inch	11 oz
	1-inch	1 lb
H (1/2-in.)	3/4-inch	2 lbs
	1-inch	2-1/2 lbs
	1-1/2-inch	4 lbs
	2-inch	5-1/2 lbs
XH (7/8-in.)	3-inch	8-1/2 lbs
	2-inch	7-1/2 lbs
	4-inch	11-1/2 lbs
XXH (1-1/4-in.)	4-inch	16-1/2 lbs
	5-inch	9 lbs
	3-inch	14 lbs
	4-inch	20 lbs
	5-inch	26 lbs


See Pg 7 for Tiger Values

Multi-Rib Belt Deflection Force Table

Belt Cross Section	Small Sheave Diameter Range	Force "F" Lbs. Per rib
J	1.32-1.67	0.4
J	1.77-2.20	0.5
J	2.36-2.95	0.6
L	2.95-3.74	1.7
L	3.94-4.92	2.1
L	5.20-6.69	2.5
M	7.09-8.82	6.4
M	9.29-11.81	7.7
M	12.40-15.75	8.8

V-Belt & Multi-Rib Series

V-belt tensioning adjustment can be made using a tension gauge or other type spring scale, using the following procedure. After seating the belts in the groove and adjusting center distance so as to take up slack in the belts, further increase the tension until only a slight bow on the slack side is apparent while the drive is operating under load. Stop the drive, and using the gage, measure the force necessary to depress one of the center belts 1/64-inch for every inch of belt span (see sketch below). For example, a deflection for a 50-inch belt span is 50/64ths, or 25/32-inch. The amount of force required to deflect the belt should compare with the deflection forces noted in the chart below. Also notice for V-belts the deflection forces vary from the initial "run-in" values which are greater (reflecting higher run-in tensioning) to the "normal" values for after the run-in period.




Measure the span length "t" as shown in the sketch above.

Standard V-Belt Tensioning Deflection Force Table

Belt Cross-Section	Smaller Pulley Diameter Range (in.)	Deflection Force	
		Run-in (lbs.)	Normal (lbs.)
A	3.0-3.6	3-3/8	2-1/4
	3.8-4.8	4-1/4	2-7/8
	5.0-7.0	5-1/8	3-3/8
AX	3.0-3.6	4-1/8	2-3/4
	3.8-4.8	5	3-1/4
	5.0-7.0	6	4
B	3.4-4.2	4	2-5/8
	4.4-5.2	6	4
	5.4-9.4	7-1/8	5-1/4
BX	3.4-4.2	5-1/4	3-1/2
	4.4-5.2	7-1/8	4-3/4
	5.4-9.4	9	6
C	7.0-9.0	11-1/4	7-1/2
	9.5-16.0	15-3/4	10-1/2
CX	7.0-9.0	13-1/2	9
	9.5-16.0	17-1/2	11-3/4
D	12.0-16.0	24-1/2	16-1/2
	18.0-22.0	33	22
E	21.6-27.0	48	32
3V	3.40-4.20	6	4
	4.20-10.6	7	5
3VX	2.20-3.65	7	5
	4.12-10.6	8	6
5V	7.10-10.9	16	8-12
	11.8-16.0	20	10-15
5VX	4.40-10.9	18	10-14
	11.8-16.0	22	12-18
8V	12.5-17.0	36	18-27
	18.0-22.4	40	20-30

Reference Dimensions for Jason Belts




Belt Section (Pitch)	Figure	β (Angle)*	Nom. b_b (Width)	Nom. h_b (Height)	Nom. h_t
5M (5mm)	1	-	0.114-in	0.150-in	0.082-in
8M (8mm)	1	-	0.197-in	0.236-in	0.133-in
14M (14mm)	1	-	0.346-in	0.394-in	0.237-in
MXL (.080-in.)	2	40°	0.45-in	0.045-in	0.020-in
XL (.200-in.)	2	50°	0.101-in	0.090-in	0.050-in
L (.375-in.)	2	40°	0.183-in	0.140-in	0.075-in
H (.500-in.)	2	40°	0.241-in	0.160-in	0.090-in
XH (.875-in.)	2	40°	0.495-in	0.440-in	0.250-in
XXH (1.25-in.)	2	40°	0.750-in	0.620-in	0.375-in
T5 (5mm)	2	40°	1.88mm	2.2mm	1.2mm
T10 (10mm)	2	40°	3.5mm	4.5mm	2.5mm
DXL (.200-in.)	3	50°	.101-in	.120-in	.050-in
DL (.375-in.)	3	40°	.183-in	.180-in	.075-in
DH (.500-in.)	3	40°	.241-in	.231-in	.090-in
2L	4	40°	0.25-in	0.16-in	-
3L	4	40°	0.38-in	0.22-in	-
4L	4	40°	0.50-in	0.31-in	-
5L	4	40°	0.66-in	0.38-in	-
A, AX	4	40°	0.50-in	0.31-in	-
B, BX	4	40°	0.66-in	0.41-in	-
C, CX	4	40°	0.88-in	0.53-in	-
D	4	40°	1.25-in	0.75-in	-
E	4	40°	1.50-in	1.00-in	-

Belt Section (Pitch)	Figure	β (Angle)*	Nom. b_b (Width)	Nom. h_b (Height)
SPZ	5	38°	9.7-mm	8-mm
SPA	5	38°	12.7-mm	10-mm
SPB	5	38°	16.3-mm	13-mm
SPC	5	38°	22.0-mm	18-mm
3V, 3VX	5	38°	0.38-in	0.31-in
5V, 5VX	5	38°	0.62-in	0.53-in
8V	5	38°	1.00-in	0.88-in
RB	6	40°	0.66-in	0.50-in
RC	6	40°	0.88-in	0.66-in
RD	6	40°	1.25-in	0.84-in
R3V	6	38°	0.38-in	0.38-in
R5V	6	38°	0.62-in	0.62-in
R8V	6	38°	1.00-in	1.00-in
1422V	7	22°	0.88-in	0.31-in
1922V	7	22°	1.19-in	0.38-in
2322V	7	22°	1.44-in	0.44-in
1926V	7	26°	1.19-in	0.44-in
2926V	7	26°	1.81-in	0.50-in
3226V	7	26°	2.00-in	0.53-in
2530V	7	30°	1.56-in	0.59-in
3230V	7	30°	2.00-in	0.62-in
4430V	7	30°	2.75-in	0.69-in
4036V	7	36°	2.50-in	0.69-in
4436V	7	36°	2.75-in	0.72-in
4836V	7	36°	3.00-in	0.75-in
J	8	-	0.092-in	0.14-in
L	8	-	0.185-in	0.27-in
M	8	-	0.370-in	0.48-in
AA	9	40°	0.50-in	0.41-in
BB	9	40°	0.66-in	0.53-in
CC	9	40°	0.88-in	0.69-in
DD	9	40°	1.25-in	1.00-in

*V-belt angles are for the production tooling or VSB sheave angle system.

Jason Industrial Inc.®

For catalog information, see www.jasonindustrial.ca



Power Transmission Belts
Catalog JB-8



Urethane Power Transmission Belts
Catalog UB-4



Industrial Hose, Couplings & Accessories
Catalog HC-8



Accu-Link Belts
Catalog AL-4



Multi-Plus Dual Brand V-Belts / Light & Heavy Duty Sheaves & Bushings
Catalog MPSB-1



Appliance & HVAC Replacement Parts
Catalog APPL-1



Tiger Horsepower Synchronous Belts




Lawn & Garden Belts
Catalog LG-1007




Synchronous Belt Technical Manual
TM-2



Autotension Self-Tensioning Belt



Made to Order Timing Belts



Skirtboard Rubber

Your Industrial Rubber Solution!



**JASON
INDUSTRIAL
POWER
TRANSMISSION
BELTING**

www.jasonindustrial.ca



All recommendations for the use of the products described herein and all other data or information set forth in this publication, whether concerning such products or otherwise, are furnished without any guarantee, warranty representations or inducement of any kind whether express or implied, including but not limited to implied warranties of merchantability and fitness for a particular purpose. And Jason expressly disclaims liability under any theory, including without limitation, contract negligence, misrepresentation or breach of any obligation relating to the recommendation, data or information set forth herein. Readers and customers are encouraged to conduct their own test before using any product. Read its label and all related instructions. The information in this publication is not intended as permission or recommendations to practice a patented invention without permission of the patent owner.

**Corporate Office
Central Warehouse**

Jason Industrial Inc.

340 Kaplan Drive
Fairfield, NJ 07004
973-227-4904 • FAX: 973-227-1651

Branch Offices & Warehouses

Jason Industrial Inc.

221 S. Westgate Drive
Carol Stream, IL 60188
630-752-0600 • FAX: 630-752-0680

Jason Industrial Inc.

3236 Royalty Row
Irving, TX 75062
972-438-6992 • FAX: 972-721-9162

Jason Industrial Inc.

3724 East 26th Street
Los Angeles, CA 90023
323-265-8061 • FAX: 323-265-0813

Jason Industrial Inc.

5120-B East Adamo Drive
Tampa, FL 33619
813-241-4111 • FAX: 813-241-4212

Jason Do Brazil Ltda.

Avenida Armando Panunzio 610
Sorocaba - Sao Paulo
Brazil CEP 18050-000
011 55 15 21017700
FAX: 011 55 15 222 90 12

Jason Industrial Canada Ltd.

9135 Cote De Liesse
Dorval, Quebec H9P-2N9
514-631-6781 • FAX: 514-631-7408

Jason Industrial Canada Ltd.

927 Matheson Blvd, East
Mississauga, Ontario L4W-2R7
905-602-4400 • FAX: 905-602-4406

Jason Industrial Canada Ltd.

10020-42 Avenue
Edmonton, Alberta T6E-5B4
780-461-4400 • FAX: 780-461-1034

Jason Industrial, S. De R.L. De C.V.

AV. Ceylan No. 959 Bodega 8
Col. Industrial Vallejo C.P. 02300
Azcapotzalco, Mexico D.F.
011 52 5555873680
FAX: 011 52 5555873688



JASON POWER TRANSMISSION BELTS

