


More Than Just a Motor Company



# STOCK PRODUCTS

QUICK REFERENCE GUIDE

# **AC MOTORS**



<b>General Purpose Motors</b>	SINGLE PHASE	THREE PHASE
Rigid Base	1/6 thru 10 HP	1/6 thru 350 HP
C Face	1/4 thru 10 HP	1/4 thru 100 HP
Resilient Base	1/4 thru 2 HP	1/3 thru 5 HP



Inverter-Duty Insulation System Standard on all LEESON 3 phase NEMA frame motors 1 HP and larger


Premium Efficiency WATTSAVER® ...1/4 thru 2 HP





1/3 thru 200 HP





Brakemotors1/	3 thru 1 HP	1/3 thru 10 HF
C Face Coupler Brakes1	3 thru 3 HP	1/3 thru 50 HF
BRAKEKIT™1/ (For field modification of TEFC motors to brake		3/4 thru 5 HP
WASHGUARD White		
Epoxy Coated	_	1/3 thru 2 HP
All-Stainless WASHGUARD	_	1/2 thru 1 HP

### **Chemical Service Motors**

Cast Iron, Epoxy Painted —	3 thru 20 HP
All-Stainless WASHGUARD1/3 thru 2 HP	1/2 thru 10 HP
WASHGUARD SST —	1/3 thru 3 HP
Cast Iron, Adaptable for Chemical	
Service with Severe Duty Kit —	25 thru 100 HP

Compressor Duty Motors...1 thru 10 HP 1 thru 20 HP

### **Explosion Proof Motors**

Steel Frame1/31	thru 2 HP	1/3 thru 5 HP
Cast Iron Frame	_	3 thru 250 HP

#### **Fan & Blower Motors**

General Purpose1/4 th	nru 2 HP 1	/3 thru 3 HP
PSC Type1/4 th	nru 1 HP	_
Two-Speed1/4 th	nru 1 HP 1	/2 thru 11/2 HP
TEAO3/4 th	hru 3 HP 3	3/4 thru 3 HP
HVAC Blower	_ 1	/3 thru 5 HP
Condenser Fan	_ 1	thru 11/2 HP
FHP Commercial Duty1/4 th	hru 1/2 HP	_
Performa +1/4 th	hru 1/2 HP	_

# AC MOTORS

	SINGLE PHASE	THREE PHASE
4	Food Processing Washdown-Duty Motor	'S
1	WASHGUARD White Epoxy Coated1/3 thru 2 HP	1/4 thru 15 HP
	WASHGUARD II Paint Free —	1/2 thru 2 HP
	All Stainless WASHGUARD1/3 thru 2 HP	1/2 thru 10 HP
0	WASHGUARD SST 1/2 thru 2 HP	1/3 thru 3 HP
	IEC Metric Motors	.018 kW thru 45 kW
	TEC METIC MOTORS	.010 KVV IIII 45 KVV
CONFORMITE	Instant Reversing Motors1/3 thru 3/4 HP	_
CONFORMITE EUROPEENE		
9	Poultry Motors1/4 thru 3 HP	3/4 thru 3 HP
	Inverter-Duty Motors	
	WATTSAVER® —	1/3 thru 200 HP
	SPEEDMASTER® —	1 thru 350 HP
	Sub-FHP —	1/15 thru 1/4 HP
The state of the s		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
(a)	Pressure Washer Motors3/4 thru 5 HP	_
60	Troopero tradici motoro	
	Pump Motors	
	Jet Pump1/2 thru 3 HP	3/4 thru 3 HP
	JM Type1 thru 10 HP	1 thru 50 HP
	JP Type5 thru 10 HP	1½ thru 50 HP
	Swimming Pool1/2 thru 3 HP	—
	JM Type WASHGUARD White Epoxy —	1 thru 15 HP
	JM Type All Stainless WASHGUARD —	1 thru 10 HP
	JPS 1 III SIGNI II SI	
	Savara Duty Matera	
	Severe Duty Motors  WATTSAVER® Plus —	0 #6 00 LID
	IEEE 841 Premium Efficient	3 thru 20 HP 1 thru 25 HP
	IEEE 641 Premium Emclem —	i tiiru 25 mp
	Special Power/Voltage Motors	
	50 Hz <b>C €</b> 1/3 thru 5 HP	1/2 thru 150 HP
	200-208 Volt —	3/4 thru 10 HP
	575 Volt —	1/3 thru 150 HP
	Woodworking Motors3/4 thru 4 HP	_
	Two-Speed Motors	1 thru 10 HP
The second of	Quick-turnaround multi-speed	
	and low-speed specials	1 thru 200 HP
	_	
46		EESON





SCR-Rated, 90 & 180 Volts, Per Sub-FHP	
Low-Voltage, 12 & 24 Volts, Pe	_
Sub-FHP	
Food Processing Washdown-Du Sub-FHP, 90 Volts	
Explosion Proof SCR-Rated, NEMA Frame	1/3 thru 3/4 HP
B5 Mounting	

# ADJUSTABLE SPEED AC & DC DRIVES




Micro Series AC Inverters	N	es AC Inverters	
WASHGUARD			
SM Plus Sub-Micro AC Inverters	S	Series AC Inverters	
FHP Series Ac Inverters	F	s Ac Inverters	
DC SCR Controls		erative Controls	,
Low Voltage Controls		•	

# **GEAR PRODUCTS**



### Worm Reducers & Gear+Motors™



- Single or double reduction
- WASHGUARD to 7 input HP
- All-Stainless WASHGUARD selections to 9 HP
- Drop-in replacement for most competitive brands
- AC or DC Gear+Motors<sup>™</sup> from stock
- Ratio multipliers to 13 input HP



- Aluminum housing designed for compactness and light weight
- Up to 71/2 input HP
- NEMA IEC inputs
- array of mountings for maximum flexibilitySingle or double reduction

Inch and metric output shaftsModular construction, wide

Ideal OEM solution





# **Inline Reducers & Gearmotors**

- Industrial-duty aluminum housings
- 1/4 thru 13 input HP
- Single stage ratios 1.30:1 to 10.8:1
- Two-stage ratios to 63:1
- Three-stage ratios to 278:1
- Modular base and flange mounts interchange with most other popular brands, including SEW, Nord, David Brown, Dodge, Brook Hansen and more
- AC or DC Gear+Motors<sup>™</sup> from stock

# **Sub-Fractional HP Gearmotors**

AC Parallel Shaft12 thru 1105 lb. in. output torque
Inverter Rated
AC Right-Angle
Inverter Rated54 thru 238 lb. in. output torque
AC Single Phase or Three Phase available
DC Parallel Shaft
WASHGUARD White Epoxy
DC Right-Angle 5 thru 135 lb. in. output torque
WASHGUARD White Epoxy

DC SCR or Low Voltage available



### **CUSTOMIZED PRODUCTS**



# **Custom Multi-Speed & Low-Speed Motors**

**LEESON's PDQ Modular Production Program** utilizes specially designed and standard components to make almost any imaginable NEMA frame multi-speed or low-speed motor available when you need it. We pride ourselves on fast turnaround times on highly customized motors.

Custom motors include two, three and four-speed motors and speed ranges of 900, 720, 600, 450 and 300 RPMs. We also specialize in non-standard shaft designs.

For quotations, availability and application assistance, phone toll-free to our Canadian manufacturing facility at 1-800-463-1797.



# **MODIFIED PRODUCTS**

**Quick-turnaround stock motor modifications** are available through
the LEESON Motor Mod-Squad. Adding
cords or switches, changing mountings,
extending leads and incorporating various
severe-duty features are among the
many standard modifications offered.



For complete stock products information, visit our online technical database at www.leeson.com/findaproduct.

#### **Modified stock gear reducers**

are offered on a quick-ship basis through the LEESON Gear Mod-Squad. A wide array of mountings, shaft extensions and other changes are available for 600 Series IRONMAN® reducers. In addition, modified stock Gear+Motor™ packages can be created, drawing on LEESON's extensive range of NEMA C face motors.



# **CUSTOMER FRIENDLY WEBSITE**

**LEESON's website is a user friendly site** that offers the features listed below. Our customers also have access to LEeBIZ™, which is our e-business center and provides LEESON Distributor Partners with 24 hour, seven days a week access to stock availability, account status and product features.





#### Products

View our off-the-shelf product offerings of nearly 4,000 items which include: AC and DC motors, sub-fhp motors and gearmotors,
 AC and DC adjustable speed drives, NEMA Gear+Motors™, and right-angle gear reducers.

#### 2 How To Buy

 This field shows information on how to locate LEESON's nearest sales offices and warehouses as well as our authorized distributors.

### 3 Service & Support

• Locate our authorized service centers by state or country, or use our "search by zip code" field which will locate our nearest authorized service center to your location within a 100-mile radius. This section also lists our product warranty policy as well as outline some simple motor troubleshooting guides.

### 4 Literature

- View product sales bulletins and catalogs or download in Adobe Acrobat PDF format.
- View or download product manuals which include our AC and DC controls, gearboxes and brake kits, as well as technical information, including our motor basic training manual and product troubleshooting guides.
- Request literature field, where you can request our product literature to be mailed to you.

# **5** Contact Us

- Locations of our corporate offices in the USA, Canada, Europe and China.
- Ask LEESON questions on our product offerings and/or services.
- Comment to LEESON on our web page or offer suggestions on how we can improve LEESON.COM.

## SPECIAL MOTOR ACTION RESPONSE TEAM



**Immediate solutions for unique applications.** Need a custom motor in a matter of days? Hours? Let our SMARTeam™ work with your engineers to deliver a solution.



The SMARTeam™ is our Special Motor Action Response Team, a group of experienced LEESON professionals including design, process and quality engineers along with sales application specialists.

Their mission is to collectively work with you to define and deliver the best motor, drive and/or gearbox option that will cost-effectively address your every need.

To find out more, simply call your local LEESON sales office and turn your idea into reality.



### **DISTRICT SALES OFFICES & WAREHOUSES**

LEESON District Sales Offices & Warehouses can provide complete information including price and availability on both standard stock and special motors.

■ ARKANSAS, Little Rock District Mgr., Kevin Springstead

> 972/245-2017 Fax: 972/245-2328

**■ CALIFORNIA,** Los Angeles

> Felix Wilson. Oswald Aquirre 323/278-7979

Co-District Mgrs.,

Fax: 323/278-7955

■ CALIFORNIA. San Francisco

> District Mgr., Dave Richardson 925/931-0749 Fax: 925/931-0759

**■ COLORADO. Denver** 

District Mgr., Mike Kannawin 303/331-6500 Fax: 303/331-6510

**■ CONNECTICUT, Hartford** / Metro Boston, MA

Co-District Mgrs., Craig Brisbane, Joel Casaubon 508/347-5117 Fax: 508/347-2612

**■ FLORIDA**, Tampa

District Mgr., Bill Taylor 813/740-2571 Fax: 813/663-9104

■ GEORGIA. Atlanta

District Mgr., Walter Brooks 770/933-0453 Fax: 770/933-0549

■ ILLINOIS, Chicago

Co District Mgrs., Mike Miller, Robert Sheppard 630/458-9511 Fax: 630/458-1923 ■ INDIANA, Indianapolis District Mgr.,

Mark Rodman 317/776-2600 Fax: 317/776-2007

■ IOWA, Des Moines

District Mgr., John Marshalla 952/939-0115 Fax: 952/935-8399

■ KANSAS, Kansas City

District Mgr., Pat Donnelly 913/599-6983 Fax: 913/599-6987

■ MARYLAND/Baltimore

District Mgr., Craig Brisbane 570/325-3684 Fax: 570/325-3870

■ MICHIGAN. **Grand Rapids** 

> District Mgr., Greg Norris 616/249-8430 Fax: 616/249-8628

■ MINNESOTA, Minneapolis

> District Mgr., John Marshalla 952/935-8273 Fax: 952/935-8399

■ MISSOURI, St. Louis

**District Managers** Pat and Ken Anvender 314/714-1460 Fax: 314/714-1461

□ NEW JERSEY/METRO **NEW YORK/LONG ISLAND** 

(Plainfield, NJ 18229) Contact: Dave Beck 570/325-3684 Fax: 570/325-3870

■ NEW YORK, Syracuse

District Mgr., Chris Brisbane 866/505-8796 Fax: 570/325-3870 ■ NORTH CAROLINA, Charlotte

> District Mgrs., Steve McAbee and Doug Landgraf 803/396-8200 Fax: 803/396-8208

■ OHIO, Cincinnati

District Mar.. Ken Simko 513/755-1000 Fax: 513/755-1081

■ OHIO, Cleveland

District Mgr., Matt Simko 440/951-5117 Fax: 440/975-3575 800/331-2911 (W.PA, WV)

□ OKLAHOMA, **Oklahoma City** 

Contact: Owen Stone, Gary Robinson 405/348-5700 Fax: 405/348-0600

■ PENNSYLVANIA.

Allentown/Philadelphia District Mgr., Craig Brisbane 570/325-3684

Fax: 570/325-3870

**■ TEXAS, Dallas** 

District Mgr., Homer Rodden, Kevin Springstead 972/245-2017 Fax: 972/245-2328

**■ TEXAS, Houston** Contact.

> Donnie Heckler 713/952-5337 Fax: 972/245-2328

■ UTAH, Salt Lake City

District Mgr., Dennis Vest 800/730-5290 Fax: 303/331-6510

■ WASHINGTON, Seattle District Mgr.,

Amorette Gent 425/775-3504

Fax: 425/775-6706

**■ WISCONSIN, Milwaukee** District Mgr., Tom Bares 414/475-9222 Fax: 414/475-9267

■ INTERNATIONAL

International Sales Administrator. Sue Kastner WISCONSIN, Grafton (+1) 262/377-8810 Fax: (+1) 262/377-3440

☐ ASIA

CHINA, Shanghai (+86) 21-625-317-00 Fax: (+86) 21-625-587-07

**■ CENTRAL AMERICA, SOUTH AMERICA & CARIBBEAN** 

FLORIDA, Miami Contact: Manny Garcia, Jr.

(+1) 305/220-4423 Fax: (+1) 305/220-5945

**■ EUROPE** 

ITALY, Bologna (+39) 051-731-487 Fax: (+39) 051-734-943 LEESON CANADA

■ ALBERTA, Edmonton

Branch Mgr., Mike Strenkowski 780/437-3380

Fax: 780/434-3448

**■** BRITISH COLUMBIA,

Vancouver

Branch Mgr., Jeff Male 604/941-0352 Fax: 604/941-0659

■ MANITOBA, Winnipeg

Branch Mgr., Charlie Vogel 204/786-6802 Fax: 204/786-6934

■ NEW BRUNSWICK, Moncton

Branch Mgr., Ken Sheehan 506/383-8883 Fax: 506/383-8887

■ ONTARIO, Toronto

National Sales Mgr., Frank Pesce 905/670-4770 Fax: 905/670-4378

■ ONTARIO, Hanover

Branch Mgr., Doug Stafford 800/463-1797 Fax: 800/225-9007

■ QUEBEC, Montreal

Branch Mgr., Bonoit Gagne 514/337-8020 Fax: 514/337-0773

■ SALES OFFICE AND WAREHOUSE

☐ SALES OFFICE ONLY














GRAFTON, WISCONSIN 53024-0241 U.S.A. TEL (262)377-8810 FAX (262)377-9025 www.leeson.com

