


Section 8.


High Torque Timing Belts



STANDARD PITCHES:

3M	3 millimeter
5M	5 millimeter
8M	8 millimeter
14M	14 millimeter
20M	20 millimeter

PART NUMBER EXAMPLE:



- Replaces HTD and RPP.
- Double-sided HTD In Stock
- Over 300 sizes of special length High Torque Belts in stock

3M (3mm Pitch)

High Torque

Belt NO.	NO. of Teeth	List Price Per Width			Belt NO.	NO. of Teeth	List Price Per Width		
		6	9	15			6	9	15
201-3M	67	3.95	5.14	8.71	369-3M	123	4.63	6.24	10.38
204-3M	68	3.95	5.14	8.71	372-3M	124	4.63	6.24	10.38
207-3M	69	3.95	5.14	8.71	375-3M	125	4.63	6.24	10.38
210-3M	70	3.95	5.14	8.71	381-3M	127	4.63	6.24	10.38
213-3M	71	3.95	5.14	8.71	384-3M	128	4.63	6.24	10.38
216-3M	72	3.95	5.14	8.71	390-3M	130	4.63	6.24	10.38
219-3M	73	3.95	5.14	8.71	396-3M	132	4.63	6.24	10.38
222-3M	74	3.95	5.14	8.71	399-3M	133	4.63	6.24	10.38
225-3M	75	3.95	5.14	8.71	405-3M	135	4.73	6.43	10.58
228-3M	76	3.95	5.14	8.71	411-3M	137	4.73	6.43	10.58
234-3M	78	3.95	5.14	8.71	417-3M	139	4.73	6.43	10.58
237-3M	79	3.95	5.14	8.71	420-3M	140	4.73	6.43	10.58
240-3M	80	3.95	5.14	8.71	426-3M	142	4.73	6.43	10.58
243-3M	81	3.95	5.14	8.71	432-3M	144	4.83	6.53	10.87
246-3M	82	3.95	5.14	8.71	435-3M	145	4.83	6.53	10.87
249-3M	83	3.95	5.14	8.71	438-3M	146	4.83	6.53	10.87
252-3M	84	3.95	5.14	8.71	444-3M	148	4.83	6.53	10.87
255-3M	85	4.09	5.44	8.94	447-3M	149	4.83	6.53	10.87
258-3M	86	4.09	5.44	8.94	450-3M	150	4.93	6.73	11.15
261-3M	87	4.09	5.44	8.94	459-3M	153	4.93	6.73	11.15
264-3M	88	4.09	5.44	8.94	462-3M	154	4.93	6.73	11.15
267-3M	89	4.09	5.44	8.94	465-3M	155	4.93	6.73	11.15
270-3M	90	4.20	5.64	9.22	468-3M	156	4.93	6.73	11.15
276-3M	92	4.20	5.64	9.22	471-3M	157	4.93	6.73	11.15
282-3M	94	4.20	5.64	9.22	474-3M	158	4.93	6.73	11.15
285-3M	95	4.20	5.64	9.22	477-3M	159	5.08	6.93	11.49
288-3M	96	4.20	5.64	9.22	480-3M	160	5.08	6.93	11.49
291-3M	97	4.20	5.64	9.22	483-3M	161	5.08	6.93	11.49
294-3M	98	4.20	5.64	9.22	486-3M	162	5.08	6.93	11.49
297-3M	99	4.20	5.64	9.22	489-3M	163	5.08	6.93	11.49
300-3M	100	4.20	5.64	9.22	492-3M	164	5.08	6.93	11.49
306-3M	102	4.29	5.73	9.49	495-3M	165	5.08	6.93	11.49
312-3M	104	4.29	5.73	9.49	501-3M	167	5.08	6.93	11.49
315-3M	105	4.29	5.73	9.49	510-3M	170	5.19	7.03	11.77
318-3M	106	4.29	5.73	9.49	513-3M	171	5.19	7.03	11.77
324-3M	108	4.40	5.93	9.77	519-3M	173	5.19	7.03	11.77
330-3M	110	4.40	5.93	9.77	522-3M	174	5.19	7.03	11.77
333-3M	111	4.40	5.93	9.77	525-3M	175	5.19	7.03	11.77
336-3M	112	4.40	5.93	9.77	528-3M	176	5.19	7.03	11.77
339-3M	113	4.40	5.93	9.77	531-3M	177	5.19	7.03	11.77
345-3M	115	4.54	6.08	10.10	537-3M	179	5.39	7.39	12.27
357-3M	119	4.54	6.08	10.10	540-3M	180	5.39	7.39	12.27
360-3M	120	4.63	6.24	10.38	552-3M	184	5.39	7.39	12.27
363-3M	121	4.63	6.24	10.38	558-3M	186	5.39	7.39	12.27
366-3M	122	4.63	6.24	10.38	564-3M	188	5.39	7.39	12.27

8A

HIGH TORQUE TIMING BELTS

3M (3mm Pitch)

High Torque

Belt NO.	NO. of Teeth	List Price Per Width			Belt NO.	NO. of Teeth	List Price Per Width		
		6	9	15			6	9	15
570-3M	190	5.53	7.48	12.55	738-3M	246	6.59	9.12	15.33
573-3M	191	5.53	7.48	12.55	750-3M	250	6.59	9.12	15.33
576-3M	192	5.53	7.48	12.55	753-3M	251	6.59	9.12	15.33
582-3M	194	5.53	7.48	12.55	795-3M	265	6.59	9.12	15.33
585-3M	195	5.53	7.48	12.55	804-3M	268	6.59	9.12	15.33
591-3M	197	5.53	7.48	12.55	822-3M	274	6.59	9.12	15.33
594-3M	198	5.53	7.48	12.55	837-3M	279	6.59	9.12	15.33
597-3M	199	5.53	7.48	12.55	840-3M	280	6.59	9.12	15.33
600-3M	200	5.64	7.68	12.88	843-3M	281	6.59	9.12	15.33
609-3M	203	5.64	7.68	12.88	849-3M	283	6.59	9.12	15.33
612-3M	204	5.64	7.68	12.88	873-3M	291	6.59	9.12	15.33
627-3M	209	5.64	7.68	12.88	882-3M	294	6.59	9.12	15.33
630-3M	210	5.64	7.68	12.88	891-3M	297	6.59	9.12	15.33
633-3M	211	5.64	7.68	12.88	900-3M	300	7.03	9.72	16.48
639-3M	213	5.64	7.68	12.88	915-3M	305	7.03	9.72	16.48
645-3M	215	5.84	7.98	13.44	945-3M	315	7.03	9.72	16.48
648-3M	216	5.84	7.98	13.44	951-3M	317	7.03	9.72	16.48
654-3M	218	5.84	7.98	13.44	981-3M	327	7.03	9.72	16.48
657-3M	219	5.84	7.98	13.44	1002-3M	334	7.48	10.37	17.60
663-3M	221	5.84	7.98	13.44	1026-3M	342	7.48	10.37	17.60
669-3M	223	5.84	7.98	13.44	1035-3M	345	7.48	10.37	17.60
672-3M	224	5.93	8.18	13.72	1041-3M	347	7.48	10.37	17.60
681-3M	227	5.93	8.18	13.72	1050-3M	350	7.48	10.37	17.60
684-3M	228	5.93	8.18	13.72	1056-3M	352	7.48	10.37	17.60
687-3M	229	5.93	8.18	13.72	1062-3M	354	7.48	10.37	17.60
696-3M	232	5.93	8.18	13.72	1071-3M	357	7.84	10.87	18.50
711-3M	237	5.93	8.18	13.72	1080-3M	360	7.84	10.87	18.50
720-3M	240	6.59	9.12	15.33	1125-3M	375	7.84	10.87	18.50
723-3M	241	6.59	9.12	15.33	1155-3M	385	7.84	10.87	18.50
735-3M	245	6.59	9.12	15.33	1191-3M	397	7.84	10.87	18.50
					1245-3M	415	8.33	11.68	19.87
					1263-3M	421	8.33	11.68	19.87
					1500-3M	500	9.89	13.87	23.60

ALL HIGH TORQUE PITCHES:
Special width timing belts cut from sleeve stock. Contact **Speed Control** for pricing.

8A

High Torque Timing Belts

5M (5mm Pitch)

High Torque

Belt NO.	NO. of Teeth	List Price Per Width			Belt NO.	NO. of Teeth	List Price Per Width		
		9	15	25			9	15	25
200-5M	40	7.82	11.90	18.89	575-5M	115	10.16	15.99	25.90
225-5M	45	7.82	11.90	18.89	580-5M	116	10.16	15.99	25.90
240-5M	48	7.82	11.90	18.89	585-5M	117	10.16	15.99	25.90
250-5M	50	7.82	11.90	18.89	590-5M	118	10.16	15.99	25.90
255-5M	51	7.82	11.90	18.89	600-5M	120	10.16	15.99	25.90
260-5M	52	7.82	11.90	18.89	610-5M	122	10.62	16.80	27.31
265-5M	53	7.82	11.90	18.89	615-5M	123	10.62	16.80	27.31
270-5M	54	7.82	11.90	18.89	625-5M	125	10.62	16.80	27.31
275-5M	55	7.82	11.90	18.89	630-5M	126	10.62	16.80	27.31
280-5M	56	7.82	11.90	18.89	635-5M	127	10.62	16.80	27.31
285-5M	57	7.82	11.90	18.89	640-5M	128	10.92	17.26	28.02
295-5M	59	7.82	11.90	18.89	645-5M	129	10.92	17.26	28.02
300-5M	60	7.82	11.90	18.89	650-5M	130	10.92	17.26	28.02
305-5M	61	7.82	11.90	18.89	655-5M	131	10.92	17.26	28.02
310-5M	62	7.82	11.90	18.89	665-5M	133	10.92	17.26	28.02
325-5M	65	7.82	11.90	18.89	670-5M	134	10.92	17.26	28.02
330-5M	66	7.82	11.90	18.89	680-5M	136	11.12	17.62	28.69
335-5M	67	7.82	11.90	18.89	685-5M	137	11.12	17.62	28.69
340-5M	68	7.82	11.90	18.89	695-5M	139	11.12	17.62	28.69
345-5M	69	7.82	11.90	18.89	700-5M	140	11.12	17.62	28.69
350-5M	70	7.82	11.90	18.89	710-5M	142	11.12	17.62	28.69
355-5M	71	8.06	12.31	19.63	740-5M	148	11.57	18.47	30.11
360-5M	72	8.06	12.31	19.63	745-5M	149	11.57	18.47	30.11
365-5M	73	8.06	12.31	19.63	750-5M	150	12.06	19.28	31.51
370-5M	74	8.06	12.31	19.63	755-5M	151	12.06	19.28	31.51
375-5M	75	8.06	12.31	19.63	765-5M	153	12.06	19.28	31.51
385-5M	77	8.31	12.72	20.27	770-5M	154	12.06	19.28	31.51
400-5M	80	8.31	12.72	20.27	775-5M	155	12.06	19.28	31.51
405-5M	81	8.50	13.12	20.99	790-5M	158	12.06	19.28	31.51
410-5M	82	8.50	13.12	20.99	800-5M	160	12.06	19.28	31.51
415-5M	83	8.50	13.12	20.99	825-5M	165	12.51	20.09	32.90
425-5M	85	8.50	13.12	20.99	830-5M	166	12.51	20.09	32.90
450-5M	90	8.75	13.53	21.71	835-5M	167	12.51	20.09	32.90
460-5M	92	9.00	13.93	22.39	850-5M	170	12.51	20.09	32.90
475-5M	95	9.00	13.93	22.39	860-5M	172	13.01	20.89	34.30
480-5M	96	9.27	14.38	23.09	870-5M	174	13.01	20.89	34.30
495-5M	99	9.27	14.38	23.09	890-5M	178	13.01	20.89	34.30
500-5M	100	9.27	14.38	23.09	900-5M	180	13.45	21.70	35.76
520-5M	104	9.70	15.19	24.48	925-5M	185	13.45	21.70	35.76
525-5M	105	9.70	15.19	24.48	935-5M	187	13.45	21.70	35.76
535-5M	107	9.70	15.19	24.48	940-5M	188	13.45	21.70	35.76
550-5M	110	9.97	15.50	25.18	950-5M	190	13.45	21.70	35.76
555-5M	111	9.97	15.50	25.18	965-5M	193	13.97	22.56	37.11
560-5M	112	9.97	15.50	25.18	975-5M	195	13.97	22.56	37.11
565-5M	113	9.97	15.50	25.18	980-5M	196	13.97	22.56	37.11

8A

HIGH TORQUE TIMING BELTS

5M (5mm Pitch)

High Torque

Belt NO.	NO. of Teeth	List Price Per Width			Belt NO.	NO. of Teeth	List Price Per Width		
		9	15	25			9	15	25
985-5M	197	13.97	22.56	37.11	1450-5M	290	19.36	31.95	53.26
1000-5M	200	13.97	22.56	37.11	1500-5M	300	19.36	31.95	53.26
1025-5M	205	14.42	23.36	38.52	1575-5M	315	19.36	31.95	53.26
1035-5M	207	14.42	23.36	38.52	1595-5M	319	19.36	31.95	53.26
1050-5M	210	14.42	23.36	38.52	1600-5M	320	20.31	33.55	56.06
1100-5M	220	15.12	24.57	40.67	1635-5M	327	20.31	33.55	56.06
1125-5M	225	15.12	24.57	40.67	1690-5M	338	20.31	33.55	56.06
1135-5M	227	15.86	25.79	42.73	1720-5M	344	21.24	35.22	58.85
1150-5M	230	15.86	25.79	42.73	1790-5M	358	21.24	35.22	58.85
1175-5M	235	15.86	25.79	42.73	1800-5M	360	22.19	36.89	61.67
1195-5M	239	15.86	25.79	42.73	1870-5M	374	22.19	36.89	61.67
1200-5M	240	16.58	27.05	44.88	1895-5M	379	22.19	36.89	61.67
1225-5M	245	16.58	27.05	44.88	1945-5M	389	23.14	38.30	64.48
1250-5M	250	16.58	27.05	44.88	1980-5M	396	23.14	38.30	64.48
1270-5M	254	16.58	27.05	44.88	2000-5M	400	23.14	38.30	64.48
1295-5M	259	17.48	28.66	47.64	2100-5M	420	29.21	48.35	81.41
1300-5M	260	17.48	28.66	47.64	2110-5M	422	29.21	48.35	81.41
1350-5M	270	17.48	28.66	47.64	2250-5M	450	29.21	48.35	81.41
1375-5M	275	17.48	28.66	47.64	2350-5M	470	29.21	48.35	81.41
1420-5M	284	17.48	28.66	47.64	2440-5M	488	29.21	48.35	81.41
					2465-5M	493	29.21	48.35	81.41
					2525-5M	505	29.21	48.35	81.41

ALL HIGH TORQUE PITCHES:
 Special width timing belts cut from sleeve stock.
 Contact **Speed Control** for pricing.

8A

High Torque Timing Belts

8M (8mm Pitch)

High Torque

Belt NO.	NO. of Teeth	List Price Per Width				Belt NO.	NO. of Teeth	List Price Per Width			
		20	30	50	85			20	30	50	85
264-8M	33	19.50	27.65	44.08	73.26	1248-8M	156	37.16	53.75	88.15	147.90
320-8M	40	19.50	27.65	44.08	73.26	1256-8M	157	37.16	53.75	88.15	147.90
360-8M	45	19.50	27.65	44.08	73.26	1264-8M	158	37.16	53.75	88.15	147.90
376-8M	47	19.50	27.65	44.08	73.26	1280-8M	160	37.16	53.75	88.15	147.90
384-8M	48	19.50	27.65	44.08	73.26	1304-8M	163	40.54	58.83	96.60	162.34
424-8M	53	19.50	27.65	44.08	73.26	1328-8M	166	40.54	58.83	96.60	162.34
480-8M	60	19.50	27.65	44.08	73.26	1360-8M	170	40.54	58.83	96.60	162.34
512-8M	64	21.20	30.25	48.38	80.47	1392-8M	174	40.54	58.83	96.60	162.34
520-8M	65	21.20	30.25	48.38	80.47	1400-8M	175	40.54	58.83	96.60	162.34
536-8M	67	21.20	30.25	48.38	80.47	1424-8M	178	40.54	58.83	96.60	162.34
560-8M	70	21.20	30.25	48.38	80.47	1432-8M	179	40.54	58.83	96.60	162.34
576-8M	72	22.27	31.95	51.15	85.32	1440-8M	180	40.54	58.83	96.60	162.34
592-8M	74	22.27	31.95	51.15	85.32	1512-8M	189	44.08	63.90	105.21	176.93
600-8M	75	22.27	31.95	51.15	85.32	1520-8M	190	44.08	63.90	105.21	176.93
608-8M	76	22.88	32.72	52.52	87.70	1552-8M	194	44.08	63.90	105.21	176.93
624-8M	78	22.88	32.72	52.52	87.70	1584-8M	198	44.08	63.90	105.21	176.93
640-8M	80	22.88	32.72	52.52	87.70	1600-8M	200	44.08	63.90	105.21	176.93
656-8M	82	24.57	35.17	56.83	94.92	1696-8M	212	47.45	68.95	113.65	191.21
672-8M	84	24.57	35.17	56.83	94.92	1728-8M	216	47.45	68.95	113.65	191.21
680-8M	85	24.57	35.17	56.83	94.92	1760-8M	220	47.45	68.95	113.65	191.21
720-8M	90	24.57	35.17	56.83	94.92	1800-8M	225	48.54	70.49	116.56	196.12
760-8M	95	26.88	38.70	62.51	104.60	1896-8M	237	53.15	77.26	127.94	215.32
776-8M	97	26.88	38.70	62.51	104.60	1904-8M	238	53.15	77.26	127.94	215.32
784-8M	98	26.88	38.70	62.51	104.60	2000-8M	250	53.15	77.26	127.94	215.32
800-8M	100	26.88	38.70	62.51	104.60	2080-8M	260	62.20	90.77	150.67	253.88
840-8M	105	28.57	41.16	66.81	111.81	2104-8M	263	62.20	90.77	150.67	253.88
880-8M	110	28.57	41.16	66.81	111.81	2240-8M	280	62.20	90.77	150.67	253.88
912-8M	114	30.25	43.61	71.11	119.03	2248-8M	281	62.20	90.77	150.67	253.88
920-8M	115	30.25	43.61	71.11	119.03	2272-8M	284	62.20	90.77	150.67	253.88
936-8M	117	30.25	43.61	71.11	119.03	2288-8M	286	62.20	90.77	150.67	253.88
960-8M	120	30.25	43.61	71.11	119.03	2400-8M	300	62.20	90.77	150.67	253.88
968-8M	121	31.95	46.23	75.26	126.24	2600-8M	325	67.27	97.68	163.87	273.99
976-8M	122	31.95	46.23	75.26	126.24	2800-8M	350	71.42	104.13	173.39	292.42
1000-8M	125	31.95	46.23	75.26	126.24	3048-8M	381	77.10	112.58	186.30	316.69
1040-8M	130	31.95	46.23	75.26	126.24	3280-8M	410	82.33	116.88	198.43	340.96
1064-8M	133	33.63	48.68	79.56	133.46	3600-8M	450	91.08	129.47	220.09	378.43
1080-8M	135	33.63	48.68	79.56	133.46	4400-8M	550	108.74	154.82	263.56	453.54
1120-8M	140	33.63	48.68	79.56	133.46						
1128-8M	141	35.48	51.29	83.86	140.69						
1152-8M	144	35.48	51.29	83.86	140.69						
1160-8M	145	35.48	51.29	83.86	140.69						
1176-8M	147	35.48	51.29	83.86	140.69						
1200-8M	150	35.48	51.29	83.86	140.69						
1216-8M	152	37.16	53.75	88.15	147.90						
1224-8M	153	37.16	53.75	88.15	147.90						

8A

HIGH TORQUE TIMING BELTS

14M (14mm Pitch)

High Torque

Belt NO.	NO. of Teeth	List Price Per Width				
		40	55	85	115	170
826-14M	59	146.57	192.14	279.68	371.83	537.85
924-14M	66	146.57	192.14	279.68	371.83	537.85
966-14M	69	146.57	192.14	279.68	371.83	537.85
1092-14M	78	160.96	212.25	310.40	414.07	599.28
1190-14M	85	160.96	212.25	310.40	414.07	599.28
1358-14M	97	175.09	231.91	340.64	454.91	659.64
1400-14M	100	175.09	231.91	340.64	454.91	659.64
1610-14M	115	189.52	252.65	371.67	497.00	721.24
1778-14M	127	202.27	269.24	396.41	530.79	770.38
1890-14M	135	212.41	283.20	417.75	559.65	836.45
1904-14M	136	231.45	309.47	457.84	613.87	892.02
2100-14M	150	231.45	309.47	457.84	613.87	892.02
2310-14M	165	246.50	329.60	488.40	654.88	952.06
2450-14M	175	256.64	343.10	508.67	682.22	992.15
2590-14M	185	269.08	360.46	534.63	717.24	1043.44
2800-14M	200	287.81	386.42	573.64	769.76	1120.55
3150-14M	225	315.92	425.12	632.92	850.25	1239.73
3360-14M	240	330.81	446.47	664.56	893.40	1303.00
3500-14M	250	341.12	460.45	685.75	922.74	1344.93
3850-14M	275	375.51	511.59	759.17	1022.56	1487.46
4004-14M	286	417.14	563.96	843.79	1136.52	1659.94
4326-14M	309	417.14	563.96	843.79	1136.52	1659.94
4578-14M	327	440.79	598.05	890.48	1202.56	1732.98
4956-14M	354	477.18	647.36	953.31	1301.78	1866.05
5320-14M	380	512.13	695.13	1035.00	1397.77	2003.81
5740-14M	410	552.74	749.95	1116.56	1507.89	2161.69
6160-14M	440	592.99	804.62	1198.11	1618.01	2319.42
6860-14M	490	660.57	896.16	1334.49	1802.15	2583.44

Special width timing belts cut from sleeve stock.
Contact **Speed Control** for pricing.

8A HIGH TORQUE TIMING BELTS

20M (20mm Pitch)

High Torque

Belt NO.	NO. of Teeth	List Price Per Width				
		115	170	230	290	340
2000-20M	100	769.92	1121.00	1516.64	1907.05	2242.02
2500-20M	125	905.07	1316.21	1780.81	2245.24	2632.43
3400-20M	170	1175.22	1714.00	2318.96	2923.93	3427.99
3800-20M	190	1286.87	1933.78	2616.30	3298.83	3867.55
4200-20M	210	1477.48	2157.86	2919.47	3681.10	4315.71
4600-20M	230	1592.36	2302.53	3115.29	3927.91	4605.22
5000-20M	250	1707.39	2438.09	3311.11	4174.88	4894.72
5200-20M	260	1774.30	2543.45	3441.16	4338.76	5086.82
5400-20M	270	1846.40	2647.02	3581.21	4515.51	5294.01
5800-20M	290	1982.95	2842.73	3846.12	4849.37	5685.48
6200-20M	310	2119.33	3038.16	4110.42	5182.71	6076.32
6600-20M	330	2256.17	3234.19	4375.64	5869.28	6468.38

Special width timing belts cut from sleeve stock.
Contact **Speed Control** for pricing.

D5M (5mm Pitch)**Double-Sided High Torque**

Belt NO.	NO. of Teeth	List Price Per Width		
		9	15	25
600D5M	120	26.42	41.57	67.34
615D5M	123	27.61	43.68	71.01
670D5M	134	28.39	44.88	72.85
740D5M	148	30.08	48.02	78.29
800D5M	160	31.36	50.13	81.93
850D5M	170	32.53	52.23	85.54
890D5M	178	33.83	54.31	89.18
925D5M	185	34.97	56.42	92.98
1050D5M	210	37.49	60.74	100.15
1195D5M	239	41.24	67.05	111.10
1420D5M	284	45.45	74.52	123.86
1595D5M	319	50.34	83.07	138.48
1690D5M	338	52.81	87.23	145.76
1800D5M	360	57.69	95.91	160.34
2525D5M	505	75.95	125.71	211.67

D8M (8mm Pitch)**Double-Sided High Torque**

Belt NO.	NO. of Teeth	List Price Per Width			
		20	30	50	85
480D8M	60	50.70	71.89	114.61	190.48
720D8M	90	63.88	91.44	147.76	246.79
800D8M	100	69.89	100.62	162.53	271.96
840D8M	105	74.28	107.02	173.71	290.71
880D8M	110	74.28	107.02	173.71	290.71
920D8M	115	78.65	113.39	184.89	309.48
960D8M	120	78.65	113.39	184.89	309.48
1040D8M	130	83.07	120.20	195.68	328.22
1120D8M	140	87.44	126.57	206.86	347.00
1200D8M	150	92.25	133.35	218.04	365.79
1224D8M	153	96.62	139.75	229.19	384.54
1280D8M	160	96.62	139.75	229.19	384.54
1440D8M	180	105.40	152.96	251.16	422.08
1600D8M	200	114.61	166.14	273.55	460.02
1760D8M	220	123.37	179.27	295.49	497.15
1800D8M	225	126.20	183.27	303.06	509.91
2000D8M	250	138.19	200.88	332.64	559.83
2400D8M	300	161.72	236.00	391.74	660.09
2600D8M	325	174.90	253.97	426.06	712.37
2800D8M	350	185.69	270.74	450.81	760.29
3048D8M	381	200.46	292.71	492.18	823.39
3280D8M	410	214.06	303.89	515.92	886.50
3600D8M	450	236.81	336.62	572.23	983.92
4400D8M	550	282.72	402.53	685.26	1179.20

8B

DOUBLE SIDED HIGH TORQUE

D14M (14mm Pitch)

Double-Sided High Torque

Belt NO.	NO. of Teeth	List Price Per Width				
		40	55	85	115	170
966D14M	69	381.08	499.56	727.17	966.76	1398.41
1190D14M	85	418.50	551.85	807.04	1076.58	1558.13
1400D14M	100	455.23	602.97	885.66	1182.77	1715.06
1610D14M	115	492.75	656.89	966.34	1292.20	1875.22
1778D14M	127	525.90	700.02	1030.67	1380.05	2002.99
1890D14M	135	552.27	736.32	1086.15	1455.09	2174.77
2100D14M	150	601.77	804.62	1190.38	1596.06	2319.25
2310D14M	165	640.90	856.96	1269.84	1702.69	2475.36
2450D14M	175	667.26	892.06	1322.54	1773.77	2579.59
2590D14M	185	699.61	937.20	1390.04	1864.82	2712.94
2800D14M	200	748.31	1004.69	1491.46	2001.38	2913.43
3150D14M	225	821.39	1105.31	1645.59	2210.65	3223.30
3360D14M	240	860.11	1160.82	1727.86	2322.84	3387.80
3500D14M	250	886.91	1197.17	1782.95	2399.12	3496.82
3850D14M	275	976.33	1330.13	1973.84	2658.66	3867.40
4326D14M	309	1084.56	1466.30	2193.85	2954.95	4315.84
4578D14M	327	1146.05	1554.93	2315.25	3126.66	4505.75
4956D14M	354	1240.67	1683.14	2478.61	3384.63	4851.73
5320D14M	380	1331.54	1807.34	2691.00	3634.20	5209.91