



## Section 9.

# Super Torque Timing Belts




### Standard Pitches:

S3M	3 millimeter
S4.5M	4.5 millimeter
S5M	5 millimeter
S8M	8 millimeter
S14M	14 millimeter



### Part Number Example:

250 — S8M — 1400



Super Torque is priced per millimeter of width due to various widths used. Any width is available from stock - cut from sleeves.

**CAUTION: NO product is interchangeable with Super Torque.**

ANY ATTEMPT TO REPLACE SUPER TORQUE WITH HTD - HPPD - RPP OR ANY OTHER SYNCHRONOUS BELT WILL RESULT IN DRASTIC REDUCTION IN BELT LIFE OR POSSIBLE IMMEDIATE FAILURE.

### S3M (3mm Pitch)

### Super Torque

BELT NO.	NO. of TEETH	LIST PRICE PER WIDTH					LIST PER/ mm
		60 6 mm	90 9mm	100 10mm	150 15mm	200 20mm	
S3M-201	67	4.20	6.30	7.00	10.50	14.00	0.70
S3M-225	75	4.20	6.30	7.00	10.50	14.00	0.70
S3M-252	84	4.38	6.57	7.30	10.95	14.60	0.73
S3M-264	88	4.38	6.57	7.30	10.95	14.60	0.73
S3M-276	92	4.50	6.75	7.50	11.25	15.00	0.75
S3M-300	100	4.50	6.75	7.50	11.25	15.00	0.75
S3M-312	104	4.68	7.02	7.80	11.70	15.60	0.78
S3M-318	106	4.68	7.02	7.80	11.70	15.60	0.78
S3M-339	113	4.68	7.02	7.80	11.70	15.60	0.78
S3M-384	128	4.92	7.38	8.20	12.30	16.40	0.82
S3M-420	140	5.04	7.56	8.40	12.60	16.80	0.84
S3M-459	153	5.28	7.92	8.80	13.20	17.60	0.88
S3M-486	162	5.40	8.10	9.00	13.50	18.00	0.90
S3M-501	167	5.40	8.10	9.00	13.50	18.00	0.90
S3M-537	179	5.76	8.64	9.60	14.40	19.20	0.96
S3M-564	188	5.76	8.64	9.60	14.40	19.20	0.96
S3M-633	211	6.00	9.00	10.00	15.00	20.00	1.00

### S4.5M (4.5mm Pitch)

### Super Torque

BELT NO.	NO. of TEETH	LIST PRICE PER WIDTH					LIST PER/ mm
		75 7.5 mm	100 10mm	150 15mm	200 20mm	250 25mm	
S4.5M-225	50	6.98	9.30	13.95	18.60	23.25	0.93
S4.5M-239	53	6.98	9.30	13.95	18.60	23.25	0.93
S4.5M-247	55	6.98	9.30	13.95	18.60	23.25	0.93
S4.5M-252	56	6.98	9.30	13.95	18.60	23.25	0.93
S4.5M-279	62	6.98	9.30	13.95	18.60	23.25	0.93
S4.5M-284	63	6.98	9.30	13.95	18.60	23.25	0.93
S4.5M-297	66	6.98	9.30	13.95	18.60	23.25	0.93
S4.5M-306	68	6.98	9.30	13.95	18.60	23.25	0.93
S4.5M-315	70	6.98	9.30	13.95	18.60	23.25	0.93
S4.5M-324	72	6.98	9.30	13.95	18.60	23.25	0.93
S4.5M-342	76	6.98	9.30	13.95	18.60	23.25	0.93
S4.5M-351	78	7.50	10.00	15.00	20.00	25.00	1.00
S4.5M-383	85	7.50	10.00	15.00	20.00	25.00	1.00
S4.5M-396	88	8.63	11.50	17.25	23.00	28.75	1.15
S4.5M-450	100	8.63	11.50	17.25	23.00	28.75	1.15
S4.5M-491	109	8.63	11.50	17.25	23.00	28.75	1.15
S4.5M-504	112	8.63	11.50	17.25	23.00	28.75	1.15
S4.5M-518	115	9.45	12.60	18.90	25.20	31.50	1.26
S4.5M-558	124	9.45	12.60	18.90	25.20	31.50	1.26
S4.5M-563	125	9.45	12.60	18.90	25.20	31.50	1.26
S4.5M-621	138	9.45	12.60	18.90	25.20	31.50	1.26
S4.5M-630	140	9.60	12.80	19.20	25.60	32.00	1.28
S4.5M-711	158	10.80	14.40	21.60	28.80	36.00	1.44
S4.5M-729	162	11.10	14.80	22.20	29.60	37.00	1.48
S4.5M-801	178	12.23	16.30	24.45	32.60	40.75	1.63

<b>S5M (5mm Pitch)</b>		<b>Super Torque</b>					
<b>BELT NO.</b>	<b>NO. of TEETH</b>	<b>LIST PRICE PER WIDTH</b>					<b>LIST PER/ mm</b>
		<b>100 10 mm</b>	<b>150 15mm</b>	<b>200 20mm</b>	<b>250 25mm</b>	<b>300 30mm</b>	
S5M-255	51	9.30	13.95	18.60	23.25	27.90	0.93
S5M-295	59	9.30	13.95	18.60	23.25	27.90	0.93
S5M-325	65	9.30	13.95	18.60	23.25	27.90	0.93
S5M-350	70	9.30	13.95	18.60	23.25	27.90	0.93
S5M-375	75	9.50	14.25	19.00	23.75	28.50	0.95
S5M-390	78	9.80	14.70	19.60	24.50	29.40	0.98
S5M-400	80	9.80	14.70	19.60	24.50	29.40	0.98
S5M-425	85	10.10	15.15	20.20	25.25	30.30	1.01
S5M-435	87	10.70	16.05	21.40	26.75	32.10	1.07
S5M-450	90	10.70	16.05	21.40	26.75	32.10	1.07
S5M-475	95	10.70	16.05	21.40	26.75	32.10	1.07
S5M-500	100	11.00	16.50	22.00	27.50	33.00	1.10
S5M-525	105	11.50	17.25	23.00	28.75	34.50	1.15
S5M-560	112	11.80	17.70	23.60	29.50	35.40	1.18
S5M-575	115	12.00	18.00	24.00	30.00	36.00	1.20
S5M-600	120	12.00	18.00	24.00	30.00	36.00	1.20
S5M-625	125	12.60	18.90	25.20	31.50	37.80	1.26
S5M-650	130	12.90	19.35	25.80	32.25	38.70	1.29
S5M-675	135	13.20	19.80	26.40	33.00	39.60	1.32
S5M-700	140	13.20	19.80	26.40	33.00	39.60	1.32
S5M-750	150	14.30	21.45	28.60	35.75	42.90	1.43
S5M-800	160	14.30	21.45	28.60	35.75	42.90	1.43
S5M-850	170	14.80	22.20	29.60	37.00	44.40	1.48
S5M-900	180	15.90	23.85	31.80	39.75	47.70	1.59
S5M-950	190	15.90	23.85	31.80	39.75	47.70	1.59
S5M-1000	200	16.50	24.75	33.00	41.25	49.50	1.65
S5M-1050	210	17.10	25.65	34.20	42.75	51.30	1.71
S5M-1125	225	17.90	26.85	35.80	44.75	53.70	1.79
S5M-1270	254	19.60	29.40	39.20	49.00	58.80	1.96
S5M-1350	270	20.70	31.05	41.40	51.75	62.10	2.07
S5M-1420	284	20.70	31.05	41.40	51.75	62.10	2.07
S5M-1800	360	26.30	39.45	52.60	65.75	78.90	2.63
S5M-2000	400	27.40	41.10	54.80	68.50	82.20	2.74
S5M-2770	554	30.10	45.15	60.20	75.25	90.30	3.01

# S8M (8mm Pitch)

# Super Torque

BELT NO.	NO. of TEETH	LIST PRICE PER WIDTH					LIST PER/ mm
		150 15mm	200 20mm	250 25mm	400 40mm	600 60 mm	
S8M-440	55	14.70	19.60	24.50	39.20	58.80	0.98
S8M-448	56	14.70	19.60	24.50	39.20	58.80	0.98
S8M-480	60	14.70	19.60	24.50	39.20	58.80	0.98
S8M-496	62	15.75	21.00	26.25	42.00	63.00	1.05
S8M-512	64	15.75	21.00	26.25	42.00	63.00	1.05
S8M-528	66	16.05	21.40	26.75	42.80	64.20	1.07
S8M-560	70	16.05	21.40	26.75	42.80	64.20	1.07
S8M-592	74	16.95	22.60	28.25	45.20	67.80	1.13
S8M-600	75	16.95	22.60	28.25	45.20	67.80	1.13
S8M-632	79	17.40	23.20	29.00	46.40	69.60	1.16
S8M-648	81	18.75	25.00	31.25	50.00	75.00	1.25
S8M-656	82	18.75	25.00	31.25	50.00	75.00	1.25
S8M-680	85	18.75	25.00	31.25	50.00	75.00	1.25
S8M-688	86	18.75	25.00	31.25	50.00	75.00	1.25
S8M-712	89	18.75	25.00	31.25	50.00	75.00	1.25
S8M-720	90	18.75	25.00	31.25	50.00	75.00	1.25
S8M-752	94	20.55	27.40	34.25	54.80	82.20	1.37
S8M-760	95	20.55	27.40	34.25	54.80	82.20	1.37
S8M-800	100	20.55	27.40	34.25	54.80	82.20	1.37
S8M-824	103	21.30	28.40	35.50	56.80	85.20	1.42
S8M-840	105	21.90	29.20	36.50	58.40	87.60	1.46
S8M-848	106	21.90	29.20	36.50	58.40	87.60	1.46
S8M-880	110	21.90	29.20	36.50	58.40	87.60	1.46
S8M-896	112	23.25	31.00	38.75	62.00	93.00	1.55
S8M-920	115	23.25	31.00	38.75	62.00	93.00	1.55
S8M-928	116	23.25	31.00	38.75	62.00	93.00	1.55
S8M-936	117	23.25	31.00	38.75	62.00	93.00	1.55
S8M-944	118	23.25	31.00	38.75	62.00	93.00	1.55
S8M-960	120	23.25	31.00	38.75	62.00	93.00	1.55
S8M-976	122	24.30	32.40	40.50	64.80	97.20	1.62
S8M-984	123	24.60	32.80	41.00	65.60	98.40	1.64
S8M-992	124	24.60	32.80	41.00	65.60	98.40	1.64
S8M-1000	125	24.60	32.80	41.00	65.60	98.40	1.64
S8M-1024	128	24.60	32.80	41.00	65.60	98.40	1.64
S8M-1032	129	24.60	32.80	41.00	65.60	98.40	1.64
S8M-1040	130	24.60	32.80	41.00	65.60	98.40	1.64
S8M-1056	132	25.95	34.60	43.25	69.20	103.80	1.73
S8M-1072	134	25.95	34.60	43.25	69.20	103.80	1.73
S8M-1096	137	25.95	34.60	43.25	69.20	103.80	1.73
S8M-1120	140	25.95	34.60	43.25	69.20	103.80	1.73

S8M (8mm Pitch)		Super Torque					
BELT NO.	NO. of TEETH	LIST PRICE PER WIDTH					LIST PER/ mm
		150 15mm	200 20mm	250 25mm	400 40mm	600 60 mm	
S8M-1136	142	27.30	36.40	45.50	72.80	109.20	1.82
S8M-1160	145	27.30	36.40	45.50	72.80	109.20	1.82
S8M-1176	147	27.30	36.40	45.50	72.80	109.20	1.82
S8M-1184	148	27.30	36.40	45.50	72.80	109.20	1.82
S8M-1192	149	27.30	36.40	45.50	72.80	109.20	1.82
S8M-1200	150	27.30	36.40	45.50	72.80	109.20	1.82
S8M-1208	151	28.65	38.20	47.75	76.40	114.60	1.91
S8M-1224	153	28.65	38.20	47.75	76.40	114.60	1.91
S8M-1248	156	28.65	38.20	47.75	76.40	114.60	1.91
S8M-1256	157	28.65	38.20	47.75	76.40	114.60	1.91
S8M-1264	158	28.65	38.20	47.75	76.40	114.60	1.91
S8M-1280	160	28.65	38.20	47.75	76.40	114.60	1.91
S8M-1304	163	31.35	41.80	52.25	83.60	125.40	2.09
S8M-1312	164	31.35	41.80	52.25	83.60	125.40	2.09
S8M-1344	168	31.35	41.80	52.25	83.60	125.40	2.09
S8M-1360	170	31.35	41.80	52.25	83.60	125.40	2.09
S8M-1384	173	31.35	41.80	52.25	83.60	125.40	2.09
S8M-1400	175	31.35	41.80	52.25	83.60	125.40	2.09
S8M-1432	179	31.35	41.80	52.25	83.60	125.40	2.09
S8M-1440	180	31.35	41.80	52.25	83.60	125.40	2.09
S8M-1480	185	34.05	45.40	56.75	90.80	136.20	2.27
S8M-1520	190	34.05	45.40	56.75	90.80	136.20	2.27
S8M-1544	193	34.05	45.40	56.75	90.80	136.20	2.27
S8M-1552	194	34.05	45.40	56.75	90.80	136.20	2.27
S8M-1600	200	34.05	45.40	56.75	90.80	136.20	2.27
S8M-1680	210	36.75	49.00	61.25	98.00	147.00	2.45
S8M-1696	212	36.75	49.00	61.25	98.00	147.00	2.45
S8M-1728	216	36.75	49.00	61.25	98.00	147.00	2.45
S8M-1760	220	36.75	49.00	61.25	98.00	147.00	2.45
S8M-1776	222	37.50	50.00	62.50	100.00	150.00	2.50
S8M-1800	225	37.50	50.00	62.50	100.00	150.00	2.50
S8M-2000	250	41.10	54.80	68.50	109.60	164.40	2.74
S8M-2032	254	48.30	64.40	80.50	128.80	193.20	3.22
S8M-2120	265	48.30	64.40	80.50	128.80	193.20	3.22
S8M-2240	280	48.30	64.40	80.50	128.80	193.20	3.22
S8M-2272	284	48.30	64.40	80.50	128.80	193.20	3.22
S8M-2392	299	48.30	64.40	80.50	128.80	193.20	3.22
S8M-2400	300	48.30	64.40	80.50	128.80	193.20	3.22
S8M-2496	312	52.05	69.40	86.75	138.80	208.20	3.47
S8M-2600	325	55.50	74.00	92.50	148.00	222.00	3.70
S8M-2800	350	55.50	74.00	92.50	148.00	222.00	3.70
S8M-3200	400	62.25	83.00	103.75	166.00	249.00	4.15

# S14M (14mm Pitch)

# Super Torque

BELT NO.	NO. of TEETH	LIST PRICE PER WIDTH				LIST PER/ mm
		400 40mm	600 60mm	800 80mm	1000 100mm	
S14M-1120	80	170.80	256.20	341.60	427.00	4.27
S14M-1190	85	170.80	256.20	341.60	427.00	4.27
S14M-1246	89	170.80	256.20	341.60	427.00	4.27
S14M-1400	100	170.80	256.20	341.60	427.00	4.27
S14M-1540	110	186.40	279.60	372.80	466.00	4.66
S14M-1610	115	186.40	279.60	372.80	466.00	4.66
S14M-1778	127	198.80	298.20	397.60	497.00	4.97
S14M-1806	129	209.20	313.80	418.40	523.00	5.23
S14M-1890	135	209.20	313.80	418.40	523.00	5.23
S14M-2002	143	229.60	344.40	459.20	574.00	5.74
S14M-2100	150	229.60	344.40	459.20	574.00	5.74
S14M-2240	160	244.80	367.20	489.60	612.00	6.12
S14M-2310	165	244.80	367.20	489.60	612.00	6.12
S14M-2380	170	254.80	382.20	509.60	637.00	6.37
S14M-2450	175	254.80	382.20	509.60	637.00	6.37
S14M-2590	185	268.00	402.00	536.00	670.00	6.70
S14M-2800	200	287.60	431.40	575.20	719.00	7.19
S14M-3150	225	317.20	475.80	634.40	793.00	7.93
S14M-3500	250	343.60	515.40	687.20	859.00	8.59
S14M-3850	275	380.40	570.60	760.80	951.00	9.51
S14M-4004	286	422.80	634.20	845.60	1057.00	10.57
S14M-4508	322	446.40	669.60	892.80	1116.00	11.16
S14M-5012	358	518.80	778.20	1037.60	1297.00	12.97