



Universal Product Cross-Reference

This chart is a quick, easy way to replace your current chains and sprockets with high-quality, reliable products from the Union Chain Division of U.S. Tsubaki, Inc. The list is sorted by chain number, and you'll find the corresponding Union number listed for each.

The chart was compiled with great care and with the latest information available at the time of printing. Because of the possibility of errors in competitors' publications or changes in product specifications, U.S. Tsubaki does not assume responsibility for the accuracy of competitors' information. Please check the chain or sprocket specifications on the corresponding page numbers carefully before ordering.

Chain Interchangeability Guidelines

There are several degrees of interchangeability for chain replacement between manufacturers' chains.

1. Intercoupling of Chains

The pin of one chain can be put through the bushing of another. However, the pin and outside sidebars must be produced by the same manufacturer. When connected, the two chains form one strand.

2. Interchanging of Parts

Because each manufacturer has different part designs and tolerances, interchanging parts is not suggested. Due to the differences in tolerances, we suggest you use Union replacement parts for Union chains.

3. Running on the Same Sprocket

Many replacement chains will run on the same sprockets even though they are not the same chains. The following dimensions must be equivalent in the original and replacement chains to run on the same sprocket.

- Pitch
- Roller, barrel, or bushing diameter (depending on chain type)
- Inside width

If you have any questions about using the Universal Product Cross-Reference or interchangeability in general, contact Union Engineering. We can help you select the right replacement chain or sprocket for your application.

Universal Product Cross-Reference
Sorted by Chain Number

Chain Number	Pitch	Style*	Union Chain Number	Chain Page Number	Union Sprocket Number	Sprocket Page Number
JB-2	2.000	D	US-2	B-64		
US-2	2.000	D	US-2	B-64		
3DD	3.075	D	US-3075	A-4	US-3075	C-5
API-3	3.075	D	US-3075	A-4	US-3075	C-5
CHAMP3	3.075	D	US-3075	A-4	US-3075	C-5
4	4.000	RC	94R	A-19	94R	C-13
HP-4	4.063	D	US-1242	A-4	US-1242	C-6
RO-4	4.063	D	US-1242	A-4	US-1242	C-6
SS-4	4.000	RC	94R	A-19	94R	C-13
CC5	6.000	RC	CC5	A-20	CC5	C-17
6	6.000	RC	614R	A-20	CC5	C-17
6-SP	6.000	RC	631R	A-20	626R	C-18
SS-6	6.000	RC	614R	A-20	CC5	C-17
SS-6SP	6.000	RC	631R	A-20	626R	C-18
S-17	2.563	D	520RX	A-4		
RO-25H	2.500	D	RO-25H	A-4		
SS-39	3.075	RC	119R	A-19	119RX	C-12
RO-40	3.075	D	US-1030	A-4	US-3075	C-5
RO-40HYPER	3.075	D	US-3075	A-4	US-3075	C-5
SS-40	3.075	D	US-1030	A-4	US-3075	C-5
SS-40HYPER	3.075	D	US-3075	A-4	US-3075	C-5
SS-40P	3.075	D	US-1031	A-4	US-3075	C-5
XXS-40	3.075	D	US-1031	A-4	US-3075	C-5
R-51A	2.500	D	US-2570	**	US-3075	C-5
53R	3.000	RC	53R	A-19	53R	C-12
C-55	1.631	C	C-55	**		
EC-62	1.654	RC	162R	**	378RX	C-11
SS-62P	1.654	D	US-622	**	378RX	C-11
US-64S	2.500	D	US-64S	A-4	US-64S	C-3
US-64SH	2.500	D	US-64SH	B-64	US-64S	C-3
EPC-78	2.609	Plastic	EPC-78	B-83		
W-78	2.609	WS	W-78	A-66	WH-78	C-35
W-78S	4.125	WS	WH-78S	**		
WH-78	2.609	WS	WH-78	A-66	WH-78	C-35
WR-78	2.609	WS	W-78	A-66	WH-78	C-35
WS-78	2.609	WS	W-78	A-66	WH-78	C-35
WS-78P	2.609	WS	WH-78	A-66	WH-78	C-35
81C	2.609	RC	81X	A-19	81X	C-11
81X	2.609	RC	81X	A-19	81X	C-11
82R	4.000	RC	82R	**	US-90R	C-14
SS-82	6.000	RC	614R	A-20	CC5	C-17
W-82	3.075	WS	W-82	A-66	WH-82	C-35
W-82H	3.075	WS	W-82H	**	WH-82	C-35
WH-82	3.075	WS	WH-82	A-66	WH-82	C-35
WH-82H	3.075	WS	WH-82H	**	WH-82	C-35
WR-82	3.075	WS	W-82	A-66	WH-82	C-35
WS-82	3.075	WS	W-82	A-66	WH-82	C-35
WS-82P	3.075	WS	WH-82	A-66	WH-82	C-35
83R	4.000	RC	83R	A-19	US-90R	C-14
84R	4.000	RC	84R	A-19	84R	C-15
85R	4.000	RC	85R	**		
86R	6.000	RC	86R	A-19	627R	C-16
87R	2.609	RC	87R	A-19	87R	C-11
SS-87	2.609	RC	87R	A-19	87R	C-11
SS-88P	2.609	D	US-881	**	US-882	C-4
89R	4.000	RC	89R	A-19	89R	C-14
US-90R	4.000	RC	US-90R	A-19	US-90R	C-14
91R	4.000	RC	91R	A-19	91R	C-14

* Style abbreviations: D = Drive chain; RC = Roller conveyor chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain; BP = Bar and pin chain.

** Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact the Union Chain Division of U.S. Tsubaki for more information.



UNION CHAIN DIVISION - UNIVERSAL PRODUCT CROSS-REFERENCE

Universal Product Cross-Reference (Continued)

Sorted by Chain Number

Chain Number	Pitch	Style*	Union Chain Number	Chain Page Number	Union Sprocket Number	Sprocket Page Number
93R	3.000	RC	93R	A-19	93R	C-12
94R	4.000	RC	94R	A-19	94R	C-13
95R	4.000	RC	95R	A-19	95R	C-13
96R	6.000	RC	96R	A-20	610R	C-17
96RX	6.000	RC	96RX	A-20	610R	C-17
SS-96	6.000	RC	96R	A-20	610R	C-17
97R	4.000	RC	97R	A-19	97R	C-13
102B	4.000	SB	102B	A-54	102B	C-30
H-102	5.000	WS	WD-102	A-73		
A-102B	4.000	C	C-102B	A-63	102B	C-30
C-102B	4.000	C	C-102B	A-63	102B	C-30
HSB-102B	4.000	SB	102B	A-54	102B	C-30
N-102B	4.000	C	C-102B	A-63	102B	C-30
S-102B	4.000	SB	102B	A-54	102B	C-30
SBS-102B	4.000	SB	102B	A-54	102B	C-30
SS-102B	4.000	SB	102B	A-54	102B	C-30
WD-102	5.000	WS	WD-102	A-73		
WDH-102	5.000	WS	WDH-102	A-73		
WSD-102	5.000	WS	WD-102	A-73		
WSD-102P	5.000	WS	WDH-102	A-73		
102 1/2	4.040	SB	102 1/2	A-54	102 1/2	C-30
HSB-102 1/2	4.040	SB	102 1/2	A-54	102 1/2	C-30
S-102 1/2	4.040	SB	102 1/2	A-54	102 1/2	C-30
SBS-102 1/2	4.040	SB	102 1/2	A-54	102 1/2	C-30
103RC	3.075	D	US-1032	**	US-3075	C-5
H-104	6.000	WS	WD-104	A-73		
WD-104	6.000	WS	WD-104	A-73		
WDH-104	6.000	WS	WDH-104	A-73		
WSD-104	6.000	WS	WD-104	A-73		
WSD-104P	6.000	WS	WDH-104	A-73		
H-106	6.000	WS	W-106	B-40	WH-106	C-37
W-106	6.000	WS	W-106	B-40	WH-106	C-37
WH-106	6.000	WS	WH-106	B-40	WH-106	C-37
WR-106	6.000	WS	W-106	B-40	WH-106	C-37
110	6.000	SB	110	A-54	110	C-31
C-110	6.000	C	C-110	A-63	110	C-31
C-110M	6.000	C	C-110	A-63	110	C-31
HSB-110	6.000	SB	110	A-54	110	C-31
S-110	6.000	SB	110	A-54	110	C-31
SBS-110	6.000	SB	110	A-54	110	C-31
WD-110	6.000	WS	WD-110	A-73		
WDH-110	6.000	WS	WDH-110	A-73		
WSD-110	6.000	WS	WD-110	A-73		
WSD-110P	6.000	WS	WDH-110	A-54		
111	4.760	SB	111	A-54	111	C-30
111SP	4.76X7.24	SB	111 SP	A-54		
A-111	4.760	C	C-111	A-63	111	C-30
C-111	4.760	C	C-111	A-63	111	C-30
C-111M	4.760	C	C-111	A-63	111	C-30
HSB-111	4.760	SB	111	A-54	111	C-30
HSB-111SP	4.76X7.24	SB	111 SP	A-54		
N-111	4.760	C	C-111	A-63	111	C-30
S-111	4.760	SB	111	A-54	111	C-30
S-111SP	4.76X7.24	SB	111 SP	A-54		
SBS-111	4.760	SB	111	A-54	111	C-30
SBS-111SP	4.76X7.24	SB	111 SP	A-54		
SS-111	4.760	SB	111	A-54	111	C-30
SS-111SP	4.76X7.24	SB	111 SP	A-54		

* Style abbreviations: D = Drive chain; RC = Roller conveyor chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain; BP = Bar and pin chain.

** Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact the Union Chain Division of U.S. Tsubaki for more information.

Universal Product Cross-Reference (Continued)
Sorted by Chain Number

Chain Number	Pitch	Style*	Union Chain Number	Chain Page Number	Union Sprocket Number	Sprocket Page Number
W-111	4.760	WS	W-111	A-66	WH-111	C-36
WH-111	4.760	WS	WH-111	A-66	WH-111	C-36
H-112	8.000	WS	WD-112	A-73		
WD-112	8.000	WS	WD-112	A-73		
WDH-112	8.000	WS	WDH-112	A-73		
WSD-112	8.000	WS	WD-112	A-73		
WSD-112P	8.000	WS	WDH-112	A-73		
H-113	6.000	WS	WD-113	A-73		
WD-113	6.000	WS	WD-113	A-73		
WDH-113	6.000	WS	WDH-113	A-73		
H-116	8.000	WS	WD-116	A-73		
WD-116	8.000	WS	WD-116	A-73		
WDH-116	8.000	WS	WDH-116	A-73		
WSD-116	8.000	WS	WD-116	A-73		
WSD-116P	8.000	WS	WDH-116	A-73		
119R	3.075	RC	119R	A-19	119RX	C-12
119RX	3.075	RC	119RX	A-19	119RX	C-12
WSD-120	6.000	WS	WD-120	**		
WSD-120P	6.000	WS	WDH-120	**		
H-122	8.000	WS	WD-122	**		
WD-122	8.000	WS	WD-122	**		
WDH-122	8.000	WS	WDH-122	**		
WSD-122	8.000	WS	WD-122	**		
WSD-122P	8.000	WS	WDH-122	**		
H-124	4.000	WS	W-124	A-66	WH-124	C-36
H-124HD	4.063	WS	W-124H	A-66	WH-124H	C-36
RO-124	4.063	D	US-1242	A-4	US-1242	C-6
SS-124	4.063	D	US-1242	A-4	US-1242	C-6
SS-124DP	4.063	D	US-1242	A-4	US-1242	C-6
W-124	4.000	WS	W-124	A-66	WH-124	C-36
W-124H	4.063	WS	W-124H	A-66	WH-124H	C-36
WH-124	4.000	WS	WH-124	A-66	WH-124	C-36
WH-124H	4.063	WS	W-124H	A-66	WH-124H	C-36
WH-124HD	4.063	WS	WH-124H	A-66	WH-124H	C-36
WR-124	4.000	WS	W-124	A-66	WH-124	C-36
WR-124HD	4.063	WS	W-124H	A-66	WH-124H	C-36
WS-124	4.000	WS	W-124	A-66	WH-124	C-36
WS-124HD	4.063	WS	W-124H	A-66	WH-124H	C-36
WS124HDP	4.063	WS	WH-124H	A-66	WH-124H	C-36
WS-124P	4.000	WS	WH-124	A-66	WH-124	C-36
131	3.075	SB	131	A-54	131	C-29
C-131	3.075	C	C-131	A-63	131	C-29
HSB-131	3.075	SB	131	A-54	131	C-29
S-131	3.075	SB	131	A-54	131	C-29
SBS-131	3.075	SB	131	A-54	131	C-29
SS-131	3.075	SB	131	A-54	131	C-29
A-132	6.050	C	C-132	A-63	WH-132	C-38
C-132	6.050	C	C-132	A-63	WH-132	C-38
C-132M	6.050	C	C-132	A-63	WH-132	C-38
H-132	6.050	WS	W-132	A-66	WH-132	C-38
N-132	6.050	C	C-132	A-63	WH-132	C-38
W-132	6.050	WS	W-132	A-66	WH-132	C-38
WCH-132	6.050	WS	WCH-132	A-66	WH-132	C-38
WH-132	6.050	WS	WH-132	A-66	WH-132	C-38
WH-132SS	6.050	WS	WH-132SS	A-66	WH-132	C-38
WR-132	6.050	WS	W-132	A-66	WH-132	C-38
WS-132	6.050	WS	W-132	A-66	WH-132	C-38
WS-132P	6.050	WS	WH-132	A-66	WH-132	C-38

* Style abbreviations: D = Drive chain; RC = Roller conveyor chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain; BP = Bar and pin chain.

** Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact the Union Chain Division of U.S. Tsubaki for more information.



UNION CHAIN DIVISION - UNIVERSAL PRODUCT CROSS-REFERENCE

Universal Product Cross-Reference (Continued)

Sorted by Chain Number

Chain Number	Pitch	Style*	Union Chain Number	Chain Page Number	Union Sprocket Number	Sprocket Page Number
134	6.000	SB	US-850	**		
149	4.000	RC	89R	A-19	89R	C-14
MSR-149	4.000	RC	89R	A-19	89R	C-14
150X	6.050	SB	150X	A-54	150X	C-32
HSB-150PLUS	6.050	SB	150X	A-54	150X	C-32
SA-150	6.050	SB	150X	A-54	150X	C-32
SBS-150PLUS	6.050	SB	150X	A-54	150X	C-32
SS-150X	6.050	SB	150X	A-54	150X	C-32
SX-150	6.050	SB	150X	A-54	150X	C-32
W-150	6.050	WS	W-150	A-66	WH-132	C-38
WH-150	6.050	WS	WH-150	A-66	WH-132	C-38
WS-150P	6.050	WS	WH-150	A-66	WH-132	C-38
W-155	6.050	WS	W-155	A-66	WH-155	C-38
WH-155	6.050	WS	WH-155	A-66	WH-155	C-38
160/348	2.000	D	160/348	A-82		
160/458	2.000	D	160/458	A-82		
160/678	2.000	D	160/678	A-82		
162R	1.654	RC	162R	**	378RX	C-11
SS-162P	1.654	RC	378R	A-19	378RX	C-11
180	12.000	RC	B-1264R	A-20	B-1264R	C-25
SR-183	3.000	RC	53R	A-19	53R	C-12
188	2.609	SB	188	A-54	188	C-29
188Z	2.609	C	C-188	A-63	WH-78	C-35
C-188	2.609	C	C-188	A-63	WH-78	C-35
C-188M	2.609	C	C-188	A-63	WH-78	C-35
HSB-188	2.609	SB	188	A-54	188	C-29
S-188	2.609	SB	188	A-54	188	C-29
SBS-188	2.609	SB	188	A-54	188	C-29
SR-188	4.000	RC	1188R	A-19	91R	C-14
SS-188	2.609	SB	188	A-54	188	C-29
SR-194	4.000	RC	US-90R	A-19	US-90R	C-14
DS-196R	6.000	RC	DS-196R	B-33	627R	C-16
SR-196	6.000	RC	US-196R	A-19	627R	C-16
SRD-196	6.000	RC	DS-196R	B-33	627R	C-16
US-196R	6.000	RC	US-196R	A-19	627R	C-16
RF-205	3.075	RC	119R	A-19	119RX	C-12
234PB	3.510	D	351RX	**		
SS-234PLUS	3.510	D	351RX	**		
RX-238	3.500	D	US-3514	A-4	US-3514	C-6
276	12.000	RC	1276R	A-20	E-1263R	C-25
SS-276	12.000	RC	1276R	A-20	E-1263R	C-25
US-278R	2.609	RC	US-278R	A-19	87R	C-11
327R	2.980	RC	327R	**		
344SXX	3.000	D	344SXX	A-4	344SXX	C-4
X-345	3.000	D	344SXX	A-4	344SXX	C-4
S-348	3.015	R	S-348	A-78	X-348	C-41
X-348	3.015	R	X-348	A-76	X-348	C-41
362	1.654	RC	US-620X	**	378RX	C-11
362R	1.654	RC	US-620X	**	378RX	C-11
A-362	1.654	RC	US-620X	**	378RX	C-11
B-362	1.654	RC	162R	**	378RX	C-11
R-362	1.654	RC	162R	**	378RX	C-11
RC-362	1.654	RC	162R	**	378RX	C-11
378R	1.654	RC	378R	A-19	378RX	C-11
378RX	1.654	RC	378RX	A-19	378RX	C-11
R-432	1.654	D	US-622	**	378RX	C-11
RR-432	1.654	RC	378R	A-19	378RX	C-11
SS-433	2.609	D	US-881	**	US-882	C-4

* Style abbreviations: D = Drive chain; RC = Roller conveyor chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain; BP = Bar and pin chain.

** Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact the Union Chain Division of U.S. Tsubaki for more information.

Universal Product Cross-Reference (Continued)
Sorted by Chain Number

Chain Number	Pitch	Style*	Union Chain Number	Chain Page Number	Union Sprocket Number	Sprocket Page Number
433 1/2	2.609	D	US-881	**	US-882	C-4
433 1/2P	2.609	D	US-882	**	US-882	C-4
R-434	1.654	D	US-622	**	378RX	C-11
450SXX	4.500	D	US-4522	A-4	US-4522	C-8
S-458	4.031	R	S-458	A-78	X-458	C-41
X-458	4.031	R	X-458	A-76	X-458	C-41
462R	1.654	RC	462R	**	378RX	C-11
462RX	1.654	D	US-622	**	378RX	C-11
468	4.031	R	468	A-76		
H-480	8.000	WS	WD-480	A-73		
WD-480	8.000	WS	WD-480	A-73		
WDH-480	8.000	WS	WDH-480	A-73		
WSD-480	8.000	WS	WD-480	A-73		
WSD-480P	8.000	WS	WDH-480	A-73		
R-506	2.300	D	US-770	**		
R-514	2.500	D	US-2570	**		
S-517	2.609	D	US-881	**	US-882	C-4
520P	2.563	D	520RX	A-4		
520RX	2.563	D	520RX	A-4		
A-520	2.563	D	520RX	A-4		
RO-520	2.563	D	520RX	A-4		
S-520	2.563	D	520RX	A-4		
XS-520	2.563	D	520RX	A-4		
A-522	2.640	D	1184RX	**		
SS-522	2.640	D	1184RX	**		
SS-522P	2.640	D	1184RX	**		
527R	3.075	D	US-1031	A-4	US-3075	C-5
527RX	3.075	D	US-1031	A-4	US-3075	C-5
531	4.000	RC	89R	A-19	89R	C-14
S-531	4.000	RC	89R	A-19	89R	C-14
S-554	3.075	D	US-1030	A-4	US-3075	C-5
S-554PLUS	3.075	D	US-1031	A-4	US-3075	C-5
S-557	4.063	D	US-1242	A-4	US-1242	C-6
S-557PLUS	4.063	D	US-1242	A-4	US-1242	C-6
SS-568P	3.067	D	US-3011	A-4	US-3011	C-5
X-568	3.067	D	US-3011	A-4	US-3011	C-5
588RX	2.609	D	US-882	A-4	US-882	C-4
A-588	2.609	D	US-882	A-4	US-882	C-4
R-588	2.609	D	US-882	A-4	US-882	C-4
RO-588	2.609	D	US-882	A-4	US-882	C-4
RR-588	2.609	RC	87R	A-19	87R	C-11
602R	6.000	RC	602R	**		
603R	6.000	RC	603R	A-19	603R	C-16
604R	6.000	RC	604R	A-19	627R	C-16
DS-604R	6.000	RC	604R	A-19	627R	C-16
607R	6.000	RC	607R	A-19	CC5	C-17
610R	6.000	RC	610R	A-20	610R	C-17
SS-610	6.000	RC	610R	A-20	610R	C-17
614R	6.000	RC	614R	A-20	CC5	C-17
LXS-620	1.654	RC	162R	**	378RX	C-11
IS-622	1.654	D	US-622	**	378RX	C-11
LXS-622	1.654	D	US-622	**	378RX	C-11
RO-622	1.654	D	US-622	**	378RX	C-11
IS-624	1.654	RC	162R	**	378RX	C-11
625R	6.000	RC	625R	A-19	625R	C-17
LXS-625	1.654	RC	162R	**	378RX	C-11
626R	6.000	RC	626R	A-20	626R	C-18
627R	6.000	RC	627R	A-19	627R	C-16

* Style abbreviations: D = Drive chain; RC = Roller conveyor chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain; BP = Bar and pin chain.

** Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact the Union Chain Division of U.S. Tsubaki for more information.



UNION CHAIN DIVISION - UNIVERSAL PRODUCT CROSS-REFERENCE

Universal Product Cross-Reference (Continued)

Sorted by Chain Number

Chain Number	Pitch	Style*	Union Chain Number	Chain Page Number	Union Sprocket Number	Sprocket Page Number
LXS-627	1.654	RC	378R	A-19	378RX	C-11
RS-627	1.654	RC	378RX	A-19	378RX	C-11
RX-627	1.654	RC	378RX	A-19	378RX	C-11
628R	6.000	RC	628R	A-19	DS-6272	C-16
629R	6.000	RC	629R	A-19	629R	C-18
631	6.000	RC	631R	A-20	626R	C-18
631R	6.000	RC	631R	A-20	626R	C-18
632R	6.000	RC	632R	**		
633R	6.000	RC	633R	**		
634R	6.000	RC	634R	**	627R	C-16
635A	4.500	D	US-4522	A-4	US-4522	C-8
B-635	4.500	D	US-4522	A-4	US-4522	C-8
RO-635	4.500	D	US-4522	A-4	US-4522	C-8
TXS-635	4.500	D	US-4522	A-4	US-4522	C-8
X-635	4.500	D	US-4522	A-4	US-4522	C-8
XXS-635	4.500	D	US-4522	A-4	US-4522	C-8
SS-658	6.000	RC	625R	A-19	625R	C-17
X-658	6.031	R	X-658	A-76		
B-663R	6.000	RC	B-663R	A-20	629R	C-18
678	6.031	R	678	A-76	X-678	C-42
S-678	6.031	R	S-678	A-78	X-678	C-42
X-678	6.031	R	X-678	A-78	X-678	C-42
698	6.031	R	698	A-76	698	C-42
S-698	6.031	R	S-698	A-78	698	C-42
W-720S	6.000	WS	W-720S	B-84	WH-720S	C-37
W-720SH	6.000	WS	W-720SH	B-84	WH-720S	C-37
WH-720S	6.000	WS	WH-720S	B-84	WH-720S	C-37
WH-720SH	6.000	WS	WH-720SH	B-84	WH-720S	C-37
LXS-770	2.300	D	US-770	**		
R-778	2.609	D	US-881	**	US-882	C-4
RR-778	2.609	RC	US-278R	A-19	87R	C-11
SS-793	6.000	RC	US-196R	A-19	627R	C-16
SS-796	6.000	RC	2178R	**	610R	C-17
800RX	8.000	RC	800RX	A-20	800RX	C-19
SS-800	8.000	RC	800RX	A-20	800RX	C-19
806R	8.000	RC	806R	A-20	806R	C-18
809	9.000	RC	809R	**		
809R	9.000	RC	809R	**		
825	4.000	SB	825	**		
S-825	4.000	SB	825	**		
830	6.000	SB	830	**		
S-830	6.000	SB	830	**		
834R	8.000	RC	834R	**		
F-840	18.000	RC	B-1864R	A-20	B-1864R	C-27
844	6.000	SB	844	**		
844X	6.000	SB	844X	**		
S-850	6.000	SB	US-850	**		
SS-850	6.000	SB	US-850	**		
US-850	6.000	SB	US-850	**		
S-856	6.000	SB	4856	A-54	4856	C-31
856	6.000	SB	4856	A-54	4856	C-31
SX-856	6.000	SB	4856	A-54	4856	C-31
X-857	6.000	SB	4857	A-54	4856	C-31
X-859	6.000	SB	4859	A-54	4859	C-31
IS-881	2.609	D	US-881	**	US-882	C-4
LXS-881	2.609	D	US-881	**	US-882	C-4
RO-881	2.609	D	US-881	**	US-882	C-4
US-881	2.609	D	US-881	**	US-882	C-4

* Style abbreviations: D = Drive chain; RC = Roller conveyor chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain; BP = Bar and pin chain.

** Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact the Union Chain Division of U.S. Tsubaki for more information.

Universal Product Cross-Reference (Continued)
Sorted by Chain Number

Chain Number	Pitch	Style*	Union Chain Number	Chain Page Number	Union Sprocket Number	Sprocket Page Number
IS-882	2.609	D	US-882	A-4	US-882	C-4
JS-882	2.609	D	US-882	A-4	US-882	C-4
LXS-882	2.609	D	US-882	A-4	US-882	C-4
RO-882	2.609	D	US-882	A-4	US-882	C-4
US-882	2.609	D	US-882	A-4	US-882	C-4
IS-886	2.609	RC	US-278R	A-19	87R	C-11
LXS-886	2.609	RC	US-278R	A-19	87R	C-11
RS-886	2.609	RC	US-278R	A-19	87R	C-11
SX-886	7.000	SB	US-7038	**		
IS-887	2.609	RC	87R	A-19	87R	C-11
LXS-887	2.609	RC	87R	A-19	87R	C-11
RS-887	2.609	RC	87R	A-19	87R	C-11
SS-889	6.000	RC	603R	A-19	603R	C-16
896R	8.000	RC	896R	A-20	896R	C-19
911	9.000	RC	B-912R	A-20	B-912R	C-20
911C	9.000	RC	B-912R	A-20	B-912R	C-20
E-911	9.000	RC	B-912R	A-20	B-912R	C-20
IS-911	9.000	RC	B-912R	A-20	B-912R	C-20
SS-911	9.000	RC	B-912R	A-20	B-912R	C-20
A-912R	9.000	RC	B-912R	A-20	B-912R	C-20
B-912R	9.000	RC	B-912R	A-20	B-912R	C-20
E-912	9.000	RC	B-912R	A-20	B-912R	C-20
SS-912	9.000	RC	B-912R	A-20	B-912R	C-20
E-921	9.000	RC	B-912R	A-20	B-912R	C-20
922	9.000	RC	B-963R	A-20	B-963R	C-21
922C	9.000	RC	B-963R	A-20	B-963R	C-21
E-922	9.000	RC	D-963R	A-20	D-963R	C-21
F-922	9.000	RC	B-963R	A-20	B-963R	C-21
SS-922	9.000	RC	B-963R	A-20	B-963R	C-21
925R	9.000	RC	925R	A-20	925R	C-19
SS-927	9.000	RC	D-963R	A-20	D-963R	C-21
SS-928	9.000	RC	D-963R Special	**		
F-929	9.000	RC	E-963R	A-20	E-963R	C-22
SS-929	9.000	RC	E-963R	A-20	E-963R	C-22
F-930	9.000	RC	B-963R	A-20	B-963R	C-21
SS-930	9.000	RC	B-963R	A-20	B-963R	C-21
932	9.000	RC	E-963R	A-20	E-963R	C-22
F-932	9.000	RC	E-963R	A-20	E-963R	C-22
SS-932	9.000	RC	E-963R	A-20	E-963R	C-22
933	9.000	RC	B-964R	A-20	B-964R	C-22
933C	9.000	RC	B-964R	A-20	B-964R	C-22
F-933	9.000	RC	B-964R	A-20	B-964R	C-22
SS-933	9.000	RC	B-964R	A-20	B-964R	C-22
F-940	9.000	RC	B-964R	A-20	B-964R	C-22
SS-940	9.000	RC	B-964R	A-20	B-964R	C-22
SS-945	6.000	RC	629R	A-19	629R	C-18
951	6.000	RC	626R	A-20	626R	C-18
S-951	6.000	RC	626R	A-20	626R	C-18
SS-951	6.000	RC	626R	A-20	626R	C-18
RS-958	9.000	RC	925R	A-20	925R	C-19
RS-958W	9.000	RC	925R	A-20	925R	C-19
SS-960	6.000	RC	2198RX	A-20	610R	C-17
961R	9.000	RC	961R	A-20		
A-963R	9.000	RC	B-963R	A-20	B-963R	C-21
B-963R	9.000	RC	B-963R	A-20	B-963R	C-21
D-963R	9.000	RC	D-963R	A-20	D-963R	C-21
E-963R	9.000	RC	E-963R	A-20	E-963R	C-22
F-963R	9.000	RC	E-963R	A-20	E-963R	C-22

* Style abbreviations: D = Drive chain; RC = Roller conveyor chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain; BP = Bar and pin chain.

** Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact the Union Chain Division of U.S. Tsubaki for more information.



UNION CHAIN DIVISION - UNIVERSAL PRODUCT CROSS-REFERENCE

Universal Product Cross-Reference (Continued)

Sorted by Chain Number

Chain Number	Pitch	Style*	Union Chain Number	Chain Page Number	Union Sprocket Number	Sprocket Page Number
A-964R	9.000	RC	B-964R	A-20	B-964R	C-22
B-964R	9.000	RC	B-964R	A-20	B-964R	C-22
965R	9.000	RC	4009	A-20	4009	C-20
967R	9.000	RC	4004	A-20	4004	C-21
973R	9.000	RC	973R	A-20	973R	C-23
SS-996	6.000	RC	96RX	A-20	610R	C-17
998	9.031	R	998	A-76	998	C-42
S-998	9.031	R	S-998	A-78	998	C-42
1007	6.000	RC	96R	A-20	610R	C-17
1007D	6.000	RC	96R	A-20	610R	C-17
1007DP	6.000	RC	96RX	A-20	610R	C-17
1007P	6.000	RC	96RX	A-20	610R	C-17
1030	3.075	D	US-1030	A-4	US-3075	C-5
1030DW3	3.075	D	US-1032	**	US-3075	C-5
IS-1030	3.075	D	US-1030	A-4	US-3075	C-5
JS-1030	3.075	D	US-1030	A-4	US-3075	C-5
US-1030	3.075	D	US-1030	A-4	US-3075	C-5
IS-1031	3.075	D	US-1031	A-4	US-3075	C-5
JS-1031	3.075	D	US-1031	A-4	US-3075	C-5
LXS-1031	3.075	D	US-1031	A-4	US-3075	C-5
LXS-1031M	3.075	D	US-1031	A-4	US-3075	C-5
RO-1031	3.075	D	US-1031	A-4	US-3075	C-5
US-1031	3.075	D	US-1031	A-4	US-3075	C-5
IS-1032	3.075	D	US-1032	**	US-3075	C-5
LXS-1032	3.075	D	US-1032	**	US-3075	C-5
US-1032	3.075	D	US-1032	**	US-3075	C-5
1033	3.075	D	US-1031	A-4	US-3075	C-5
R-1033	3.075	D	US-1031	A-4	US-3075	C-5
SS-1033	3.075	D	US-1031	A-4	US-3075	C-5
R-1035	3.075	D	US-1032	**	US-3075	C-5
1037	3.075	D	US-3075	A-4	US-3075	C-5
IS-1037	3.075	D	US-3075	A-4	US-3075	C-5
1041AA	2.500	D	US-2570	**		
SS-1088	2.609	RC	81X	A-19	81X	C-11
1094	2.300	D	US-770	**		
1094C	2.300	D	US-770	**		
1095	12.000	RC	1272R	**		
1113R	4.040	RC	1113R	A-19	DS-1113	C-15
SR-1113	4.040	RC	1113R	A-19	DS-1113	C-15
SS-1113	4.040	RC	1113R	A-19	DS-1113	C-15
SR-1114	6.000	RC	627R	A-19	627R	C-16
SS-1114	6.000	RC	627R	A-19	627R	C-16
SS-1116	6.000	RC	604R	A-19	627R	C-16
SS-1116CR	6.000	RC	DS-604R	**	627R	C-16
RR-1120	4.000	RC	95R	A-19	95R	C-13
S-1120	4.000	RC	95R	A-19	95R	C-13
SS-1120	4.000	RC	95R	A-19	95R	C-13
1126	6.000	RC	1126R	A-20	DS-6272	C-16
1126C	6.000	RC	1126RS	A-20	626R	C-18
1126R	6.000	RC	1126R	A-20	DS-6272	C-16
1126RS	6.000	RC	1126RS	A-20	626R	C-18
SS-1126	6.000	RC	1126R	A-20	DS-6272	C-16
SS-1126 1/2	6.000	RC	1126RS	A-20	626R	C-18
1131R	6.000	RC	1131R	A-20	629R	C-18
S-1131	6.000	RC	1131R	A-20	629R	C-18
SS-1131	6.000	RC	1131R	A-20	629R	C-18
S-1183	3.000	RC	53R	A-19	53R	C-12
SR-1183	3.000	RC	53R	A-19	53R	C-12

* Style abbreviations: D = Drive chain; RC = Roller conveyor chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain; BP = Bar and pin chain.

** Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact the Union Chain Division of U.S. Tsubaki for more information.

Universal Product Cross-Reference (Continued)
Sorted by Chain Number

Chain Number	Pitch	Style*	Union Chain Number	Chain Page Number	Union Sprocket Number	Sprocket Page Number
SS-1183	3.000	RC	53R	A-19	53R	C-12
1184R	2.640	D	1184RX	**		
1184RX	2.640	D	1184RX	**		
1188R	4.000	RC	1188R	A-19	91R	C-14
SS-1188	4.000	RC	1188R	A-19	91R	C-14
1190R	3.075	D	US-1030	A-4	US-3075	C-5
1190R3	3.075	D	US-1032	**	US-3075	C-5
1190RX	3.075	D	US-1031	A-4	US-3075	C-5
1190RXX	3.075	D	US-3075	A-4	US-3075	C-5
1190SXX	3.075	D	US-3075	A-4	US-3075	C-5
SS-1194	4.000	RC	US-90R	A-19	US-90R	C-14
S-1196	6.000	RC	US-196R	A-19	627R	C-16
SS-1196	6.000	RC	US-196R	A-19	627R	C-16
1202P	5.000	D	US-5031	A-4	US-5035	C-8
A-1202	5.000	D	US-5031	A-4	US-5035	C-8
SS-1202	5.000	D	US-5031	A-4	US-5035	C-8
SS-1202P	5.000	D	US-5031	A-4	US-5035	C-8
SS-1204P	5.000	D	US-5031	A-4	US-5035	C-8
XXXS-1205	5.000	D	US-5031	A-4	US-5035	C-8
1207	5.000	D	US-5031	A-4	US-5035	C-8
RO-1207	5.000	D	US-5031	A-4	US-5035	C-8
RX-1207	5.000	D	US-5031	A-4	US-5035	C-8
1211	12.000	RC	B-1212R	A-20	B-1212R	C-23
1211C	12.000	RC	B-1212R	A-20	B-1212R	C-23
1211P	12.000	RC	B-1212R	A-20	B-1212R	C-23
E-1211	12.000	RC	B-1212R	A-20	B-1212R	C-23
SS-1211	12.000	RC	B-1212R	A-20	B-1212R	C-23
1212	6.000	RC	628R	A-19	DS-6272	C-16
A-1212R	12.000	RC	B-1212R	A-20	B-1212R	C-23
B-1212R	12.000	RC	B-1212R	A-20	B-1212R	C-23
E-1212	12.000	RC	B-1212R	A-20	B-1212R	C-23
SS-1212	12.000	RC	B-1212R	A-20	B-1212R	C-23
1222	12.000	RC	B-1263R	A-20	B-1263R	C-24
1222C	12.000	RC	B-1263R	A-20	B-1263R	C-24
E-1222	12.000	RC	D-1263R	A-20	D-1263R	C-24
F-1222	12.000	RC	B-1263R	A-20	B-1263R	C-24
SS-1222	12.000	RC	B-1263R	A-20	B-1263R	C-24
SS-1227	12.000	RC	D-1263R	A-20	D-1263R	C-24
SS-1230	12.000	RC	B-1263R	A-20	B-1263R	C-24
F-1232	12.000	RC	E-1263R	A-20	E-1263R	C-25
RS-1232	12.000	RC	E-1263R	A-20	E-1263R	C-25
SS-1232	12.000	RC	E-1263R	A-20	E-1263R	C-25
1233	12.000	RC	B-1264R	A-20	B-1264R	C-25
1233C	12.000	RC	B-1264R	A-20	B-1264R	C-25
F-1233	12.000	RC	B-1264R	A-20	B-1264R	C-25
RS-1233	12.000	RC	B-1264R	A-20	B-1264R	C-25
SS-1233	12.000	RC	B-1264R	A-20	B-1264R	C-25
SS-1236	12.000	RC	1272R	**		
SS-1240	12.000	RC	B-1264R	A-20	B-1264R	C-25
XXS-1240	4.063	D	US-1242	A-4	US-1242	C-6
1240RXX	4.063	D	US-1242	A-4	US-1242	C-6
1240	4.063	D	US-1242	A-4	US-1242	C-6
LXS-1241M	4.063	D	US-1241	A-4	US-1242	C-6
US-1241	4.063	D	US-1241	A-4	US-1242	C-6
IS-1242	4.063	D	US-1242	A-4	US-1242	C-6
LXS-1242M	4.063	D	US-1242	A-4	US-1242	C-6
LXS-1242	4.063	D	US-1242	A-4	US-1242	C-6
RO-1242	4.063	D	US-1242	A-4	US-1242	C-6

* Style abbreviations: D = Drive chain; RC = Roller conveyor chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain; BP = Bar and pin chain.

** Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact the Union Chain Division of U.S. Tsubaki for more information.



UNION CHAIN DIVISION - UNIVERSAL PRODUCT CROSS-REFERENCE

Universal Product Cross-Reference (Continued)

Sorted by Chain Number

Chain Number	Pitch	Style*	Union Chain Number	Chain Page Number	Union Sprocket Number	Sprocket Page Number
US-1242	4.063	D	US-1242	A-4	US-1242	C-6
F-1244	12.000	RC	1273R	A-20	1273R	C-25
SS-1244	12.000	RC	1273R	A-20	1273R	C-25
1244	12.000	RC	1273R	A-20		
1244	4.063	D	US-1242	A-4	US-1242	C-6
1245SXX	4.073	D	US-1245	A-4	US-1245	C-7
B-1245	4.073	D	US-1245	A-4	US-1245	C-7
IS-1245	4.073	D	US-1245	A-4	US-1245	C-7
J-1245A	4.073	D	US-1245	A-4	US-1245	C-7
LXS-1245	4.073	D	US-1245	A-4	US-1245	C-7
RO-1245	4.073	D	US-1245	A-4	US-1245	C-7
RX-1245	4.073	D	US-1245	A-4	US-1245	C-7
US-1245	4.073	D	US-1245	A-4	US-1245	C-7
XXS-1245	4.073	D	US-1245	A-4	US-1245	C-7
R-1248	4.063	D	US-1242	A-4	US-1242	C-6
1251	12.000	RC	DWG. 14419	**		
1258	6.000	RC	625R	A-19	625R	C-17
A-1263R	12.000	RC	B-1263R	A-20	B-1263R	C-24
B-1263R	12.000	RC	B-1263R	A-20	B-1263R	C-24
D-1263R	12.000	RC	D-1263R	A-20	D-1263R	C-24
E-1263R	12.000	RC	E-1263R	A-20	E-1263R	C-25
A-1264R	12.000	RC	B-1264R	A-20	B-1264R	C-25
B-1264R	12.000	RC	B-1264R	A-20	B-1264R	C-25
1265R	12.000	RC	1265R	A-20	1265R	C-23
B-1266R	12.000	RC	B-1266R	A-20	B-1266R	C-24
1267	12.000	RC	1276R	A-20		
1271R	12.000	RC	1271R	A-20	1273R	C-25
1272R	12.000	RC	1272R	**		
1273	12.000	RC	B-1266R	A-20	B-1266R	C-24
1273R	12.000	RC	1273R	A-20		
1276R	12.000	RC	1276R	A-20		
1288	2.609	RC	81X	A-19	81X	C-11
1297	4.040	RC	1113R	A-19	DS-1113	C-15
R-1305	3.075	D	US-1032	**	US-3075	C-5
A-1306	6.000	D	US-6042	A-4	US-6042	C-10
RO-1306	6.000	D	US-6042	A-4	US-6042	C-10
RO-1307	7.000	D	US-7060	**		
A-1309	7.000	D	US-7080	A-4	US-7080	C-10
X-1311	6.500	D	US-6560	**		
1322	12.000	RC	D-1263R	A-20	D-1263R	C-24
1322C	12.000	RC	D-1263R	A-20	D-1263R	C-24
SS-1326	6.000	RC	DWG. 20463	**		
1338	8.000	RC	DWG. 17758	**		
RO-1343	4.090	D	US-4121	A-4		
X-1343	4.090	D	US-4121	A-4		
X-1345	4.090	D	US-4122	A-4	US-4122	C-7
1347	4.063	D	US-1242	A-4	US-1242	C-6
US-1353	4.090	D	US-1353	A-4		
X-1353	4.090	D	US-1353	A-4		
1378	1.654	RC	378R	A-19	378RX	C-11
1510RXX	5.000	D	US-5031	A-4	US-5035	C-8
RS-1513	3.075	RC	119R	A-19	119RX	C-12
1520	4.000	RC	95R	A-19	95R	C-13
1520C	4.000	RC	95R	A-19	95R	C-13
1535D2	3.075	SB	30702	B-65		
1536M6	3.075	RC	30701	B-63		
1539	3.075	RC	119R	A-19	119RX	C-12
1568	3.067	D	US-3011	A-4	US-3011	C-5

* Style abbreviations: D = Drive chain; RC = Roller conveyor chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain; BP = Bar and pin chain.

** Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact the Union Chain Division of U.S. Tsubaki for more information.

Universal Product Cross-Reference (Continued)
Sorted by Chain Number

Chain Number	Pitch	Style*	Union Chain Number	Chain Page Number	Union Sprocket Number	Sprocket Page Number
AX-1568	3.065	D	US-3011	A-4	US-3011	C-5
1583	3.000	RC	53R	A-19	53R	C-12
1583C	3.000	RC	53R	A-19	53R	C-12
1588	4.000	RC	1188R	A-19	91R	C-14
1589	4.000	RC	DWG. 14382	**	89R	C-14
1594	4.000	RC	US-90R	A-19	US-90R	C-14
1601A	5.750	D	US-5738	A-4		
1602A	5.000	D	US-5031	A-4	US-5035	C-8
1602AA	5.000	D	US-5031	A-4	US-5035	C-8
RO-1602AA	5.000	D	US-5031	A-4	US-5035	C-8
1604R	6.000	RC	1604R	**		
1605AAA	5.000	D	US-5035	A-4	US-5035	C-8
1606	6.000	RC	603R	A-19	603R	C-16
1606AA	6.000	D	US-6042	A-4	US-6042	C-10
1607AA	7.000	D	US-7060	**		
1613A	2.000	D	US-2065	A-4		
RO-1613AK	2.000	D	US-2065	A-4		
1616A	3.500	D	US-3514	A-4	US-3514	C-6
RO-1616	3.500	D	US-3514	A-4	US-3514	C-6
1617	6.000	RC	CC5	A-20	CC5	C-17
1625A	2.500	D	US-64S	A-4	US-64S	C-3
1626A	6.000	D	US-6042	A-4	US-6042	C-10
1627B	2.500	D	US-64S	A-4	US-64S	C-3
1630A	3.000	D	344SXX	A-4	344SXX	C-4
1630R	6.000	RC	1630R	A-20	CC5	C-17
1640A	3.075	D	US-1032	**	US-3075	C-5
1641AA	2.500	D	US-2570	**		
1645A	4.073	D	US-1245	A-4	US-1245	C-7
1645AB	4.073	D	US-1245	A-4	US-1245	C-7
1702	6.000	RC	628R	A-19	DS-6272	C-16
1706	6.000	RC	614R	A-20	CC5	C-17
1706R	12.000	RC	1706R	B-77		
RO-1706	3.075	D	DWG. 16750	**		
1709	9.000	RC	925R	A-20	925R	C-19
1721	4.000	RC	94R	A-19	94R	C-13
1734	6.000	RC	1131R	A-20	629R	C-18
1743	12.000	RC	B-1266R	A-20	B-1266R	C-24
1743 1/2	12.000	RC	B-1266R	A-20	B-1266R	C-24
1751	9.000	RC	D-963R	A-20	D-963R	C-21
1751C	9.000	RC	D-963R	A-20	D-963R	C-21
SS-1769	6.000	RC	2178RX	A-20	610R	C-17
1796	6.000	RC	US-196R	A-19	627R	C-16
SS-1796	6.000	RC	2178RX	A-20	610R	C-17
1803AB	3.067	D	US-3011	A-4	US-3011	C-5
1807	6.000	RC	2198RX	A-20	610R	C-5
1822	18.000	RC	B-1863R	A-20	B-1863R	C-26
1822C	18.000	RC	B-1863R	A-20	B-1863R	C-26
E-1822	18.000	RC	D-1863R	A-20	D-1863R	C-26
F-1822	18.000	RC	B-1863R	A-20	B-1863R	C-26
SS-1822	18.000	RC	B-1863R	A-20	B-1863R	C-26
1823	6.000	RC	634R	**	627R	C-16
SS-1827	18.000	RC	D-1863R	A-20	D-1863R	C-26
1829	6.000	RC	604R	A-19	627R	C-26
F-1830	18.000	RC	B-1863R	A-20	B-1863R	C-26
SS-1830	18.000	RC	B-1863R	A-20	B-1863R	C-26
1831	18.000	RC	D-1863R	A-20	D-1863R	C-26
1832	18.000	RC	F-1863R	A-20	E-1863R	C-26
F-1832	18.000	RC	F-1863R	A-20	E-1863R	C-26

* Style abbreviations: D = Drive chain; RC = Roller conveyor chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain; BP = Bar and pin chain.

** Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact the Union Chain Division of U.S. Tsubaki for more information.



UNION CHAIN DIVISION - UNIVERSAL PRODUCT CROSS-REFERENCE

Universal Product Cross-Reference (Continued)

Sorted by Chain Number

Chain Number	Pitch	Style*	Union Chain Number	Chain Page Number	Union Sprocket Number	Sprocket Page Number
SS-1832	18.000	RC	F-1863R	A-20	E-1863R	C-26
1833	18.000	RC	B-1864R	A-20	B-1864R	C-27
1833C	18.000	RC	B-1864R	A-20	B-1864R	C-27
F-1833	18.000	RC	B-1864R	A-20	B-1864R	C-27
SS-1833	18.000	RC	B-1864R	A-20	B-1864R	C-27
SS-1840	18.000	RC	B-1864R	A-20	B-1864R	C-27
1844	18.000	RC	1873R	A-20	1873R	C-27
F-1844	18.000	RC	1873R	A-20	1873R	C-27
SS-1844	18.000	RC	1873R	A-20	1873R	C-27
1855	18.000	RC	1866R	A-20	1866R	C-27
F-1855	18.000	RC	1866R	A-20	1866R	C-27
SS-1855	18.000	RC	1866R	A-20	1866R	C-27
1862	1.654	RC	378R	A-19	378RX	C-11
1862C	1.654	RC	378R	A-19	378RX	C-11
A-1863R	18.000	RC	B-1863R	A-20	B-1863R	C-26
B-1863R	18.000	RC	B-1863R	A-20	B-1863R	C-26
D-1863R	18.000	RC	D-1863R	A-20	D-1863R	C-26
E-1863R	18.000	RC	F-1863R	A-20	E-1863R	C-26
F-1863R	18.000	RC	F-1863R	A-20	E-1863R	C-26
A-1864R	18.000	RC	B-1864R	A-20	B-1864R	C-27
B-1864R	18.000	RC	B-1864R	A-20	B-1864R	C-27
G-1864R	18.000	RC	G-1864R	A-20	G-1864R	C-27
1866	18.000	RC	1867R	A-20	1866R	C-27
1866R	18.000	RC	1866R	A-20	1866R	C-27
F-1866	18.000	RC	1867R	A-20	1866R	C-27
SS-1866	18.000	RC	1867R	A-20	1866R	C-27
1867R	18.000	RC	1867R	A-20	1866R	C-27
1871R	18.000	RC	1871R	A-20	1873R	C-27
1873R	18.000	RC	1873R	A-20	1873R	C-27
1906	6.000	RC	631R	A-20	626R	C-18
1972BM5	2.609	RC	26001	B-63		
RO-2010	2.500	D	US-2570	**		
LXS-2055	2.000	D	US-2065	A-4		
IS-2065	2.000	D	US-2065	A-4		
IS-2065S	2.000	D	US-2065	A-4		
LXS-2065	2.000	D	US-2065	A-4		
US-2065	2.000	D	US-2065	A-4		
SS-2066	4.000	RC	82R	**	US-90R	C-14
2102	4.000	RC	US-3433	**		
2111	6.000	RC	**	**		
B-2111	6.000	RC	**	**		
RO-2113	4.040	RC	2113R	**	DS-1113	C-15
SS-2113	4.040	RC	2113R	**	DS-1113	C-15
SS-2115	6.000	RC	602R	**		
2124	6.000	RC	96R	A-20	610R	C-17
A-2124	6.000	RC	96RX	A-20	610R	C-17
2126	6.000	RC	604R	A-19	627R	C-16
2130R	6.000	RC	2130R	A-20	CC5	C-17
2146	6.000	RC	U-3940	B-8	U-3940	C-40
S-2174	4.000	RC	U-3952	B-8	U-3952	C-39
2178A	6.000	RC	2178RX	A-20	610R	C-17
2178R	6.000	RC	2178R	**	610R	C-17
2178RX	6.000	RC	2178RX	A-20	610R	C-17
A-2178	6.000	RC	2178RX	A-20	610R	C-17
RF-2178	6.000	RC	2198RX	A-20	610R	C-17
2180	6.000	RC	628R	A-19	DS-6272	C-16
SS-2180	6.000	RC	628R	A-19	DS-6272	C-16
2183	6.000	RC	629R	A-19	629R	C-18

* Style abbreviations: D = Drive chain; RC = Roller conveyor chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain; BP = Bar and pin chain.

** Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact the Union Chain Division of U.S. Tsubaki for more information.

Universal Product Cross-Reference (Continued)
Sorted by Chain Number

Chain Number	Pitch	Style*	Union Chain Number	Chain Page Number	Union Sprocket Number	Sprocket Page Number
F-2183	6.000	RC	629R Special	**	625R	C-17
2184	6.000	RC	2184R	A-20	629R	C-18
2184P	6.000	RC	2184RX	A-20	629R	C-18
2184R	6.000	RC	2184R	A-20	629R	C-18
2184RX	6.000	RC	2184RX	A-20	629R	C-18
A-2184	6.000	RC	2184RX	A-20	629R	C-18
SS-2184P	6.000	RC	2184R	A-20	629R	C-18
SS-2184	6.000	RC	2184R	A-20	629R	C-18
2188	4.000	RC	91R	A-19	91R	C-14
RS-2188	4.000	RC	91R	A-19	91R	C-14
S-2188	4.000	RC	91R	A-19	91R	C-14
SS-2188	4.000	RC	91R	A-19	91R	C-14
2190	6.000	RC	607R	A-19	CC5	C-17
2190P	6.000	RC	607R	A-19	CC5	C-17
SS-2190	6.000	RC	607R	A-19	CC5	C-17
2198A	6.000	RC	2198RX	A-20	610R	C-17
2198RX	6.000	RC	2198RX	A-20	610R	C-17
A-2198	6.000	RC	2198RX	A-20	610R	C-17
2268	4.083	RC	US-2858	**		
2348	12.000	RC	B-1264R	A-20	B-1264R	C-25
R-2362	1.654	D	US-620X	**	378RX	C-11
2397R	12.000	RC	2397R	B-77		
2507	18.000	RC	1871R	A-20	1873R	C-27
RO-2512	3.067	D	US-3011	A-4	US-3011	C-5
LXS-2560	2.500	D	US-2570	**		
US-2560	2.500	D	US-2570	**		
IS-2570	2.500	D	US-2570	**		
IS-2570A	2.500	D	US-2570	**		
LXS-2570	2.500	D	US-2570	**		
US-2570	2.500	D	US-2570	**		
LXS-2585	2.500	D	RO-1625	**	US-64S	C-3
2614R	12.000	RC	2614R	B-77		
C-2614	12.000	RC	2614R	B-77		
ISS-2625	2.563	D	520RX	A-4		
2800	8.000	RC	800RX	A-20	800RX	C-19
2800PB	8.000	RC	800RX	A-20	800RX	C-19
A-2800	8.000	RC	800RX	A-20	800RX	C-19
RO-2814	3.500	D	US-3514	A-4	US-3514	C-6
SS-2857	6.000	SB	4857	A-54	4856	C-31
US-2858	4.083	RC	US-2858	**		
SS-2859	6.000	SB	4859	A-54	4859	C-31
SS-2864	7.000	SB	4864	A-54	4864	C-32
2995	4.250	D	X-3808	**		
IS-3010	3.067	D	US-3011	A-4	US-3011	C-5
IS-3011	3.067	D	US-3011	A-4	US-3011	C-5
LXS-3011	3.067	D	US-3011	A-4	US-3011	C-5
RO-3011	3.067	D	US-3011	A-4	US-3011	C-5
US-3011	3.067	D	US-3011	A-4	US-3011	C-5
LXS-3013	3.000	RC	53R	A-19	53R	C-12
RS-3013	3.000	RC	53R	A-19	53R	C-12
XS-3013D6	3.000	RC	DWG. 17175	**		
3067X	3.067	D	US-3011	A-4	US-3011	C-5
IS-3075	3.075	D	US-3075	A-4	US-3075	C-5
JS-3075	3.075	D	US-3075	A-4	US-3075	C-5
US-3075	3.075	D	US-3075	A-4	US-3075	C-5
3113	2.000	D	US-2065	A-4		
B-3113	2.000	D	US-2065	A-4		
3125	3.125	D	3125R	**		

* Style abbreviations: D = Drive chain; RC = Roller conveyor chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain; BP = Bar and pin chain.

** Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact the Union Chain Division of U.S. Tsubaki for more information.



UNION CHAIN DIVISION - UNIVERSAL PRODUCT CROSS-REFERENCE

Universal Product Cross-Reference (Continued)

Sorted by Chain Number

Chain Number	Pitch	Style*	Union Chain Number	Chain Page Number	Union Sprocket Number	Sprocket Page Number
3125HY	3.125	D	3125R	**		
3125HY2	3.125	D	D-3125R	**		
3125HY3	3.125	D	T-3125R	**		
3125R	3.125	D	3125R	**		
D-3125	3.125	D	D-3125R	**		
D-3125R	3.125	D	D-3125R	**		
RO-3125	3.125	D	RO-3125	**		
SS-3125HY	3.125	D	3125R	**		
SS-3125	3.125	D	3125R	**		
T-3125	3.125	D	T-3125R	**		
T-3125R	3.125	D	T-3125R	**		
RO-3140	1.750	D	RO-3140	A-4		
3146	3.075	SB	30703	B-63		
RO-3160	2.000	D	RO-3160	**		
RO-3180	2.250	D	RO-3180	A-4		
RO-3200	2.500	D	RO-1625	**	US-64S	C-3
RO-3315	4.073	D	US-1245	A-4	US-1245	C-7
3420	4.040	RC	1113R	A-19	DS-1113	C-15
3433	4.000	RC	3433	B-8		
DF-3498	1.75 X 2.5	BP	DF-3498	A-86	DF-3498	C-28
DF-3500	2.5 X 3.0	BP	DF-3500	A-86	DF-3500	C-28
IS-3514	3.500	D	US-3514	A-4	US-3514	C-6
JS-3514	3.500	D	US-3514	A-4	US-3514	C-6
LXS-3514	3.500	D	US-3514	A-4	US-3514	C-6
US-3514	3.500	D	US-3514	A-4	US-3514	C-6
RO-3618	4.500	D	US-4522	A-4	US-4522	C-8
X-3808	4.250	D	X-3808	**		
DF-3910	3.0 X 3.0	BP	DF-3910	A-86	DF-3910	C-28
U-3940	6.000	RC	U-3940	B-8	U-3940	C-40
U-3945	4.000	RC	U-3945	B-8	U-3945	C-39
U-3952	4.000	RC	U-3952	B-8	U-3952	C-39
US-3957	4.000	RC	US-3957	**		
S-4000	4.000	RC	94R	A-19	94R	C-13
4002	9.000	RC	809R	**	B-963R	C-21
SS-4002	9.000	RC	809R	**	B-963R	C-21
4004	9.000	RC	4004	A-20	4004	C-21
X-4004	9.000	RC	4004	A-20	4004	C-21
4009	9.000	RC	4009	A-20	4009	C-20
LXS-4013	4.000	RC	95R	A-19	95R	C-13
RS-4013	4.000	RC	95R	A-19	95R	C-13
JS-4014	4.063	D	US-1242	A-4	US-1242	C-6
LXS-4019	4.000	RC	94R	A-19	94R	C-13
RS-4019	4.000	RC	94R	A-19	94R	C-13
RO-4020	5.000	D	US-5031	A-4	US-5035	C-8
4023	18.000	RC	1871R	A-20	1873R	C-27
SS-4023	18.000	RC	1871R	A-20	1873R	C-27
US-4028	4.000	D	US-4031	A-4		
US-4031	4.000	D	US-4031	A-4		
4038	12.000	RC	B-1266R	A-20	B-1266R	C-24
SS-4038	12.000	RC	B-1266R	A-20	B-1266R	C-24
SS-4043	12.000	RC	B-1266R	A-20	B-1266R	C-24
4065	9.000	RC	4065	A-20	4065	C-22
JS-4106	4.063	D	US-1242	A-4	US-1242	C-6
JS-4110	4.063	D	US-1241	A-4	US-1242	C-6
LXS-4113	4.000	RC	1188R	A-19	91R	C-14
RS-4113	4.000	RC	1188R	A-19	91R	C-14
LXS-4119	4.000	RC	97R	A-19	97R	C-13
RS-4119	4.000	RC	97R	A-19	97R	C-13

* Style abbreviations: D = Drive chain; RC = Roller conveyor chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain; BP = Bar and pin chain.

** Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact the Union Chain Division of U.S. Tsubaki for more information.

Universal Product Cross-Reference (Continued)
Sorted by Chain Number

Chain Number	Pitch	Style*	Union Chain Number	Chain Page Number	Union Sprocket Number	Sprocket Page Number
US-4121	4.090	D	US-4121	A-4		
US-4122	4.090	D	US-4122	A-4	US-4122	C-7
RO-4214	4.000	D	DWG. 16751	**		
IS-4216	4.000	RC	US-90R	A-19	US-90R	C-14
LXS-4216	4.000	RC	US-90R	A-19	US-90R	C-14
RS-4216	4.000	RC	US-90R	A-19	US-90R	C-14
RS-4238	4.000	RC	89R	A-19	89R	C-14
LXS-4328	4.000	RC	89R	A-19	89R	C-14
LXS-4328G19	4.000	RC	DWG. 21758	**	89R	C-14
RS-4328	4.000	RC	89R	A-19	89R	C-14
IS-4522	4.500	D	US-4522	A-4	US-4522	C-8
US-4522	4.500	D	US-4522	A-4	US-4522	C-8
RO-4824	6.000	D	US-6042	A-4	US-6042	C-10
SS-4850	12.000	RC	1265R	A-20	1265R	C-23
4851	9.000	RC	4009	A-20	4009	C-20
SS-4851	9.000	RC	4009	A-20	4009	C-20
4852	9.000	RC	4004	A-20	4004	C-21
SS-4852	9.000	RC	4004	A-20	4004	C-21
4856	6.000	SB	4856	A-54	4856	C-31
4857	6.000	SB	4857	A-54	4856	C-31
4859	6.000	SB	4859	A-54	4859	C-31
4864	7.000	SB	4864	A-54	4864	C-32
IS-5022	5.000	D	US-5031	A-4	US-5035	C-8
LXS-5022	5.000	D	US-5031	A-4	US-5035	C-8
US-5022	5.000	D	US-5031	A-4	US-5035	C-8
IS-5028	5.000	D	US-5031	A-4	US-5035	C-8
LXS-5028	5.000	D	US-5031	A-4	US-5035	C-8
US-5028A	5.000	D	US-5031	A-4	US-5035	C-8
US-5028N	5.000	D	US-5031	A-4	US-5035	C-8
US-5028	5.000	D	US-5031	A-4	US-5035	C-8
IS-5031	5.000	D	US-5031	A-4	US-5035	C-8
US-5031	5.000	D	US-5031	A-4	US-5035	C-8
US-5035	5.000	D	US-5035	A-4	US-5035	C-8
US-5042	5.000	D	US-5042	A-4	US-5042	C-9
5208	6.000	RC	DWG. 18708	**		
5520	2.563	D	520RX	A-4		
US-5542	5.500	D	US-5542	A-4	US-5542	C-9
5602	6.000	RC	DS-196R	B-33	627R	C-19
US-5738	5.750	D	US-5738	A-4		
IS-6018	6.000	RC	US-196R	A-19	627R	C-16
LXS-6018	6.000	RC	US-196R	A-19	627R	C-16
RS-6018	6.000	RC	US-196R	A-19	627R	C-16
RS-6018CR	6.000	RC	DS-196R	B-33	627R	C-16
IS-6022	6.000	RC	607R	A-19	607R	C-17
IS-6040	6.000	D	US-6042	A-4	US-6042	C-10
US-6040	6.000	D	US-6042	A-4	US-6042	C-10
IS-6042	6.000	D	US-6042	A-4	US-6042	C-10
JS-6042	6.000	D	US-6042	A-4	US-6042	C-10
US-6042	6.000	D	US-6042	A-4	US-6042	C-10
6053R	6.000	RC	6053R	A-19	6053R	C-15
US-6066	6.000	D	US-6066	A-4	US-6042	C-10
6101	6.000	RC	631R	A-20	627R	C-16
6102B	4.000	SB	102B	A-54	102B	C-30
6102BM	4.000	SB	102B	A-54	102B	C-30
6102 1/2	4.040	SB	102 1/2	A-54	102 1/2	C-30
6110	6.000	SB	110	A-54	110	C-31
6110BM	6.000	SB	110	A-54	110	C-31
6111	4.760	SB	111	A-54	111	C-30

* Style abbreviations: D = Drive chain; RC = Roller conveyor chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain; BP = Bar and pin chain.

** Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact the Union Chain Division of U.S. Tsubaki for more information.



UNION CHAIN DIVISION - UNIVERSAL PRODUCT CROSS-REFERENCE

Universal Product Cross-Reference (Continued)

Sorted by Chain Number

Chain Number	Pitch	Style*	Union Chain Number	Chain Page Number	Union Sprocket Number	Sprocket Page Number
6111M	4.760	SB	111	A-54	111	C-30
6111SP	4.76 X 7.24	SB	111 SP	A-54		
6131	3.075	SB	131	A-54	131	C-29
6150DM	6.050	SB	150X	A-54	150X	C-32
6150P	6.050	SB	150X	A-54	150X	C-32
6188	2.609	SB	188	A-54	188	C-29
6188M	2.609	SB	188	A-54	188	C-29
LXS-6238	6.000	RC	614R	A-20	CC5	C-17
RS-6238	6.000	RC	614R	A-20	CC5	C-17
DS-6272	6.000	RC	DS-6272	B-33	DS-6272	C-16
LXS-6438	6.000	RC	631R	A-20	626R	C-18
RS-6438	6.000	RC	631R	A-20	626R	C-18
US-6560	6.500	D	US-6560	**		
US-6566	6.500	D	US-6566	A-4		
6825	4.000	SB	825	**		
6826	6.000	SB	6826	B-66		
6830	6.000	SB	830	**		
6850	6.000	SB	US-850	**		
6856	6.000	SB	4856	A-54	48561	C-31
6864	7.000	SB	4864	A-54	4864	C-32
6867	6.000	SB	4857	A-54	4856	C-31
6869	6.000	SB	4859	A-54	4859	C-31
JS-7055	7.000	D	US-7060	**		
IS-7060	7.000	D	US-7060	**		
US-7060	7.000	D	US-7060	**		
US-7080	7.000	D	US-7080	A-4	US-7080	C-10
7601	2.800	SB	DWG. 20003	**		
7602	2.609	SB	DWG. 16109	**		
7774MO6	2.609	RC	26001	B-63		
9063RXX	6.000	RC	9063RXX	B-77		
U-9856	6.000	RC	U-9856	B-8	U-9856	C-40
12001	12.000	RC	12001	B-26		
12002	12.000	RC	12002	B-26		
12003	12.000	RC	12003	B-26		
20001	2.000	SB	20001	B-63		
20002	2.000	RC	20002	B-36		
26001	2.609	RC	26001	B-63		
27001	12 X 15	BP	27001	B-27		
30701	3.075	RC	30701	B-63	US-3075	C-5
30702	3.075	SB	30702	B-65	131	C-29
30703	3.075	SB	30703	B-63	131	C-29
40001	4.000	RC	40001	B-16	US-90R	C-14
40002	4.000	RC	40002	B-16		
40003	4.000	RC	40003	B-16		
41001	4.100	WS	41001	B-62		
42501	4.250	RC	42501	B-16		
50001	5.000	RC	50001	A-19		
52501	5.250	RC	52501	B-16		
52502	5.250	RC	52502	B-16		
60001	6.000	RC	60001	A-20		
60002	6.000	RC	60002	B-16	625R	C-17
60175	6.000	RC	60175	B-77		
80002	8.000	RC	80002	B-37		
80003	8.000	RC	80003	B-37		
90001	9.000	RC	90001	B-37		
90002	9.000	RC	90002	B-37		
90003	9.000	RC	90003	B-26		
90004	9.000	RC	90004	B-26	925R	C-19

* Style abbreviations: D = Drive chain; RC = Roller conveyor chain; R = Drop forged rivetless chain; SB = Steel bushed chain; WS = Welded steel chain; C = Cast combination chain; BP = Bar and pin chain.

** Available on a made-to-order basis. Dimensions for this item are not listed in this catalog. Contact the Union Chain Division of U.S. Tsubaki for more information.